FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 8, 1910.

During the week ending 8th January 1910 there were registered in Eight of the Principal Towns of Scotland the births of 986 living children and the deaths of 740 persons. The equivalent annual birth-rate is 27·2 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 20·4 per thousand.

The death-rate of the week is 1·5 more than that of the previous week, 1·1 more than the mean of the death-rates of the three preceding weeks, and 0·9 more than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 26·7 in Dundee, and 26·6 in Perth, to 13·8 in Leith. In Greenock it was 26·2, in Glasgow 20·7, in Edinburgh 19·6, in Paisley 16·7, and in Aberdeen 16·3.

Deaths from the principal epidemic diseases numbered 93; they are 7 more than in the previous week, and are equal to an annual death-rate from these causes of 2·6 per thousand. These deaths include 55 from measles, of which 52 were in Glasgow; 6 from scarlet fever; 5 from diphtheria, all of which were in Glasgow; 6 from hooping-cough; 2 from enteric fever; and 19 from diarrhœas. Compared to the returns of the previous week, deaths from measles are 8 fewer, and from diphtheria 1 fewer, but those from enteric fever are 1 more, from scarlet fever 3 more, from hooping-cough 3 more, and from diarrhœas 10 more. The death-rate from these causes ranged from 4·2 in Glasgow, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 171; they are 10 fewer than in the previous week, but 43 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 150; they are 4 more than in the previous week, and 7 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 202; they are 14 more than in the previous week, and 1 more than in the corresponding week of last year.

The mean temperature was 44°·8, being 3°·1 above that for the week immediately preceding, and 3°·2 above that for the corresponding week of 1909. The mean rainfall was 0·55 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 8, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Jan. 8, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	47,046	1,891,921	40·214	11·79	986	740	1002	56·0	29·0	44·8	0·55
GLASGOW, . . .	12,789	884,505	69·161	8·99	480	351	530	55·0	34·0	45·0	0·63
EDINBURGH, . .	11,416	360,276	31·559	13·31	156	135	108	55·1	39·1	45·5	0·23
DUNDEE, . . .	5,242	170,206	32·470	13·12	80	87	142	53·0	35·0	44·1	0·22
ABERDEEN, . .	6,795	185,703	27·329	14·30	107	58	66	56·0	29·0	42·5	0·15
PAISLEY, . . .	3,538	93,584	26·451	14·54	42	30	60	52·5	37·6	45·3	0·98
LEITH, ...	2,044	86,767	42·450	11·47	53	23	31	55·1	39·6	46·1	0·24
GREENOCK, . .	1,868	73,605	39·403	11·91	48	37	41	53·0	38·0	45·0	1·34
PERTH, ...	3,354	37,275	11·114	22·42	20	19	24	54·0	33·0	45·3	0·62
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	1096	698	863	51·0	26·6	41·6	0·60

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1910. 110/473. Group 2.

TURN OVER.

Week ending Saturday, JANUARY 8, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 8, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·4	2·6	740	150	202	0	55	6	5	6	2	19	1	171	22	204	19	4
GLASGOW, .	20·7	4·2	351	73	70	0	52	2	5	3	2	7	0	66	9	119	10	1
EDINBURGH,	19·6	1·3	135	18	55	0	3	2	0	2	0	2	0	29	6	36	4	2
DUNDEE, . .	26·7	1·2	87	22	21	0	0	0	0	1	0	3	1	35	4	13	1	0
ABERDEEN, .	16·3	1·4	58	21	18	0	0	0	0	0	0	5	0	11	1	10	2	0
PAISLEY, . .	16·7	0·6	30	5	11	0	0	0	0	0	0	1	0	10	0	7	2	1
LEITH, . . .	13·8	0·6	23	6	5	0	0	0	0	0	0	1	0	8	2	5	0	0
GREENOCK, .	26·2	1·4	37	1	14	0	0	2	0	0	0	0	0	7	0	9	0	0
PERTH, . . .	26·6	0·0	19	4	8	0	0	0	0	0	0	0	0	5	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 9, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·5	2·0	698	143	201	0	1	5	7	33	*4	20	1	128	23	194	27	2
GLASGOW, .	19·5	2·6	326	71	79	0	1	3	5	25	†3	7	0	56	8	105	12	1
EDINBURGH,	20·3	0·9	138	24	45	0	0	0	0	0	‡1	5	0	25	4	39	6	0
DUNDEE, . .	24·9	2·2	81	25	25	0	0	2	1	1	0	3	0	21	2	21	4	0
ABERDEEN, .	15·2	1·7	53	14	12	0	0	0	0	4	0	2	0	7	1	9	2	1
PAISLEY, . .	16·5	2·3	29	3	14	0	0	0	1	1	0	2	0	7	1	4	3	0
LEITH, . . .	13·4	1·2	22	3	6	0	0	0	0	1	0	1	0	4	3	6	0	0
GREENOCK, .	21·6	0·7	30	3	11	0	0	0	0	1	0	0	1	5	2	5	0	0
PERTH, . . .	27·9	0·0	19	0	9	0	0	0	0	0	0	0	0	3	2	5	0	0

* 2 Enteric fever. 2 Cerebro-spinal meningitis.
† 1 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 15, 1910.

During the week ending 15th January 1910 there were registered in Eight of the Principal Towns of Scotland the births of 874 living children and the deaths of 604 persons. The equivalent annual birth-rate is 24·1 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 16·7 per thousand.

The death-rate of the week is 3·7 less than that of the previous week, 2·9 less than the mean of the death-rates of the three preceding weeks, and 1·4 less than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 25·2 in Perth, and 23·0 in Dundee, to 11·5 in Aberdeen. In Leith it was 19·2, in Greenock 19·1, in Glasgow 16·3, in Edinburgh 15·5, and in Paisley 15·1.

Deaths from the principal epidemic diseases numbered 82; they are 11 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·3 per thousand. These deaths include 37 from measles, of which 31 were in Glasgow; 10 from scarlet fever; 9 from diphtheria; 4 from hooping-cough; 4 from enteric fever; 15 from diarrhœas; and 3 from cerebro-spinal meningitis. Compared to the returns of the previous week, deaths from measles are 18 fewer, from diarrhœas 4 fewer, and from hooping-cough 2 fewer, but those from enteric fever are 2 more, from cerebro-spinal meningitis 3 more, from scarlet fever 4 more, and from diphtheria 4 more. The death-rate from these causes ranged from 3·0 in Glasgow, and 2·8 in Dundee, to 0 in Leith.

Deaths from pneumonia, pleurisy, and bronchitis numbered 132; they are 39 fewer than in the previous week, and 19 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 113; they are 37 fewer than in the previous week, and 20 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 177; they are 25 fewer than in the previous week, and 1 fewer than in the corresponding week of last year.

The mean temperature was 38°·2, being 6°·6 below that for the week immediately preceding, but 1°·3 above that for the corresponding week of 1909. The mean rainfall was 1·76 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 15, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Jan. 15, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	874	604	163	54·5	20·0	38·2	1·76
GLASGOW, . . .	12,490	884,505	70·817	8·88	436	277	68	53·0	26·8	39·3	1·60
EDINBURGH, . .	10,912	360,276	33·016	13·01	124	107	25	51·7	29·3	38·9	1·48
DUNDEE, . . .	4,755	170,206	35·795	12·50	83	75	15	50·2	26·6	37·1	1·00
ABERDEEN, . .	6,319	185,703	29·388	13·79	88	41	14	52·6	23·2	34·3	0·32
PAISLEY, . . .	3,487	93,584	26·838	14·43	49	27	18	51·3	28·8	39·4	2·73
LEITH, ...	1,467	86,767	59·146	9·72	45	32	9	54·5	31·6	40·1	1·10
GREENOCK, . .	2,773	73,605	26·543	14·51	39	27	10	54·0	27·0	38·7	4·22
PERTH, ...	3,139	37,275	11·875	21·69	10	18	4	53·0	20·0	37·5	1·65
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	915	648	179	49·0	22·6	36·9	1·87

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, JANUARY 15, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 15, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·7	2·3	604	113	177	0	37	10	9	4	*7	15	0	132	17	178	12	1
GLASGOW, .	16·3	3·0	277	49	60	0	31	6	3	2	†5	4	0	63	7	93	5	0
EDINBURGH,	15·5	2·2	107	17	44	0	6	0	3	0	‡2	4	0	14	2	34	4	0
DUNDEE, . .	23·0	2·8	75	14	24	0	0	2	2	1	0	4	0	21	2	24	0	0
ABERDEEN, .	11·5	0·6	41	9	15	0	0	0	1	0	0	1	0	4	2	7	1	1
PAISLEY, . .	15·1	0·6	27	5	12	0	0	0	0	0	0	1	0	12	1	6	0	0
LEITH, . . .	19·2	0·0	32	8	11	0	0	0	0	0	0	0	0	9	1	6	2	0
GREENOCK, .	19·1	2·1	27	8	8	0	0	1	0	1	0	1	0	6	2	4	0	0
PERTH, . . .	25·2	1·4	18	3	3	0	0	1	0	0	0	0	0	3	0	4	0	0

* 4 Enteric fever; 3 Cerebro-spinal meningitis. † 2 Cerebro-spinal meningitis.
‡ 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 16, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·1	2·0	648	133	178	0	3	5	7	39	*6	13	0	151	15	167	15	1
GLASGOW, .	17·7	2·6	295	61	71	0	0	2	6	27	†3	6	0	77	8	85	10	0
EDINBURGH,	16·0	0·9	109	20	35	0	0	1	0	1	†1	3	0	22	2	38	2	0
DUNDEE, . .	25·9	1·8	84	25	24	0	0	0	0	2	1	3	0	17	0	19	2	1
ABERDEEN, .	18 9	3·2	66	9	19	0	3	2	1	4	0	1	0	13	2	14	0	0
PAISLEY, . .	19·9	1·7	35	10	9	0	0	0	0	3	0	0	0	10	0	5	1	0
LEITH, . . .	12·2	0·0	20	2	2	0	0	0	0	0	0	0	0	3	2	3	0	0
GREENOCK, .	15·2	1·4	21	3	8	0	0	0	0	2	0	0	0	4	1	1	0	0
PERTH, . . .	26·4	1·5	18	3	10	0	0	0	0	0	1	0	0	5	0	2	0	0

* 4 Enteric fever; 2 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 22, 1910.

During the week ending 22nd January 1910 there were registered in Eight of the Principal Towns of Scotland the births of 829 living children and the deaths of 563 persons. The equivalent annual birth-rate is 22·9 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 15·5 per thousand.

The death-rate of the week is 1·2 less than that of the previous week, 3·2 less than the mean of the death-rates of the preceding three weeks, and 3·3 less than that of the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 20·8 in Dundee, to 11·2 in Aberdeen, and 11·4 in Leith. In Greenock it was 17·7, in Edinburgh 16·4, in Glasgow 15·5, in Paisley 14·5, and in Perth 12·6.

Deaths from the principal epidemic diseases numbered 77; they are 5 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·1 per thousand. These deaths include 46 from measles, of which 39 were in Glasgow; 2 from scarlet fever; 8 from diphtheria; 4 from hooping-cough; 4 from enteric fever; and 13 from diarrhœas. There were no deaths from cerebro-spinal meningitis registered in these towns during the week. Compared to the returns of the previous week, deaths from scarlet fever are 8 fewer, from cerebro-spinal meningitis 3 fewer, from diarrhœas 2 fewer, and from diphtheria 1 fewer, but those from hooping-cough and enteric fever were of the same number, and those from measles were 9 more. The death-rate from these causes ranged from 3·1 in Glasgow, to 0 in Paisley and Leith.

Deaths from pneumonia, pleurisy, and bronchitis numbered 101; they are 31 fewer than in the previous week, and 16 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 94; they are 19 fewer than in the previous week, and 37 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 185; they are 8 more than in the previous week, but 21 fewer than in the corresponding week of last year.

The mean temperature was 35°·1, being 3°·1 below that for the week immediately preceding, and 4°·8 below that for the corresponding week of 1909. The mean rainfall was 0·75 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 22, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Jan. 22, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	829	563	124	51·8	20·8	35·1	0·75
GLASGOW, . . .	12,490	884,505	70·817	8·88	404	263	57	51·8	22·8	35·4	0·75
EDINBURGH, . .	10,912	360,276	33·016	13·01	120	113	25	51·4	24·9	34·6	0·81
DUNDEE, . . .	4,755	170,206	35·795	12·50	98	68	10	46·8	25·5	34·2	0·20
ABERDEEN, . .	6,319	185,703	29·388	13·79	82	40	16	46·0	20·8	34·3	0·42
PAISLEY, . . .	3,487	93,584	26·838	14·43	42	26	3	50·1	23·1	35·8	0·88
LEITH, ...	1,467	86,767	59·146	9·72	36	19	8	50·8	21·8	35·2	0·68
GREENOCK, . .	2,773	73,605	26·543	14·51	33	25	4	48·5	24·0	35·8	1·93
PERTH, ...	3,139	37,275	11·875	21·69	14	9	1	49·0	23·0	35·6	0·30
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	1013	671	126	52·6	25·0	39·9	0·99

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, JANUARY 22, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 22, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·5	2·1	563	94	185	0	46	2	8	4	4	13	0	101	17	165	10	0
GLASGOW, .	15·5	3·1	263	43	72	0	39	2	4	0	3	5	0	36	8	78	5	0
EDINBURGH,	16·4	1·4	113	14	50	0	6	0	0	0	0	4	0	18	3	43	4	0
DUNDEE, . .	20·8	1·5	68	13	27	0	0	0	2	0	0	3	0	20	2	17	0	0
ABERDEEN, .	11·2	1·1	40	11	10	0	0	0	2	1	0	1	0	8	1	6	0	0
PAISLEY, . .	14·5	0·0	26	5	10	0	0	0	0	0	0	0	0	9	1	8	1	0
LEITH, . . .	11·4	0·0	19	2	6	0	0	0	0	0	0	0	0	4	2	4	0	0
GREENOCK, .	17·7	2·8	25	5	6	0	1	0	0	2	1	0	0	4	0	6	0	0
PERTH, . . .	12·6	1·4	9	1	4	0	0	0	0	1	0	0	0	2	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 23, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·8	1·6	671	131	206	0	0	2	12	35	*1	7	1	117	19	199	21	5
GLASGOW, .	18·5	2·0	309	63	77	0	0	1	7	23	*1	2	1	56	6	98	12	5
EDINBURGH,	19·4	1·2	132	22	52	0	0	1	0	3	0	4	0	19	5	49	6	0
DUNDEE, . .	21·9	0·9	71	22	18	0	0	0	1	2	0	0	0	16	4	17	2	0
ABERDEEN, .	20·7	2·6	72	12	26	0	0	0	2	6	0	1	0	7	2	13	1	0
PAISLEY, . .	18·7	1·7	33	8	7	0	0	0	2	1	0	0	0	10	0	10	0	0
LEITH, . . .	14·0	0·0	23	1	13	0	0	0	0	0	0	0	0	2	1	8	0	0
GREENOCK, .	16·6	0·0	23	3	7	0	0	0	0	0	0	0	0	4	1	3	0	0
PERTH, . . .	11·7	0·0	8	0	6	0	0	0	0	0	0	0	0	3	0	1	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 29, 1910.

During the week ending 29th January 1910 there were registered in Eight of the Principal Towns of Scotland the births of 783 living children and the deaths of 693 persons. The equivalent annual birth-rate amounts to 21·6 per thousand of the estimated aggregate population, and the equivalent annual death-rate to 19·1 per thousand.

The death-rate of the week is 3·6 above that of the previous week, 1·6 more than the mean of the death-rates of the three preceding weeks, and 1·9 above that of the corresponding week of last year.

The death-rate of the week ranged from 31·9 in Greenock, to 15·6 in Paisley. In Perth it was 22·4, in Dundee 21·8, in Leith 21·0, in Glasgow 19·2, in Aberdeen 17·4, and in Edinburgh 15·9.

Deaths from the principal epidemic diseases numbered 99; they are 22 more than in the previous week, and are equal to an annual death-rate from these causes of 2·7 per thousand. These deaths include 54 from measles, of which 44 were in Glasgow; 4 from scarlet fever; 12 from diphtheria, of which 4 were in Aberdeen, 3 in Glasgow, and 3 in Dundee; 8 from hooping-cough; 3 from enteric fever; 17 from diarrhœas; and 1 from cerebro-spinal meningitis. Compared to the returns of the previous week, deaths from measles are 8 more, from diphtheria 4 more, from hooping-cough 4 more, from diarrhœas 4 more, from scarlet fever 2 more, and from cerebro-spinal meningitis 1 more, but those from enteric fever are 1 fewer. The death-rate from these causes ranged from 3·5 in Glasgow and Greenock, to 0 in Paisley and Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 123; they are 22 more than in the previous week, and 13 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 151; they are 57 more than in the previous week, and 31 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 198; they are 13 more than in the previous week, and 25 more than in the corresponding week of last year.

The mean temperature was 26°·0, being 9°·1 below that for the week immediately preceding, and 15°·2 below that for the corresponding week of 1909. The mean rainfall was 0·48 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 29, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Jan. 29, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	783	693	125	44·2	−3·0	26·0	0·48
GLASGOW, . . .	12,490	884,505	70·817	8·88	385	326	52	39·0	11·0	26·0	0·55
EDINBURGH, . .	10,912	360,276	33·016	13·01	119	110	33	35·9	16·6	26·8	0·22
DUNDEE, . . .	4,755	170,206	35·795	12·50	81	71	10	36·4	10·0	24·7	0·23
ABERDEEN, . .	6,319	185,703	29·388	13·79	72	62	14	37·0	4·0	26·5	0·82
PAISLEY, . . .	3,487	93,584	26·838	14·43	38	28	2	44·2	9·3	27·2	0·66
LEITH, ...	1,467	86,767	59·146	9·72	30	35	6	37·7	15·7	28·3	0·38
GREENOCK, . .	2,773	73,605	26·543	14·51	44	45	5	38·9	14·0	26·0	0·62
PERTH, ...	3,139	37,275	11·875	21·69	14	16	3	38·0	−3·0	22·7	0·34
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	934	616	153	46·6	24·5	41·2	0·22

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, JANUARY 29, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 29, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·1	2·7	693	151	198	0	54	4	12	8	*4	17	0	123	19	185	18	2
GLASGOW, .	19·2	3·5	326	68	73	0	44	3	3	2	†3	5	0	47	12	99	9	0
EDINBURGH,	15·9	2·5	110	19	33	0	8	1	1	1	0	6	0	16	2	41	4	0
DUNDEE, . .	21·8	2·5	71	25	19	0	0	0	3	2	0	3	0	20	1	8	3	2
ABERDEEN, .	17·4	1·1	62	14	26	0	0	0	4	0	0	0	0	12	0	10	0	0
PAISLEY, . .	15·6	0·0	28	7	12	0	0	0	0	0	0	0	0	6	0	2	0	0
LEITH, . . .	21·0	3·0	35	9	9	0	1	0	0	1	0	3	0	8	1	7	1	0
GREENOCK, .	31·9	3·5	45	9	16	0	1	0	1	2	1	0	0	12	2	11	1	0
PERTH, . . .	22·4	0·0	16	0	10	0	0	0	0	0	0	0	0	2	1	7	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 30, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·2	2·0	616	120	173	0	1	4	10	34	*4	18	1	110	27	173	9	2
GLASGOW, .	18·0	2·8	301	56	67	0	0	2	7	26	3	9	0	43	16	98	6	2
EDINBURGH,	17·0	0·7	116	15	45	0	0	1	1	0	†1	2	1	13	6	43	0	0
DUNDEE, . .	18·5	0·6	60	25	12	0	0	1	0	0	0	1	0	16	4	7	0	0
ABERDEEN, .	17·5	3·2	61	11	25	0	1	0	2	5	0	3	0	17	0	16	1	0
PAISLEY, . .	17·6	1·7	31	3	9	0	0	0	0	3	0	0	0	11	0	3	0	0
LEITH, . . .	11·6	0·6	19	5	8	0	0	0	0	0	0	1	0	5	1	5	1	0
GREENOCK, .	14·4	1·4	20	3	3	0	0	0	0	0	0	2	0	3	0	0	0	0
PERTH, . . .	11·7	0·0	8	2	4	0	0	0	0	0	0	0	0	2	0	1	1	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 5, 1910.

During the week ending 5th February 1910 there were registered in Eight of the Principal Towns of Scotland the births of 926 living children and the deaths of 744 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 25·5, and the death-rate 20·5.

The death-rate for the week is 1·4 above that for the week immediately preceding, 3·4 above the mean of the rates for the three preceding weeks, and 2·0 above that for the corresponding week of last year.

The death-rate for the week ranged from 29·8 in Greenock, to 15·4 in Perth. In Dundee it was 26·4, in Paisley 22·3, in Glasgow 20·2, in Edinburgh 18·8, in Leith 18·0, and in Aberdeen 17·4.

Deaths from the principal epidemic diseases numbered 100; they are 1 more than in the previous week, and are equal to an annual death-rate from these causes of 2·8 per thousand. These deaths include 46 from measles, of which 37 occurred in Glasgow; 11 from scarlet fever; 14 from diphtheria; 9 from hooping-cough; 3 from enteric fever; 16 from diarrhœal diseases; and 1 from cerebro-spinal meningitis. Compared with the numbers for the previous week, deaths from measles are 8 fewer, from diarrhœal diseases 1 fewer, from enteric fever and cerebro-spinal meningitis the same, from hooping-cough 1 more, from diphtheria 2 more, and from scarlet fever 7 more. The death-rate from these causes ranged from 4·0 in Glasgow, to 0 in Paisley and in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 150; they are 27 more than in the previous week, and 20 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 126; they are 25 fewer than in the previous week, and 1 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 237; they are 39 more than in the previous week, and 21 more than in the corresponding week of last year.

The mean temperature was 38°·4, being 12°·4 above that for the week immediately preceding, but 2°·0 below that for the corresponding week of last year. The mean rainfall was 0·54 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 5, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Feb. 5, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	926	744	199	52·9	23·5	38·4	0·54
GLASGOW, . . .	12,490	884,505	70·817	8·88	455	343	105	51·5	26·0	39·5	0·34
EDINBURGH, . .	10,912	360,276	33·016	13·01	134	130	28	49·6	28·6	38·7	0·20
DUNDEE, . . .	4,755	170,206	35·795	12·50	82	86	16	41·5	27·6	36·0	0·25
ABERDEEN, . .	6,319	185,703	29·388	13·79	90	62	22	40·8	28·0	35·5	0·56
PAISLEY, . . .	3,487	93,584	26·838	14·43	50	40	6	52·9	27·1	39·9	0·66
LEITH, ...	1,467	86,767	59·146	9·72	41	30	13	50·9	31·9	41·2	0·23
GREENOCK, . .	2,773	73,605	26·543	14·51	47	42	6	49·2	26·7	38·6	1·88
PERTH, ...	3,139	37,275	11·875	21·69	27	11	3	50·5	23·5	37·5	0·20
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	869	662	165	56·0	27·8	40·4	1·05

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, FEBRUARY 5, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 5, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·5	2·8	744	126	237	0	46	11	14	9	*4	16	0	150	21	219	24	2
GLASGOW, .	20·2	4·0	343	68	81	0	37	7	8	5	2	8	0	66	5	105	11	2
EDINBURGH,	18·8	2·5	130	17	47	0	6	3	2	1	†1	4	0	21	3	51	7	0
DUNDEE, . .	26·4	1·5	86	14	32	0	0	0	2	0	0	3	0	24	3	25	0	0
ABERDEEN, .	17·4	0·8	62	6	31	0	0	0	2	0	0	1	0	11	1	7	1	0
PAISLEY, . .	22·3	0·0	40	9	13	0	0	0	0	0	0	0	0	6	0	9	2	0
LEITH, . . .	18·0	1·8	30	4	14	0	1	0	0	2	0	0	0	7	3	7	0	0
GREENOCK, .	29·8	3·5	42	8	12	0	2	1	0	1	1	0	0	14	5	11	2	0
PERTH, . . .	15·4	0·0	11	0	7	0	0	0	0	0	0	0	0	1	1	4	1	0

* 3 Enterie fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 6, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·5	2·2	662	127	216	0	2	4	12	42	*4	13	1	130	19	188	12	2
GLASGOW, .	18·0	3·2	300	58	80	0	0	2	6	33	†3	9	0	57	13	93	6	1
EDINBURGH,	17·3	0·7	118	14	54	0	0	0	1	3	0	1	0	23	1	44	5	0
DUNDEE, . .	25·9	1·5	84	17	28	0	0	1	2	1	0	1	1	15	0	22	0	1
ABERDEEN, .	20·1	2·9	70	25	17	0	2	0	2	3	1	2	0	14	0	10	0	0
PAISLEY, . .	18·7	2·3	33	6	9	0	0	1	1	2	0	0	0	7	0	8	0	0
LEITH, . . .	14·6	0·0	24	5	12	0	0	0	0	0	0	0	0	7	4	4	1	0
GREENOCK, .	16·6	0·0	23	1	10	0	0	0	0	0	0	0	0	5	1	6	0	0
PERTH, . . .	14·7	0·0	10	1	6	0	0	0	0	0	0	0	0	2	0	1	0	0

* 1 Enteric fever; 1 Para-typhoid fever; 2 Cerebro-spinal meningitis. † 2 Cerebro spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 12, 1910.

During the week ending 12th February 1910 there were registered in Eight of the Principal Towns of Scotland the births of 908 living children and the deaths of 615 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 25·0, and the death-rate 17·0.

The death-rate for the week is 3·5 below that for the previous week, 1·4 below the mean of the death-rates for the three preceding weeks, and 1·2 below that for the corresponding week of 1909.

The death-rate for the week ranged from 27·6 in Greenock, to 11·7 in Paisley. In Dundee it was 21·5, in Glasgow 17·9, in Edinburgh 15·2, in Leith 13·8, in Perth 12·6, and in Aberdeen 12·4.

Deaths from the principal epidemic diseases numbered 92; they are 8 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·5 per thousand. These deaths include 55 from measles, of which 43 occurred in Glasgow; 3 from scarlet fever; 13 from diphtheria; 7 from hooping-cough; 2 from enteric fever; 1 from cerebro-spinal meningitis; and 11 from diarrhœal diseases. Compared with the numbers for the previous week, deaths from scarlet fever are 8 fewer, from diarrhœal diseases 5 fewer, from hooping-cough 2 fewer, from diphtheria and enteric fever each 1 fewer, from cerebro-spinal meningitis the same, and from measles 9 more. The death-rate from these causes ranged from 3·7 in Glasgow, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 107; they are 43 fewer than in the previous week, and 26 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 112; they are 14 fewer than in the previous week, and 31 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 174; they are 63 fewer than in the previous week, and 11 fewer than in the corresponding week of last year.

The mean temperature was 38°·5, being 0°·1 above that for the week immediately preceding, and 2°·2 above that for the corresponding week of 1909. The mean rainfall was 0·59 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 12, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Feb. 12, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	908	615	193	52·3	18·0	38·5	0·59
GLASGOW, . . .	12,490	884,505	70·817	8·88	459	304	102	52·3	26·5	39·6	0·66
EDINBURGH, . .	10,912	360,276	33·016	13·01	132	105	36	49·7	25·8	39·3	0·66
DUNDEE, . . .	4,755	170,206	35·795	12·50	88	70	19	47·5	24·5	37·1	0·24
ABERDEEN, . .	6,319	185,703	29·388	13·79	85	44	17	48·0	24·0	36·2	0·19
PAISLEY, . . .	3,487	93,584	26·838	14·43	37	21	6	50·0	27·1	39·9	0·89
LEITH, ...	1,467	86,767	59·146	9·72	49	23	6	50·8	29·6	39·8	0·80
GREENOCK, . .	2,773	73,605	26·543	14·51	40	39	7	48·9	28·0	38·7	1·01
PERTH, ...	3,139	37,275	11·875	21·69	18	9	0	50·0	18·0	37·2	0·27
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	893	652	148	48·0	23·0	36·3	0·32

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, FEBRUARY 12, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 12, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·0	2·5	615	112	174	0	55	3	13	7	*3	11	3	107	26	195	14	0
GLASGOW, .	17·9	3·7	304	55	76	0	43	3	4	5	*3	4	1	57	15	90	7	0
EDINBURGH,	15·2	2·0	105	14	38	0	9	0	3	0	0	2	0	15	1	47	3	0
DUNDEE, . .	21·5	1·8	70	15	15	0	0	0	2	1	0	3	0	15	3	20	0	0
ABERDEEN, .	12·4	0·8	44	9	13	0	0	0	1	1	0	1	0	5	5	12	2	0
PAISLEY, . .	11·7	1·1	21	4	8	0	0	0	1	0	0	1	0	4	0	5	1	0
LEITH, . . .	13·8	1·2	23	5	3	0	1	0	1	0	0	0	1	3	1	5	1	0
GREENOCK, .	27·6	2·1	39	10	16	0	2	0	1	0	0	0	1	8	1	12	0	0
PERTH, . . .	12·6	0·0	9	0	5	0	0	0	0	0	0	0	0	0	0	4	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 13, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·2	2·0	652	143	185	0	0	5	7	49	*3	9	4	133	22	166	24	4
GLASGOW, .	18·3	2·5	306	65	75	0	0	2	4	30	*3	2	2	67	9	89	12	3
EDINBURGH,	14·8	0·7	101	18	37	0	0	1	0	2	0	2	0	22	5	32	5	0
DUNDEE, . .	22·5	2·2	73	17	25	0	0	2	2	3	0	0	0	16	2	20	0	0
ABERDEEN, .	20·7	3·2	72	20	23	0	0	0	0	8	0	3	0	14	1	8	2	1
PAISLEY, . .	21·6	2·3	38	9	6	0	0	0	1	3	0	0	1	8	2	7	5	0
LEITH, . . .	15·8	1·8	26	5	6	0	0	0	0	2	0	1	1	3	1	6	0	0
GREENOCK, .	19·5	0·7	27	7	8	0	0	0	0	1	0	0	0	3	2	2	0	0
PERTH, . . .	13·2	1·5	9	2	5	0	0	0	0	0	0	1	0	0	0	2	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 19, 1910.

During the week ending 19th February 1910 there were registered in Eight of the Principal Towns of Scotland the births of 870 living children and the deaths of 643 persons. The equivalent annual birth-rate is 24·0 per thousand of the estimated aggregate population, and the equivalent annual death-rate is 17·7 per thousand.

The death-rate of the week is 0·7 more than that of the previous week, but 1·2 less than the mean of the death-rates of the preceding three weeks, and 2·1 less than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 34·7 in Greenock, to 10·6 in Paisley. In Perth it was 28·0, in Dundee 21·8, in Glasgow 16·9, in Edinburgh 16·4, in Leith 16·2, and in Aberdeen 16·0.

Deaths from the principal epidemic diseases numbered 69; they are 23 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 37 from measles; 5 from scarlet fever; 7 from diphtheria; 7 from hooping-cough; 2 from enteric fever; and 11 from diarrhœas. Compared to the returns of the previous week, deaths from hooping-cough, enteric fever, and diarrhœas are of the same number, those from scarlet fever are 2 more, those from diphtheria are 6 fewer, and from measles 18 fewer. The death-rate from these causes ranged from 2·8 in Dundee and Greenock, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 135; they are 28 more than in the previous week, but 13 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 96; they are 16 fewer than in the previous week, and 43 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 184; they are 10 more than in the previous week, but 32 fewer than in the corresponding week of last year.

The mean temperature was 40°·5, being 2°·0 above that for the week immediately preceding, and 0°·8 above that for the corresponding week of 1909. The mean rainfall was 1·63 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 19, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Feb. 19, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	870	643	172	52·0	27·0	40·5	1·63
GLASGOW, . . .	12,490	884,505	70·817	8·88	422	287	78	52·0	31·2	41·2	1·49
EDINBURGH, . .	10,912	360,276	33·016	13·01	162	113	36	49·9	31·0	39·8	1·23
DUNDEE, . . .	4,755	170,206	35·795	12·50	77	71	15	48·0	31·0	39·8	0·67
ABERDEEN, . .	6,319	185,703	29·388	13·79	86	57	17	48·0	27·0	37·9	0·86
PAISLEY, . . .	3,487	93,584	26·838	14·43	41	19	7	51·0	31·9	41·7	2·17
LEITH, ...	1,467	86,767	59·146	9·72	35	27	10	50·4	33·6	42·2	1·12
GREENOCK, . .	2,773	73,605	26·543	14·51	41	49	4	49·2	30·0	39·6	4·55
PERTH, ...	3,139	37,275	11·875	21·69	6	20	5	52·0	32·0	41·6	0·93
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	974	706	151	51·5	23·0	39·7	0·02

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, FEBRUARY 19, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 19, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·7	1·9	643	96	184	0	37	5	7	7	2	11	0	135	19	186	15	0
GLASGOW, .	16·9	2·5	287	44	66	0	27	4	2	4	1	4	0	67	7	89	8	0
EDINBURGH,	16·4	1·0	113	14	42	0	4	0	0	2	0	1	0	18	4	36	3	0
DUNDEE, . .	21·8	2·8	71	14	19	0	1	0	2	0	0	6	0	15	2	16	0	0
ABERDEEN, .	16·0	0·6	57	8	24	0	0	1	1	0	0	0	0	11	2	13	4	0
PAISLEY, . .	10·6	1·1	19	2	3	0	0	0	1	0	1	0	0	6	0	7	0	0
LEITH, . . .	16·2	1·8	27	3	9	0	2	0	1	0	0	0	0	6	0	6	0	0
GREENOCK, .	34·7	2·8	49	9	11	0	3	0	0	1	0	0	0	8	2	11	0	0
PERTH, . . .	28·0	0·0	20	2	10	0	0	0	0	0	0	0	0	4	2	8	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 20, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·8	2·3	706	139	216	0	4	5	12	41	*5	15	0	148	10	197	25	0
GLASGOW, .	19·9	2·8	333	64	78	0	0	4	9	22	*5	6	0	75	4	110	9	0
EDINBURGH,	17·8	1·5	121	27	52	0	1	0	0	7	0	2	0	22	2	36	10	0
DUNDEE, . .	22·8	2·8	74	14	25	0	0	1	1	4	0	3	0	13	0	25	0	0
ABERDEEN, .	20·9	3·2	73	15	25	0	3	0	2	4	0	2	0	19	2	10	1	0
PAISLEY, . .	21·6	3·4	38	11	13	0	0	0	0	4	0	2	0	4	1	5	2	0
LEITH, . . .	14·6	0·0	24	2	6	0	0	0	0	0	0	0	0	5	0	7	1	0
GREENOCK, .	19·5	0·0	27	4	10	0	0	0	0	0	0	0	0	7	0	3	2	0
PERTH, . . .	23·5	0·0	16	2	7	0	0	0	0	0	0	0	0	2	1	1	0	0

* 3 Enteric fever; 2 Cerebro-spinal meningitis.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 26, 1910.

During the week ending 26th February 1910 there were registered in Eight of the Principal Towns of Scotland the births of 867 living children and the deaths of 588 persons. The equivalent annual birth-rate is 23·9 per thousand of the estimated aggregate population, and the equivalent annual death-rate 16·2 per thousand.

The death-rate of the week is 1·5 less than that of the previous week, 2·2 less than the mean of the death-rates of the three preceding weeks, and 3·8 less than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 24·1 in Greenock, and 20·4 in Leith, to 12·8 in Paisley. In Perth it was 19·6, in Aberdeen 17·4, in Glasgow 15·9, in Edinburgh 14·9, and in Dundee 14·7.

Deaths from the principal epidemic diseases numbered 79; they are 10 more than in the previous week, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 40 from measles; 8 from scarlet fever; 8 from diphtheria; 8 from hooping-cough; 4 from enteric fever; 9 from diarrhœas; and 2 from cerebro-spinal meningitis. Compared to the returns of the previous week, deaths from measles and scarlet fever are both 3 more, those from enteric fever and cerebro-spinal meningitis are both 2 more, and those from diphtheria and hooping-cough are both 1 more, but those from diarrhœas are 2 fewer. The death-rate from these causes ranged from 3·5 in Greenock, and 3·3 in Glasgow, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 97; they are 38 fewer than in the previous week, and 69 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 111; they are 15 more than in the previous week, but 23 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 169; they are 15 fewer than in the previous week, and 41 fewer than in the corresponding week of last year.

The mean temperature was 37°·5, being 3°·0 below that for the week immediately preceding, and 1°·1 below that for the corresponding week of 1909. The mean rainfall was 0·85 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 26, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Feb. 26, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	867	588	174	47·0	21·0	37·5	0·85
GLASGOW, . . .	12,490	884,505	70·817	8·88	446	270	93	46·2	32·2	38·5	0·59
EDINBURGH, . .	10,912	360,276	33·016	13·01	129	103	24	45·8	31·3	37·3	0·67
DUNDEE, . . .	4,755	170,206	35·795	12·50	80	48	13	44·2	26·2	36·4	0·69
ABERDEEN, . .	6,319	185,703	29·388	13·79	88	62	20	44·5	21·0	36·4	1·01
PAISLEY, . . .	3,487	93,584	26·838	14·43	40	23	8	46·5	31·9	38·9	0·99
LEITH, ...	1,467	86,767	59·146	9·72	46	34	5	44·5	32·2	38·2	0·60
GREENOCK, . .	2,773	73,605	26·543	14·51	28	34	8	44·0	30·0	37·3	1·59
PERTH, ...	3,139	37,275	11·875	21·69	10	14	3	47·0	21·0	37·2	0·63
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	888	714	198	54·5	23·0	38·6	0·10

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, FEBRUARY 26, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 26, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·2	2·2	588	111	169	0	40	8	8	8	*6	9	0	97	15	186	11	3
GLASGOW, .	15·9	3·3	270	56	54	0	29	6	7	6	†4	4	0	41	7	86	4	1
EDINBURGH,	14·9	1·3	103	15	34	0	5	2	0	1	0	1	0	18	5	46	3	0
DUNDEE, . .	14·7	0·6	48	14	14	0	0	0	0	1	0	1	0	7	2	13	1	1
ABERDEEN, .	17·4	0·6	62	18	28	0	0	0	1	0	0	1	0	15	1	9	1	1
PAISLEY, . .	12·8	1·1	23	2	3	0	0	0	0	0	0	2	0	3	0	9	2	0
LEITH, . . .	20·4	1·8	34	3	13	0	3	0	0	0	0	0	0	6	0	5	0	0
GREENOCK, .	24·1	3·5	34	3	11	0	3	0	0	0	2	0	0	5	0	12	0	0
PERTH, . . .	19·6	0·0	14	0	12	0	0	0	0	0	0	0	0	2	0	6	0	0

* 4 Enteric fever; 2 Cerebro-spinal meningitis. † 2 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 27, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·0	2·3	714	134	210	0	3	3	14	40	*9	12	0	166	23	198	13	1
GLASGOW, .	21·1	2·8	352	68	90	0	0	1	4	29	†6	6	0	87	17	99	9	1
EDINBURGH,	21·4	1·0	146	25	50	0	0	1	3	2	1	0	0	30	5	51	3	0
DUNDEE, . .	21·9	3·1	71	13	21	0	0	1	4	2	0	3	0	14	0	22	0	0
ABERDEEN, .	15·8	3·7	55	17	17	0	3	0	2	5	‡1	2	0	14	0	7	0	0
PAISLEY, . .	21·6	1·7	38	7	7	0	0	0	0	2	‡1	0	0	8	1	8	1	0
LEITH, . . .	12·8	0·0	21	1	11	0	0	0	0	0	0	0	0	8	0	5	0	0
GREENOCK, .	13·0	0·0	18	2	7	0	0	0	0	0	0	0	0	3	0	1	0	0
PERTH, . . .	19·1	2·9	13	1	7	0	0	0	1	0	0	1	0	2	0	5	0	0

* 6 Enteric fever; 3 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, MARCH 5, 1910.

During the week ending Saturday 5th March 1910 there were registered in Eight of the Principal Towns of Scotland the births of 912 living children and the deaths of 590 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 25·2, and the death-rate 16·3.

The death-rate for the week is 0·1 above that for the previous week, but is 0·7 below the mean of the rates for the three preceding weeks, and 4·4 below that for the corresponding week of last year.

The death-rate for the week ranged from 27·6 in Greenock to 10·6 in Paisley. In Leith it was 18·6, in Dundee 18·1, in Glasgow 17·6, in Aberdeen 14·3, in Perth 12·6, and in Edinburgh 12·0.

Deaths from the principal epidemic diseases numbered 79; they number the same as in the previous week, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 40 from measles; 5 from scarlet fever; 12 from diphtheria; 2 from hooping-cough; 6 from enteric fever; and 14 from diarrhœal diseases. Compared with the returns for the previous week, deaths from hooping-cough are 6 fewer and from scarlet fever 3 fewer, while those from measles number the same, and those from enteric fever are 2 more, from diphtheria 4 more, and from diarrhœal diseases 5 more. The death-rate from these causes ranged from 4·8 in Leith to 0·6 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 113; they are 16 more than in the previous week, but 59 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 112; they are 1 more than in the previous week, but 25 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 172; they are 3 more than in the previous week, but 34 fewer than in the corresponding week of last year.

The mean temperature was 40°·9, being 3°·4 above that for the week immediately preceding, and 8°·3 above that for the corresponding week of 1909. The mean rainfall was 0·81 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 5, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Mar. 5, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	912	590	222	53·2	26·0	40·9	0·81
GLASGOW, . . .	12,490	884,505	70·817	8·88	440	299	115	52·8	31·4	42·7	1·02
EDINBURGH, . .	10,912	360,276	33·016	13·01	149	83	44	50·8	32·7	40·2	0·26
DUNDEE, . . .	4,755	170,206	35·795	12·50	79	59	16	52·0	30·0	39·4	0·37
ABERDEEN, . .	6,319	185,703	29·388	13·79	97	51	14	48·4	26·0	36·8	0·62
PAISLEY, . . .	3,487	93,584	26·838	14·43	58	19	4	53·2	31·5	43·0	1·33
LEITH, ...	1,467	86,767	59·146	9·72	39	31	12	52·8	34·7	43·0	0·28
GREENOCK, . .	2,773	73,605	26·543	14·51	41	39	10	50·5	30·2	41·7	1·80
PERTH, ...	3,139	37,275	11·875	21·69	9	9	7	52·0	30·5	40·8	0·81
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	935	738	219	44·0	18·5	32·6	0·59

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, MARCH 5, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 5, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·3	2·2	590	112	172	0	40	5	12	2	6	14	1	113	19	171	20	2
GLASGOW, .	17·6	2·9	299	63	69	0	28	3	9	1	3	6	1	59	7	94	15	2
EDINBURGH,	12·0	0·9	83	13	32	0	2	1	1	1	0	1	0	14	3	27	3	0
DUNDEE, . .	18·1	1·2	59	10	22	0	1	0	1	0	0	2	0	15	1	14	1	0
ABERDEEN, .	14·3	0·8	51	8	17	0	0	0	0	0	0	3	0	9	1	10	1	0
PAISLEY, . .	10·6	0·6	19	4	7	0	0	0	0	0	0	1	0	1	1	7	0	0
LEITH, . . .	18·6	4·8	31	6	10	0	6	1	1	0	0	0	0	4	4	6	0	0
GREENOCK, .	27·6	4·3	39	8	11	0	3	0	0	0	3	0	0	10	2	9	0	0
PERTH, . . .	12·6	1·4	9	0	4	0	0	0	0	0	0	1	0	1	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 6, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·7	2·5	738	137	206	0	0	5	6	67	*9	4	2	172	24	204	25	3
GLASGOW, .	21·4	3·4	357	63	83	0	0	3	4	44	†6	0	2	85	10	107	10	3
EDINBURGH,	18·4	1·2	125	22	45	0	0	0	0	6	‡1	1	0	25	1	40	10	0
DUNDEE, . .	27·4	1·2	89	17	26	0	0	1	1	1	0	1	0	20	7	23	1	0
ABERDEEN, .	19·5	4·0	68	18	20	0	0	0	1	10	2	1	0	15	3	8	4	0
PAISLEY, . .	25·0	2·8	44	4	12	0	0	1	0	3	0	1	0	13	2	13	0	0
LEITH, . . .	18·9	1·2	31	9	12	0	0	0	0	2	0	0	0	8	0	9	0	0
GREENOCK, .	13·0	0·7	18	4	4	0	0	0	0	1	0	0	0	4	1	3	0	0
PERTH, . . .	8·8	0·0	6	0	4	0	0	0	0	0	0	0	0	2	0	1	0	0

* 5 Enteric fever; 4 Cerebro-spinal meningitis. † 3 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 10. WEEK ENDING SATURDAY, MARCH 12, 1910.

During the week ending 12th March 1910 there were registered in Eight of the Principal Towns of Scotland the births of 865 living children and the deaths of 622 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 23·9, and the death-rate 17·2.

The death-rate for the week is 0·9 above that for the previous week, and 0·5 above the mean of the rates for the three preceding weeks, but is 4·4 below that for the corresponding week of 1909.

The death-rate for the week ranged from 24·8 in Greenock to 11·7 in Paisley. In Edinburgh it was 19·6, in Dundee 17·2, in Glasgow 16·9, in Leith 15·6, in Perth 15·4, and in Aberdeen 14·6.

Deaths from the principal epidemic diseases numbered 82; they are 3 more than in the previous week, and are equal to an annual death-rate from these causes of 2·3 per thousand. These deaths include 46 from measles, of which 24 were registered in Glasgow, and 11 in Greenock; 5 from scarlet fever; 5 from diphtheria; 12 from hooping-cough; 1 from enteric fever; 12 from diarrhœal diseases; and 1 from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from diphtheria are 7 fewer, from enteric fever 5 fewer, from diarrhœal diseases 2 fewer, while those from scarlet fever number the same, from cerebro-spinal meningitis 1 more, from measles 6 more, and from hooping-cough 10 more. The death-rate from these causes ranged from 10·6 in Greenock (where it was chiefly due to the prevalence of measles) to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 107; they are 6 fewer than in the previous week, and 66 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 124; they are 12 more than in the previous week, but 22 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 174; they are 2 more than in the previous week, but 56 fewer than in the corresponding week of last year.

The mean temperature was 43°·2, being 2°·3 above that for the week immediately preceding, and 6°·6 above that for the corresponding week of 1909. The mean rainfall was 0·87 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 12, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Mar. 12, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	865	622	167	54·3	27·5	43·2	0·87
GLASGOW, . . .	12,490	884,505	70·817	8·88	426	286	84	53·5	30·0	44·0	0·84
EDINBURGH, . .	10,912	360,276	33·016	13·01	143	135	35	50·9	31·7	42·3	0·53
DUNDEE, . . .	4,755	170,206	35·795	12·50	81	56	13	50·0	30·7	41·3	0·70
ABERDEEN, . .	6,319	185,703	29·388	13·79	83	52	15	50·6	38·0	43·4	1·09
PAISLEY, . . .	3,487	93,584	26·838	14·43	45	21	4	54·3	33·0	44·6	1·21
LEITH, ...	1,467	86,767	59·146	9·72	41	26	5	52·1	33·9	43·9	0·56
GREENOCK, . .	2,773	73,605	26·543	14·51	39	35	7	53·5	30·5	42·9	1·29
PERTH, ...	3,139	37,275	11·875	21·69	7	11	4	53·0	27·5	43·4	0·76
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	973	771	153	54·2	23·0	36·6	0·92

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, MARCH 12, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 12, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·2	2·3	622	124	174	0	46	5	5	12	*2	12	0	107	18	195	18	3
GLASGOW, .	16·9	2·2	286	56	59	0	24	2	1	5	1	4	0	51	10	101	13	3
EDINBURGH,	19·6	1·2	135	31	48	0	3	0	0	2	†1	2	0	18	4	40	4	0
DUNDEE, . .	17·2	3·1	56	7	23	0	3	2	1	2	0	2	0	7	0	18	0	0
ABERDEEN, .	14·6	1·1	52	11	20	0	0	0	2	0	0	2	0	12	1	15	0	0
PAISLEY, . .	11·7	1·1	21	3	5	0	0	1	1	0	0	0	0	7	0	5	1	0
LEITH, . . .	15·6	3·6	26	6	8	0	5	0	0	1	0	0	0	6	2	6	0	0
GREENOCK, .	24·8	10·6	35	9	5	0	11	0	0	2	0	2	0	6	1	4	0	0
PERTH, . . .	15·4	0·0	11	1	6	0	0	0	0	0	0	0	0	0	0	6	0	0

* 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 13, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·6	2·7	771	146	230	0	2	5	10	55	1	23	0	173	23	201	21	2
GLASGOW, .	21·9	3·5	366	76	99	0	0	1	6	37	1	14	0	84	12	105	10	1
EDINBURGH,	20·4	1·3	139	20	47	0	0	1	0	6	0	2	0	29	3	46	5	0
DUNDEE, . .	20·6	1·8	67	7	24	0	0	2	0	1	0	3	0	13	1	15	1	0
ABERDEEN, .	24·4	4·6	85	30	15	0	2	1	2	8	0	3	0	21	3	19	3	1
PAISLEY, . .	21·6	1·7	38	7	12	0	0	0	1	2	0	0	0	8	0	7	1	0
LEITH, . . .	15·2	0·6	25	3	10	0	0	0	1	0	0	0	0	5	1	4	1	0
GREENOCK, .	23·1	1·4	32	5	12	0	0	0	0	1	0	1	0	3	2	2	0	0
PERTH, . . .	27·9	0·0	19	2	11	0	0	0	0	0	0	0	0	10	1	3	0	0

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 19, 1910.

During the week ending 19th March 1910 there were registered in Eight of the Principal Towns of Scotland the births of 953 living children and the deaths of 612 persons. The equivalent annual birth-rate is 26·3 per thousand of the estimated aggregate population, and the equivalent annual death-rate 16·9 per thousand.

The death-rate of the week is 0·3 less than that of the previous week, and 4·2 less than that of the corresponding week of last year, but is 0·3 more than the mean of the death-rates of the three preceding weeks.

The death-rate of the week ranged from 22·1 in Dundee to 15·1 in Edinburgh and Paisley. In Leith it was 19·8, in Perth 19·6, in Greenock 19·1, in Glasgow 16·3, and in Aberdeen 16·3.

Deaths from the principal epidemic diseases numbered 72; they are 10 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 35 from measles; 4 from scarlet fever; 8 from diphtheria; 10 from hooping-cough; 2 from enteric fever; 12 from diarrhœas; and 1 from cerebro-spinal meningitis. Compared with the returns of the previous week, deaths from measles are 11 fewer, from hooping-cough 2 fewer, and from scarlet fever 1 fewer, but those from cerebro-spinal meningitis and diarrhœas are of the same number, those from enteric fever 1 more, and from diphtheria 3 more. The death-rate from these causes ranged from 4·3 in Greenock, and 2·8 in Dundee, to 0·6 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 99; they are 8 fewer than in the previous week, and 86 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 125; they are 1 more than in the previous week, and 18 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 174; they are of the same number as in the previous week, but 67 fewer than in the corresponding week of last year.

The mean temperature was 40°·3, being 2°·9 below that for the week immediately preceding, but 2°·5 above that for the corresponding week of 1909. The mean rainfall was 0·26 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 19, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Mar. 19, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	953	612	165	59·2	26·0	40·3	0·26
GLASGOW, . . .	12,490	884,505	70·817	8·88	474	277	62	52·9	31·8	40·9	0·14
EDINBURGH, . .	10,912	360,276	33·016	13·01	138	104	39	51·4	29·0	40·0	0·05
DUNDEE, . . .	4,755	170,206	35·795	12·50	106	72	15	53·0	28·5	39·6	0·16
ABERDEEN, . .	6,319	185,703	29·388	13·79	82	58	23	59·2	26·0	37·2	0·59
PAISLEY, . . .	3,487	93,584	26·838	14·43	49	27	4	53·1	29·9	42·0	0·23
LEITH, ...	1,467	86,767	59·146	9·72	29	33	12	53·3	31·6	42·1	0·18
GREENOCK, . .	2,773	73,605	26·543	14·51	49	27	6	48·0	29·5	39·4	0·63
PERTH, ...	3,139	37,275	11·875	21·69	26	14	4	56·0	28·0	41·3	0·11
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	956	754	147	51·0	22·0	37·8	0·39

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, MARCH 19, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 19, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·9	2·0	612	125	174	0	35	4	8	10	*3	12	1	99	30	173	9	0
GLASGOW, .	16·3	2·3	277	61	66	0	20	1	5	6	†2	5	1	44	12	86	2	0
EDINBURGH,	15·1	1·2	104	12	35	0	1	1	0	3	0	3	0	9	9	39	3	0
DUNDEE, . .	22·1	2·8	72	19	18	0	6	1	0	0	0	2	0	17	5	18	1	0
ABERDEEN, .	16·3	1·1	58	9	22	0	0	0	2	1	0	1	0	12	0	15	0	0
PAISLEY, . .	15·1	0·6	27	9	9	0	0	1	0	0	0	0	0	4	2	5	2	0
LEITH, . . .	19·8	2·4	33	3	11	0	3	0	1	0	0	0	0	5	1	5	0	0
GREENOCK, .	19·1	4·3	27	8	5	0	5	0	0	0	0	1	0	6	0	4	1	0
PERTH, . . .	19·6	1·4	14	4	8	0	0	0	0	0	1	0	0	2	1	1	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 20, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·1	2·4	754	107	241	0	2	6	12	51	*5	11	2	185	20	218	22	2
GLASGOW, .	21·9	3·5	366	58	100	0	0	2	6	37	*5	8	1	95	11	120	9	2
EDINBURGH,	17·2	0·9	117	11	46	0	0	2	1	2	0	1	1	24	2	40	7	0
DUNDEE, . .	23·7	2·5	77	11	29	0	1	0	2	5	0	0	0	15	1	22	0	0
ABERDEEN, .	19·8	1·4	69	12	24	0	0	0	1	3	0	1	0	14	2	18	2	0
PAISLEY, . .	23·8	3·4	42	6	11	0	1	2	1	2	0	0	0	8	2	7	3	0
LEITH, . . .	21·3	1·2	35	6	12	0	0	0	0	1	0	1	0	15	0	5	1	0
GREENOCK, .	26·0	1·4	36	3	12	0	0	0	1	1	0	0	0	11	1	2	0	0
PERTH, . . .	17·6	0·0	12	0	7	0	0	0	0	0	0	0	0	3	1	4	0	0

* 4 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 26, 1910.

During the week ending 26th March 1910 there were registered in Eight of the Principal Towns of Scotland the births of 850 living children and the deaths of 556 persons. The equivalent annual birth-rate is 23·4 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 15·3 per thousand.

The death-rate of the week is 1·6 less than that of the previous week, 1·5 less than the mean of the death-rates of the three preceding weeks, and 5·2 less than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 21·3 in Greenock, and 20·2 in Dundee, to 12·3 in Edinburgh, and 12·6 in Perth. In Paisley it was 15·6, in Glasgow 15·5, in Aberdeen 14·9, and in Leith 13·2.

Deaths from the principal epidemic diseases numbered 77; they are 5 more than in the previous week, and are equal to an annual death-rate from these causes of 2·1 per thousand. These deaths include 45 from measles, of which 19 were in Glasgow, 9 in Dundee, and 7 in Greenock; 6 from scarlet fever; 6 from diphtheria; 8 from hooping-cough; 1 from enteric fever; 9 from diarrhœas; and 2 from cerebro-spinal meningitis. Compared with the returns of the previous week, deaths from diarrhœas are 3 fewer, from diphtheria 2 fewer, from hooping-cough 2 fewer, and from enteric fever 1 fewer, but those from cerebro-spinal meningitis are 1 more, from scarlet fever 2 more, and from measles 10 more. The death-rate from these causes ranged from 7·8 in Greenock, and 4·0 in Dundee, to 0 in Perth, and 0·7 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 99; they are of the same number as in the previous week, but 81 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 111; they are 14 fewer than in the previous week, and 23 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 128; they are 46 fewer than in the previous week, and 89 fewer than in the corresponding week of last year.

The mean temperature was 45°·9, being 5°·6 above that for the week immediately preceding, and 4°·6 above that for the corresponding week of 1909. The mean rainfall was 0·01 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 26, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Mar. 26, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	850	556	173	59·8	31·5	45·9	0·01
GLASGOW, . . .	12,490	884,505	70·817	8·88	380	263	93	53·5	34·5	45·7	0·01
EDINBURGH, . .	10,912	360,276	33·016	13·01	149	85	26	52·9	35·2	44·9	0·02
DUNDEE, . . .	4,755	170,206	35·795	12·50	80	66	9	55·9	33·0	45·0	0·00
ABERDEEN, . .	6,319	185,703	29·388	13·79	100	53	21	59·8	34·0	47·5	0·00
PAISLEY, . . .	3,487	93,584	26·838	14·43	49	28	10	56·8	36·0	46·5	0·02
LEITH, ...	1,467	86,767	59·146	9·72	39	22	4	53·8	36·9	46·9	0·02
GREENOCK, . .	2,773	73,605	26·543	14·51	36	30	8	52·7	35·5	44·6	0·01
PERTH, ...	3,139	37,275	11·875	21·69	17	9	2	59·0	31·5	46·5	0·00
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	973	732	167	54·1	30·0	41·3	0·74

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1910. 110/473. Group 2.

[TURN OVER.

Week ending Saturday, MARCH 26, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 26, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15·3	2·1	556	111	128	0	45	6	6	8	*3	9	1	99	16	156	16	0
GLASGOW, .	15·5	1·9	263	48	46	0	19	2	0	6	0	5	0	53	10	67	9	0
EDINBURGH,	12·3	0·7	85	15	29	0	3	1	0	1	0	0	1	12	1	35	5	0
DUNDEE, . .	20·2	4·0	66	16	20	0	9	1	1	0	0	2	0	13	4	18	0	0
ABERDEEN, .	14·9	1·1	53	9	15	0	0	1	3	0	0	0	0	10	1	16	0	0
PAISLEY, . .	15·6	3·3	28	11	5	0	3	0	1	0	†2	0	0	5	0	7	1	0
LEITH, . . .	13·2	3·6	22	4	5	0	4	1	0	0	0	1	0	2	0	3	1	0
GREENOCK, .	21·3	7·8	30	8	3	0	7	0	1	1	1	1	0	3	0	5	0	0
PERTH, . . .	12·6	0·0	9	0	5	0	0	0	0	0	0	0	0	1	0	5	0	0

* 1 Enteric fever; 2 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 27, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·5	2·2	732	134	217	0	3	5	8	52	*4	8	0	180	17	196	20	3
GLASGOW, .	22·3	3·3	373	72	100	0	1	4	4	37	*4	5	0	95	5	110	8	3
EDINBURGH,	17·2	0·9	117	10	48	0	0	0	1	5	0	0	0	28	6	38	6	0
DUNDEE, . .	20·9	2·8	68	14	21	0	1	1	2	4	0	1	0	14	1	20	0	0
ABERDEEN, .	16·1	1·1	56	21	8	0	1	0	0	2	0	1	0	15	2	1	0	0
PAISLEY, . .	17·6	1·7	31	3	13	0	0	0	1	2	0	0	0	7	0	9	3	0
LEITH, . . .	18·9	0·0	31	2	9	0	0	0	0	0	0	0	0	12	2	8	0	0
GREENOCK, .	23·1	0·7	32	10	10	0	0	0	0	1	0	0	0	5	1	2	3	0
PERTH, . . .	35·2	2·9	24	2	8	0	0	0	0	1	0	1	0	4	0	8	0	0

* 2 Enteric fever; 2 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, APRIL 2, 1910.

During the week ending 2nd April 1910 there were registered in Eight of the Principal Towns of Scotland the births of 930 living children and the deaths of 656 persons. The equivalent annual birth-rate is 25·6 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 18·1 per thousand.

The death-rate of the week is 2·8 more than that of the previous week, and 1·6 more than the mean of the death-rates of the three preceding weeks, but is 1·8 less than that of the corresponding week of last year.

The death-rate of the week ranged from 26·9 in Greenock, and 25·4 in Dundee, to 14·3 in Aberdeen and 15·9 in Edinburgh. In Leith it was 19·8, in Perth 19·6, in Glasgow 17·5, and in Paisley 16·7.

Deaths from the principal epidemic diseases numbered 82; they are 5 more than in the previous week, and are equal to an annual death-rate from these causes of 2·3 per thousand. These deaths include 43 from measles, of which 16 were in Dundee, and 7 in Greenock; 4 from scarlet fever; 2 from diphtheria; 7 from hooping-cough; 1 from enteric fever; and 25 from diarrhœas. Compared with the returns of the previous week, deaths from diphtheria are 4 fewer, from measles and scarlet fever each 2 fewer, and from hooping-cough 1 fewer, but from enteric fever of the same number, and from diarrhœas 16 more. The death-rate from these causes ranged from 7·8 in Greenock, and 6·4 in Dundee, in both of which towns measles was prevalent, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 122; they are 23 more than in the previous week, but 41 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 140; they are 29 more than in the previous week, but 4 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 179; they are 51 more than in the previous week, but 36 fewer than in the corresponding week of last year.

The mean temperature was 43°·7, being 2°·2 below that for the week immediately preceding, but 4°·9 above that for the corresponding week of 1909. The mean rainfall was 0·12 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 2, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending April 2, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,921	41·726	11·57	930	656	408	62·3	26·5	43·7	0·12
GLASGOW, . . .	12,490	884,505	70·817	8·88	478	297	225	59·2	29·6	43·5	0·34
EDINBURGH, . .	10,912	360,276	33·016	13·01	141	110	79	56·6	31·7	43·4	0·01
DUNDEE, . . .	4,755	170,206	35·795	12·50	91	83	25	56·2	29·0	43·2	0·00
ABERDEEN, . .	6,319	185,703	29·388	13·79	75	51	27	61·0	30·0	45·7	0·00
PAISLEY, . . .	3,487	93,584	26·838	14·43	45	30	22	62·3	30·0	43·8	0·24
LEITH, ...	1,467	86,767	59·146	9·72	41	33	14	57·5	31·9	44·2	0·00
GREENOCK, . .	2,773	73,605	26·543	14·51	41	38	10	58·0	32·5	43·2	0·28
PERTH, ...	3,139	37,275	11·875	21·69	18	14	6	59·0	26·5	42·7	0·08
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	957	712	217	57·0	24·5	38·8	1·19

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N—340 4/1910 90/430 Group 8

[TURN OVER

Week ending Saturday, APRIL 2, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 2, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·1	2·3	656	140	179	0	43	4	2	7	1	25	0	122	25	204	20	3
GLASGOW, .	17·5	1·7	297	65	71	0	10	2	1	4	1	10	0	58	12	101	13	3
EDINBURGH,	15·9	1·3	110	16	40	0	4	1	0	0	0	4	0	23	3	41	4	0
DUNDEE, . .	25·4	6·4	83	22	16	0	16	0	0	0	0	5	0	15	6	24	0	0
ABERDEEN, .	14·3	0·8	51	8	18	0	0	0	1	1	0	1	0	9	0	8	1	0
PAISLEY, . .	16·7	1·7	30	4	11	0	2	1	0	0	0	0	0	3	2	11	1	0
LEITH, . . .	19·8	4·2	33	12	10	0	4	0	0	0	0	3	0	4	0	10	1	0
GREENOCK, .	26·9	7·8	38	9	8	0	7	0	0	2	0	2	0	8	2	5	0	0
PERTH, . . .	19·6	0·0	14	4	5	0	0	0	0	0	0	0	0	2	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 3, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·9	2·2	712	144	215	0	1	5	6	47	*5	14	0	163	20	199	22	4
GLASGOW, .	21·5	3·2	360	73	95	0	0	4	6	32	†3	8	0	93	11	111	12	2
EDINBURGH,	18·4	0·9	125	26	42	0	0	0	0	3	†1	2	0	22	5	35	6	1
DUNDEE, . .	20·3	1·5	66	16	20	0	0	0	0	2	0	3	0	9	2	22	1	1
ABERDEEN, .	13·8	2·9	48	15	12	0	0	0	0	9	0	1	0	8	0	7	0	0
PAISLEY, . .	23·3	1·1	41	4	16	0	1	0	0	1	0	0	0	10	1	11	2	0
LEITH, . . .	15·2	0·6	25	2	12	0	0	1	0	0	0	0	0	10	0	5	1	0
GREENOCK, .	24·5	0·0	34	5	13	0	0	0	0	0	0	0	0	8	1	6	0	0
PERTH, . . .	19·1	1·5	13	3	5	0	0	0	0	0	1	0	0	3	0	2	0	0

* 1 Enteric fever; 4 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 9, 1910.

During the week ending 9th April 1910 there were registered in Eight of the Principal Towns of Scotland the births of 978 living children and the deaths of 659 persons. The equivalent annual birth-rate is 27·0 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 18·2 per thousand.

The death-rate of the week is 0·1 more than that of the previous week, 1·4 more than the mean of the death-rates of the three preceding weeks, and 0·5 more than that of the corresponding week of last year.

The death-rate of the week ranged from 29·4 in Dundee, and 29·1 in Greenock, in both of which towns deaths from measles were numerous, to 11·8 in Aberdeen. In Glasgow the death-rate of the week was 18·4, in Leith 16·8, in Perth 16·8, in Paisley 15·6, and in Edinburgh 14·5.

Deaths from the principal epidemic diseases numbered 123; they are 41 more than in the previous week, and are equal to an annual death-rate from these causes of 3·4 per thousand. These deaths include 74 from measles, of which 28 were in Dundee, 15 in Glasgow, and 14 in Greenock; 10 from scarlet fever; 14 from diphtheria; 6 from hooping-cough; 1 from enteric fever; 1 from typhus fever; and 17 from diarrhœas. Compared with the returns of the previous week, deaths from measles are 31 more, from diphtheria 12 more, and from scarlet fever 6 more, but those from enteric fever are of the same number, from hooping-cough 1 fewer, and from diarrhœas 8 fewer. The death-rate from these causes ranged from 12·0 in Greenock, and 11·3 in Dundee, to 0 in Perth, and 0·6 in Aberdeen.

Deaths from pneumonia, pleurisy, and bronchitis numbered 112; they are 10 fewer than in the previous week, but 6 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 138; they are 2 fewer than in the previous week, but 9 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 147; they are 32 fewer than in the previous week, and 37 fewer than in the corresponding week of last year.

The mean temperature was 43°·1, being 0°·6 below that for the week immediately preceding, and 3°·1 below that for the corresponding week of 1909. The mean rainfall was 0·20 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 9, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending April 9, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,342	1,891,936	41·726	11·57	978	659	237	59·0	27·5	43·1	0·20
GLASGOW, . . .	12,490	884,520	70·817	8·88	492	312	99	56·0	32·0	43·2	0·16
EDINBURGH, . .	10,912	360,276	33·016	13·01	156	100	60	53·9	35·6	41·3	0·25
DUNDEE, . . .	4,755	170,206	35·795	12·50	91	96	22	55·8	29·5	41·8	0·15
ABERDEEN, . .	6,319	185,703	29·388	13·79	82	42	24	57·3	29·0	44·8	0·19
PAISLEY, . . .	3,487	93,584	26·838	14·43	55	28	7	58·7	31·5	43·8	0·19
LEITH, ...	1,467	86,767	59·146	9·72	45	28	7	54·7	37·9	43·8	0·25
GREENOCK, . .	2,773	73,605	26·543	14·51	38	41	17	56·2	32·5	43·2	0·26
PERTH, ...	3,139	37,275	11·875	21·69	19	12	1	59·0	27·5	43·0	0·16
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	939	634	203	69·0	28·0	46·2	0·00

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1910. 90/430. GROUP 2.

[TURN OVER.

Week ending Saturday, APRIL 9, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 9, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·2	3·4	659	138	147	0	74	10	14	6	*2	17	2	112	18	202	16	1
GLASGOW, .	18·4	2·4	312	63	76	0	15	6	6	2	†1	11	2	53	8	99	8	0
EDINBURGH,	14·5	2·5	100	24	25	0	11	1	2	2	0	1	0	15	3	44	3	1
DUNDEE, . .	29·4	11·3	96	26	14	0	28	2	0	2	0	5	0	13	2	19	2	0
ABERDEEN, .	11·8	0·6	42	7	10	0	0	1	1	0	0	0	0	8	2	12	0	0
PAISLEY, . .	15·6	1·7	28	2	6	0	0	0	2	0	1	0	0	7	2	10	2	0
LEITH, . . .	16·8	3·6	28	7	7	0	6	0	0	0	0	0	0	7	1	4	1	0
GREENOCK, .	29·1	12·0	41	6	4	0	14	0	3	0	0	0	0	7	0	8	0	0
PERTH, . . .	16·8	0·0	12	3	5	0	0	0	0	0	0	0	0	2	0	6	0	0

*1 Enteric fever; 1 Typhus fever. † Typhus fever.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 10, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·7	2·5	634	129	184	0	3	3	9	55	*7	13	2	106	29	174	22	3
GLASGOW, .	19·6	3·8	327	75	80	0	0	3	4	42	†6	8	0	58	15	82	12	3
EDINBURGH,	15·4	0·6	105	10	39	0	0	0	1	3	0	0	0	22	7	43	3	0
DUNDEE, . .	20·6	2·8	67	13	23	0	0	0	2	4	0	3	0	7	2	20	2	0
ABERDEEN, .	16·4	1·7	57	20	14	0	2	0	1	2	0	1	1	5	4	9	2	0
PAISLEY, . .	11·9	1·7	21	5	6	0	1	0	0	1	‡1	0	0	2	0	5	2	0
LEITH, . . .	13·4	0·6	22	2	9	0	0	0	1	0	0	0	0	5	0	7	0	0
GREENOCK, .	17·3	2·2	24	3	8	0	0	0	0	3	0	0	1	5	0	1	0	0
PERTH, . . .	16·2	1·5	11	1	5	0	0	0	0	0	0	1	0	2	1	7	1	0

* 4 Enteric fever; 3 Cerebro-spinal meningitis. † 2 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 15. WEEK ENDING SATURDAY, APRIL 16, 1910.

During the week ending 16th April 1910 there were registered in Eight of the Principal Towns of Scotland the births of 934 living children and the deaths of 669 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of these towns is 25·8, and the equivalent annual death-rate 18·5 per thousand.

The death-rate for the week is 0·3 more than that for the week immediately preceding, 1·3 more than the mean of the death-rates for the three preceding weeks, and is 0·1 more than the death-rate for the corresponding week of 1909.

The death-rate for the week ranged from 28·5 in Dundee, and 26·9 in Greenock, to 5·6 in Perth. In Glasgow it was 19·8, in Edinburgh 16·5, in Leith 16·2, in Paisley 14·5, and in Aberdeen 9·0.

Deaths from the principal epidemic diseases numbered 97; they are 26 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 2·7 per thousand. These deaths include 64 from measles, of which 29 occurred in Dundee, 17 in Glasgow, and 9 in Greenock; 2 from scarlet fever; 8 from diphtheria; 6 from hooping-cough; 1 from enteric fever; 15 from diarrhœal diseases; and 1 from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from measles are 10 fewer, from scarlet fever 8 fewer, from diphtheria 6 fewer, and from diarrhœal diseases 2 fewer, while those from hooping-cough and enteric fever number the same, and from cerebro-spinal meningitis 1 more. The death-rate from these causes ranged from 11·3 in Dundee, and 8·5 in Greenock to 0 in Perth.

Deaths from pneumonia, bronchitis and pleurisy, numbered 125; they are 13 more than in the previous week, but 8 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 121; they are 17 fewer than in the previous week, but 13 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 190; they are 43 more than in the previous week, and 3 more than in the corresponding week of last year.

The mean temperature was 42°·1, being 1°·0 below that for the week immediately preceding, and 3°·2 below that for the corresponding week of 1909. The mean rainfall was 2·36 inches.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 16, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending April 16, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	934	669	283	62·0	30·0	42·1	2·36
GLASGOW, . . .	12,669	884,520	69·818	8·95	492	335	122	55·8	33·0	42·1	2·60
EDINBURGH, . .	10,912	360,276	33·016	13·01	139	114	39	52·7	33·7	42·0	2·46
DUNDEE, . . .	4,755	170,206	35·795	12·50	63	93	72	54·8	30·4	41·7	1·35
ABERDEEN, . .	6,319	185,703	29·388	13·79	89	32	13	62·0	30·0	41·6	1·13
PAISLEY, . . .	3,487	93,584	26·838	14·43	40	26	12	56·2	32·2	42·3	3·00
LEITH, ...	1,467	86,767	59·146	9·72	47	27	9	54·0	33·8	43·8	2·43
GREENOCK, . .	2,773	73,605	26·543	14·51	53	38	11	54·0	32·5	41·2	3·04
PERTH, ...	3,139	37,275	11·875	21·69	11	4	5	56·0	31·5	42·5	2·91
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	1041	656	431	63·0	30·5	45·3	1·17

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, APRIL 16, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 16, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·5	2·7	669	121	190	0	64	2	8	6	*2	15	1	125	18	191	17	1
GLASGOW, .	19·8	1·9	335	59	99	0	17	1	4	4	0	6	1	70	9	107	8	1
EDINBURGH,	16·5	1·3	114	14	42	0	6	0	0	0	*2	1	0	19	3	43	6	0
DUNDEE, . .	28·5	11·3	93	23	17	0	29	0	1	1	0	6	0	11	2	20	0	0
ABERDEEN, .	9·0	0·6	32	6	8	0	0	0	1	0	0	1	0	6	2	4	0	0
PAISLEY, . .	14·5	1·7	26	5	6	0	1	0	2	0	0	0	0	5	0	7	1	0
LEITH, . . .	16·2	1·2	27	5	9	0	2	0	0	0	0	0	0	7	1	3	0	0
GREENOCK, .	26·9	8·5	38	9	8	0	9	1	0	1	0	1	0	6	0	6	2	0
PERTH, . . .	5·6	0·0	4	0	1	0	0	0	0	0	0	0	0	1	1	1	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 17, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·4	2·7	656	108	187	0	5	6	7	58	4	18	2	133	17	173	12	4
GLASGOW, .	19·3	4·1	323	59	80	0	1	4	4	44	4	11	2	67	9	86	9	4
EDINBURGH,	17·9	0·9	122	18	45	0	0	1	0	5	0	0	0	25	3	35	3	0
DUNDEE, . .	19·4	0·3	63	8	19	0	0	0	0	0	0	1	0	12	2	18	0	0
ABERDEEN, .	17·5	1·7	61	10	17	0	0	0	0	1	0	5	0	7	3	14	0	0
PAISLEY, . .	18·2	5·1	32	2	8	0	4	1	2	2	0	0	0	4	0	7	0	0
LEITH, . . .	8·5	0·6	14	2	4	0	0	0	1	0	0	0	0	6	0	6	0	0
GREENOCK, .	18·8	3·6	26	9	8	0	0	0	0	4	0	1	0	8	0	3	0	0
PERTH, . . .	22·0	2·9	15	0	6	0	0	0	0	2	0	0	0	4	0	4	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 16. WEEK ENDING SATURDAY, APRIL 23, 1910.

During the week ending 23rd April 1910 there were registered in Eight of the Principal Towns of Scotland the births of 969 living children and the deaths of 590 persons. The equivalent annual birth-rate is 26·7 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 16·3 per thousand.

The death-rate of the week is 2·2 less than that of the previous week, 2·0 less than the mean of the death-rates of the three preceding weeks, and 1·1 less than that of the corresponding week of last year.

The death-rate of the week ranged from 26·2 in Greenock, and 26·1 in Dundee, in both of which towns there is an epidemic of measles, to 7·8 in Leith. In Perth the death-rate was 19·6, in Glasgow 15·9, in Paisley 14·5, in Edinburgh 14·2, and in Aberdeen 13·2.

Deaths from the principal epidemic diseases numbered 87; they are 10 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·4 per thousand. These deaths include 59 from measles, of which 24 were in Dundee, 18 in Glasgow, and 9 in Greenock; 1 from scarlet fever; 4 from diphtheria; 6 from hooping-cough; 16 from diarrhœas; and 1 from cerebro-spinal meningitis. There were no deaths from enteric fever registered in the eight towns during the week. Compared with the returns of the previous week, deaths from measles are 5 fewer, from diphtheria 4 fewer, and from scarlet fever 1 fewer, but those from hooping-cough and cerebro-spinal meningitis are of the same number, and those from diarrhœas 1 more. The death-rate from these causes ranged from 8·9 in Dundee, and 7·1 in Greenock, to 0 in Leith and Perth.

Deaths from pneumonia, bronchitis and pleurisy, numbered 91; they are 34 fewer than in the previous week, and 27 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 107; they are 14 fewer than in the previous week, and 12 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 159; they are 31 fewer than in the previous week, and 26 fewer than in the corresponding week of last year.

The mean temperature was 44°·1, being 2°·0 above that for the week immediately preceding, but 4°·6 below that for the corresponding week of 1909. The mean rainfall was 0·63 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 23, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending April 23, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	969	590	209	58·0	29·5	44·1	0·63
GLASGOW, . . .	12,669	884,520	69·818	8·95	463	270	109	58·0	33·5	44·9	0·46
EDINBURGH, . .	10,912	360,276	33·016	13·01	137	98	46	54·4	*34·7	*42·9	0·24
DUNDEE, . . .	4,755	170,206	35·795	12·50	94	85	10	54·8	30·4	43·5	0·38
ABERDEEN, . .	6,319	185,703	29·388	13·79	103	47	13	52·6	32·5	42·3	1·14
PAISLEY, . . .	3,487	93,584	26·838	14·43	43	26	8	57·3	33·2	46·0	0·81
LEITH, ...	1,467	86,767	59·146	9·72	58	13	11	56·7	35·5	45·3	0·44
GREENOCK, . .	2,773	73,605	26·543	14·51	45	37	9	55·0	33·0	43·9	1·03
PERTH, ...	3,139	37,275	11·875	21·69	26	14	3	56·0	29·5	44·4	0·53
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	1060	620	220	69·0	31·5	48·7	0·77

* Six days' observations.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, APRIL 23, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 23, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·3	2·4	590	107	159	0	59	1	4	6	*1	16	1	91	21	178	10	0
GLASGOW, .	15·9	1·9	270	53	60	0	18	1	3	2	*1	7	0	52	11	94	5	0
EDINBURGH,	14·2	1·6	98	15	31	0	7	0	0	1	0	3	1	9	2	43	3	0
DUNDEE, . .	26·1	8·9	85	15	20	0	24	0	1	2	0	2	0	10	4	8	1	0
ABERDEEN, .	13·2	0·6	47	10	21	0	0	0	0	0	0	2	0	7	2	9	1	0
PAISLEY, . .	14·5	1·7	26	5	7	0	1	0	0	1	0	1	0	5	1	6	0	0
LEITH, . . .	7·8	0·0	13	2	5	0	0	0	0	0	0	0	0	2	0	6	0	0
GREENOCK, .	26·2	7·1	37	5	10	0	9	0	0	0	0	1	0	4	1	8	0	0
PERTH, . . .	19·6	0·0	14	2	5	0	0	0	0	0	0	0	0	2	0	4	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 24, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·4	2·4	620	119	185	0	6	3	5	46	*8	18	0	118	26	163	13	0
GLASGOW, .	17·4	2·2	290	50	86	0	0	2	3	22	4	6	0	61	10	82	5	0
EDINBURGH,	18·5	1·9	126	19	48	0	0	0	0	9	†1	3	0	19	8	46	4	0
DUNDEE, . .	17·9	2·5	58	15	15	0	0	0	1	3	0	4	0	9	3	12	0	0
ABERDEEN, .	14·1	3·4	49	13	14	0	1	0	1	7	†1	2	0	8	3	7	2	0
PAISLEY, . .	21·0	5·1	37	10	5	0	5	1	0	2	0	1	0	8	0	4	1	0
LEITH, . . .	14·0	1·8	23	8	5	0	0	0	0	0	1	2	0	6	2	6	0	0
GREENOCK, .	18·0	2·2	25	4	8	0	0	0	0	3	0	0	0	4	0	1	1	0
PERTH, . . .	17·6	1·5	12	0	4	0	0	0	0	0	†1	0	0	3	0	5	0	0

* 5 Enteric fever; 3 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 30, 1910.

During the week ending 30th April 1910 there were registered in Eight of the Principal Towns of Scotland the births of 998 living children and the deaths of 630 persons. The equivalent annual birth-rate is 27·5 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 17·4 per thousand.

The death-rate of the week is 1·1 more than that of the previous week, 0·3 less than the mean of the death-rates of the three preceding weeks, and 0·5 more than that of the corresponding week of last year.

The death-rate of the week ranged from 32·8 in Dundee, to 11·7 in Paisley. In Greenock the death-rate was 22·0, in Glasgow 16·5, in Edinburgh 16·1, in Perth 14·0, in Leith 13·8, and in Aberdeen 13·2.

Deaths from the principal epidemic diseases numbered 76; they are 11 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·1 per thousand. These deaths include 44 from measles, of which 32 were in Dundee; 5 from scarlet fever; 2 from diphtheria; 7 from hooping-cough; 16 from diarrhœas; and 2 from cerebro-spinal meningitis. There were no deaths from enteric fever registered in the eight towns during the week. Compared with the returns of the previous week, deaths from measles are 15 fewer, and from diphtheria 2 fewer, but those from diarrhœa are of the same number, from hooping-cough and from cerebro-spinal meningitis each 1 more, and from scarlet fever 4 more. The death-rate from these causes ranged from 12·0 in Dundee, to 0 in Leith.

Deaths from pneumonia, bronchitis and pleurisy, numbered 93; they are 2 more than in the previous week, but 6 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 116; they are 9 more than in the previous week, but 25 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 161; they are 2 more than in the previous week, and 13 more than in the corresponding week of last year.

The mean temperature was 44°·0, being 0°·1 below that for the week immediately preceding, and 0°·3 below that for the corresponding week of 1909. The mean rainfall was 0·32 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 30, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending April 30, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	998	630	288	61·0	30·0	44·0	0·32
GLASGOW, . . .	12,669	884,520	69·818	8·95	502	280	158	57·5	35·0	44·0	0·36
EDINBURGH, . .	10,912	360,276	33·016	13·01	166	111	56	56·7	34·6	43·4	0·20
DUNDEE, . . .	4,755	170,206	35·795	12·50	102	107	15	59·0	38·7	43·9	0·20
ABERDEEN, . .	6,319	185,703	29·388	13·79	76	47	25	55·5	30·0	42·7	0·30
PAISLEY, . . .	3,487	93,584	26·838	14·43	47	21	7	59·0	34·2	44·6	0·53
LEITH, ...	1,467	86,767	59·146	9·72	46	23	7	58·3	36·7	46·1	0·17
GREENOCK, . .	2,773	73,605	26·543	14·51	36	31	10	54·0	34·5	42·4	0·69
PERTH, ...	3,139	37,275	11·875	21·69	23	10	10	61·0	32·5	45·1	0·15
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	1023	605	285	59·0	30·9	44·3	1·23

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, APRIL 30, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 30, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·4	2·1	630	116	161	0	44	5	2	7	*2	16	0	93	14	184	9	1
GLASGOW, .	16·5	1·4	280	41	64	0	5	3	1	5	*2	7	0	44	12	97	3	1
EDINBURGH,	16·1	0·1	111	27	34	0	1	0	0	0	0	0	0	11	1	40	4	0
DUNDEE, . .	32·8	12·0	107	24	18	0	32	0	1	2	0	4	0	16	1	19	1	0
ABERDEEN, .	13·2	0·6	47	10	21	0	0	0	0	0	0	2	0	7	0	11	1	0
PAISLEY, . .	11·7	2·2	21	2	3	0	3	0	0	0	0	1	0	5	0	2	0	0
LEITH, . . .	13·8	0·0	23	6	7	0	0	0	0	0	0	0	0	4	0	9	0	0
GREENOCK, .	22·0	3·5	31	5	9	0	3	1	0	0	0	1	0	5	0	4	0	0
PERTH, . . .	14·0	2·8	10	1	5	0	0	1	0	0	0	1	0	1	0	2	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 1, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·9	2·6	605	141	148	0	2	5	5	55	*5	21	0	99	13	151	22	1
GLASGOW, .	18·1	3·2	303	67	63	0	0	3	4	34	*5	8	0	54	9	92	13	1
EDINBURGH,	17·2	2·6	117	22	36	0	0	1	1	11	0	5	0	16	2	27	4	0
DUNDEE, . .	14·8	1·5	48	10	13	0	0	0	0	3	0	2	0	11	0	10	1	0
ABERDEEN, .	15·5	2·0	54	20	11	0	1	0	0	3	0	3	0	8	2	13	2	0
PAISLEY, . .	14·8	2·8	26	5	9	0	1	1	0	3	0	0	0	1	0	4	1	0
LEITH, . . .	17·0	1·2	28	16	5	0	0	0	0	0	0	2	0	4	0	2	1	0
GREENOCK, .	13·0	1·4	18	1	6	0	0	0	0	1	0	1	0	4	0	1	0	0
PERTH, . . .	16·2	0·0	11	0	5	0	0	0	0	0	0	0	0	1	0	2	0	0

* 3 Enteric fever; 2 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 7, 1910.

During the week ending 7th May 1910 there were registered in Eight of the Principal Towns of Scotland the births of 980 living children and the deaths of 564 persons. The equivalent annual birth-rate is 27·0 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 15·6 per thousand.

The death-rate of the week is 1·8 less than that of the previous week, the same amount less than the mean of the death-rates of the three preceding weeks, and 0·6 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 24·8 in Dundee, where there is a severe epidemic of measles, to 9·0 in Leith. In Greenock the death-rate was 17·7, in Perth 16·8, in Edinburgh 16·4, in Glasgow 14·7, in Paisley 14·5, and in Aberdeen 11·8.

Deaths from the principal epidemic diseases numbered 87; they are 11 more than in the previous week, and are equal to an annual death-rate from these causes of 2·4 per thousand. These deaths include 52 from measles, of which 26 were in Dundee; 7 from scarlet fever; 4 from diphtheria; 11 from hooping-cough; 12 from diarrhœas; and 1 from enteric fever. Compared with the returns of the previous week, deaths from measles are 8 more, from hooping-cough 4 more, from scarlet fever 2 more, from diphtheria 2 more, and from enteric fever 1 more, but those from diarrhœas are 4 fewer. The death-rate from these causes ranged from 9·5 in Dundee, to 0 in Leith.

Deaths from pneumonia, bronchitis and pleurisy, numbered 76; they are 17 fewer than in the previous week, and 12 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 94; they are 22 fewer than in the previous week, and 29 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 166; they are 5 more than in the previous week, and 31 more than in the corresponding week of last year.

The mean temperature was 45°·4, being 1°·4 above that for the week immediately preceding, but 3°·7 below that for the corresponding week of 1909. The mean rainfall was 0·55 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 7, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending May 7, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	980	564	362	67·0	31·0	45·4	0·55
GLASGOW, . . .	12,669	884,520	69·818	8·95	514	250	191	58·0	34·5	45·0	0·52
EDINBURGH, . .	10,912	360,276	33·016	13·01	131	113	73	59·5	34·3	45·0	0·13
DUNDEE, . . .	4,755	170,206	35·795	12·50	97	81	19	65·2	33·5	46·5	0·23
ABERDEEN, . .	6,319	185,703	29·388	13·79	81	42	20	67·0	31·0	45·4	0·55
PAISLEY, . . .	3,487	93,584	26·838	14·43	59	26	34	60·2	34·3	45·6	0·90
LEITH, ...	1,467	86,767	59·146	9·72	47	15	11	60·5	36·0	46·5	0·22
GREENOCK, . .	2,773	73,605	26·543	14·51	39	25	11	56·9	32·8	43·6	1·64
PERTH, ...	3,139	37,275	11·875	21·69	12	12	3	64·0	32·0	45·9	0·19
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	991	577	313	74·0	29·0	49·1	0·03

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, MAY 7, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th
Week ending Saturday, May 7, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·6	2·4	564	94	166	0	52	7	4	11	1	12	1	76	16	188	11	2
GLASGOW, .	14·7	1·8	250	47	68	0	13	5	1	7	0	5	1	44	5	94	6	2
EDINBURGH,	16·4	1·7	113	9	41	0	7	1	1	1	0	2	0	10	6	50	3	0
DUNDEE, . .	24·8	9·5	81	20	16	0	26	1	0	1	0	3	0	8	1	13	0	0
ABERDEEN, .	11·8	0·3	42	5	19	0	0	0	0	1	0	0	0	4	1	9	1	0
PAISLEY, . .	14·5	2·2	26	3	9	0	1	0	2	1	0	0	0	3	0	6	1	0
LEITH, . . .	9·0	0·0	15	3	4	0	0	0	0	0	0	0	0	4	2	5	0	0
GREENOCK, .	17·7	4·3	25	5	5	0	5	0	0	0	1	0	0	3	0	5	0	0
PERTH, . . .	16·8	2·8	12	2	4	0	0	0	0	0	0	2	0	0	1	6	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th
Week ending Saturday, May 8, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·2	2·2	577	123	135	0	8	8	2	41	*2	17	0	88	17	178	17	0
GLASGOW, .	16·3	2·5	273	60	49	0	0	6	0	26	*2	8	0	50	8	91	8	0
EDINBURGH,	16·3	1·6	111	21	37	0	0	1	0	8	0	2	0	14	2	44	5	0
DUNDEE, . .	19·4	0·9	63	11	15	0	0	0	0	1	0	2	0	9	2	21	0	0
ABERDEEN, .	13·8	2·6	48	16	17	0	2	0	0	4	0	3	0	5	1	3	3	0
PAISLEY, . .	12·5	4·0	22	4	5	0	5	1	1	0	0	0	0	4	0	4	0	0
LEITH, . . .	17·0	1·8	28	3	9	0	0	0	1	1	0	1	0	4	0	9	1	0
GREENOCK, .	13·0	0·7	18	5	2	0	0	0	0	0	0	1	0	2	2	1	0	0
PERTH, . . .	20·6	2·9	14	3	1	0	1	0	0	1	0	0	0	0	2	5	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 14, 1910.

During the week ending 14th May 1910 there were registered in Eight of the Principal Towns of Scotland the births of 1047 living children and the deaths of 555 persons. The equivalent annual birth-rate is 28·9 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 15·3 per thousand.

The death-rate of the week is 0·3 less than that of the previous week, and 1·1 less than the mean of the death-rates of the three preceding weeks, but is 0·4 more than that of the corresponding week of last year.

The death-rate of the week ranged from 25·4 in Dundee, where a severe epidemic of measles continues, to 11·5 in Aberdeen. In Greenock it was 21·3, in Paisley 18·4, in Glasgow 14·6, in Edinburgh 13·2, in Perth 12·6, and in Leith 12·0.

Deaths from the principal epidemic diseases numbered 80; they are 7 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 48 from measles, of which 31 were in Dundee; 4 from scarlet fever; 4 from diphtheria; 8 from hooping-cough; 1 from cerebro-spinal meningitis; and 15 from diarrhœas. There were no deaths from enteric fever registered in the eight towns during the week. Compared with the returns of the previous week, deaths from measles are 4 fewer, from scarlet fever 3 fewer, and from hooping-cough 3 fewer, but those from diphtheria are of the same number, and those from diarrhœas are 3 more. The death-rate from these causes ranged from 11·3 in Dundee, and 3·5 in Greenock, to 0 in Perth, and 0·3 in Aberdeen.

Deaths from pneumonia, bronchitis and pleurisy, numbered 99; they are 23 more than in the previous week, and 7 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 101; they are 7 more than in the previous week, but 3 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 143; they are 23 fewer than in the previous week, and 3 fewer than in the corresponding week of last year.

The mean temperature was 46°·5, being 1°·1 above that for the week immediately preceding, and 0°·2 above that for the corresponding week of 1909. The mean rainfall was 0·61 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 14, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending May 14, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	1047	555	83	71·0	29·0	46·5	0·61
GLASGOW, . . .	12,669	884,520	69·818	8·95	498	248	45	64·7	30·5	47·2	0·34
EDINBURGH, . .	10,912	360,276	33·016	13·01	184	91	20	60·4	30·3	44·6	0·62
DUNDEE, . . .	4,755	170,206	35·795	12·50	99	83	3	56·2	31·8	44·8	0·69
ABERDEEN, . .	6,319	185,703	29·388	13·79	85	41	9	71·0	31·0	48·0	0·84
PAISLEY, . . .	3,487	93,584	26·838	14·43	62	33	1	65·9	32·2	48·0	0·57
LEITH, ...	1,467	86,767	59·146	9·72	60	20	0	63·1	32·7	46·7	0·95
GREENOCK, . .	2,773	73,605	26·543	14·51	49	30	2	63·9	33·5	46·6	0·56
PERTH, ...	3,139	37,275	11·875	21·69	10	9	3	65·0	29·0	46·3	0·31
Corresponding Week of 1909 — Eight Towns.	45,386	1,864,194	41·074	11·66	974	532	87	66·0	29·0	46·3	0·22

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, MAY 14, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 14, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15·3	2·2	555	101	143	0	48	4	4	8	*1	15	0	99	19	150	20	3
GLASGOW, .	14·6	1·7	248	45	52	0	9	3	2	6	*1	7	0	55	11	79	9	3
EDINBURGH,	13·2	0·7	91	18	29	0	3	0	0	0	0	2	0	15	2	38	4	0
DUNDEE, . .	25·4	11·3	83	15	13	0	31	1	1	2	0	2	0	10	1	11	1	0
ABERDEEN, .	11·5	0·3	41	7	16	0	0	0	0	0	0	1	0	8	1	4	2	0
PAISLEY, . .	18·4	1·7	33	6	12	0	1	0	0	0	0	2	0	5	1	7	0	0
LEITH, . . .	12·0	0·6	20	5	7	0	0	0	0	0	0	1	0	2	1	2	3	0
GREENOCK, .	21·3	3·5	30	5	9	0	4	0	1	0	0	0	0	2	2	6	1	0
PERTH, . . .	12·6	0·0	9	0	5	0	0	0	0	0	0	0	0	2	0	3	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 15, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·9	1·3	532	104	146	0	3	3	5	17	*2	17	0	92	19	152	17	5
GLASGOW, .	15·2	1·4	254	52	60	0	0	3	3	8	†1	8	0	55	9	78	8	5
EDINBURGH,	14·2	0·6	97	13	34	0	0	0	0	4	0	0	0	14	5	37	7	0
DUNDEE, . .	19·4	2·5	63	15	17	0	0	0	1	2	0	5	0	8	2	15	0	0
ABERDEEN, .	14·1	0·9	49	14	9	0	0	0	0	1	1	1	0	6	1	15	0	0
PAISLEY, . .	17·0	4·0	30	5	10	0	3	0	1	1	0	2	0	1	1	4	2	0
LEITH, . . .	9·7	0·0	16	2	4	0	0	0	0	0	0	0	0	1	0	1	0	0
GREENOCK, .	11·5	1·4	16	3	5	0	0	0	0	1	0	1	0	5	1	2	0	0
PERTH, . . .	10·3	0·0	7	0	7	0	0	0	0	0	0	0	0	2	0	0	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 20. WEEK ENDING SATURDAY, MAY 21, 1910.

During the week ending 21st May 1910 there were registered in Eight of the Principal Towns of Scotland the births of 872 living children and the deaths of 562 persons. The equivalent annual birth-rate is 24·0 per thousand of the estimated aggregate population, and the equivalent annual death-rate 15·5 per thousand.

The death-rate of the week is 0·2 more than that of the previous week, but is 0·6 less than the mean of the rates of the preceding three weeks, and 2·0 less than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 20·8 in Dundee, to 11·2 in Aberdeen. In Edinburgh it was 15·9, in Glasgow 15·8, in Greenock 15·6, in Perth 15·4, in Paisley 12·8, and in Leith 12·6.

Deaths from the principal epidemic diseases numbered 63; they are 17 fewer than in the previous week, and equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 41 from measles, of which 23 were in Dundee; 1 from scarlet fever; 1 from diphtheria; 7 from hooping-cough; 12 from diarrhœas; and 1 from cerebro-spinal meningitis. There were no deaths from enteric fever registered in the eight towns during the week. Compared with the returns of the previous week, deaths from measles are 7 fewer, from scarlet fever 3 fewer, from diphtheria 3 fewer, from diarrhœas 3 fewer, and from hooping-cough 1 fewer. In the previous week also there was one death from cerebro-spinal meningitis, and there were no deaths from enteric fever. The death-rate from these causes ranged from 8·0 in Dundee to 0 in Perth.

Deaths from pneumonia, pleurisy, and bronchitis numbered 98; they are 1 fewer than in the previous week, and 11 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 120; they are 19 more than in the previous week, and 3 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 160; they are 17 more than in the previous week, but 2 fewer than in the corresponding week of last year.

The mean temperature was 52°·5, being 6°·0 above that for the week immediately preceding, and 1°·9 above that for the corresponding week of 1909. The mean rainfall was 0·45 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 21, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending May 21, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	872	562	90	74·5	33·5	52·5	0·45
GLASGOW, . . .	12,669	884,520	69·818	8·95	392	267	55	69·8	43·0	54·1	0·29
EDINBURGH, . .	10,912	360,276	33·016	13·01	139	110	15	55·1	41·7	47·4	0·53
DUNDEE, . . .	4,755	170,206	35·795	12·50	100	68	5	67·4	44·2	52·8	0·40
ABERDEEN, . . .	6,319	185,703	29·388	13·79	82	40	7	66·0	33·5	51·8	0·61
PAISLEY, . . .	3,487	93,584	26·838	14·43	49	23	1	74·5	43·0	55·3	0·22
LEITH, ...	1,467	86,767	59·146	9·72	51	21	3	56·5	43·0	48·5	0·66
GREENOCK, . .	2,773	73,605	26·543	14·51	42	22	4	69·7	43·7	54·6	0·37
PERTH, ...	3,139	37,275	11·875	21·69	17	11	0	74·0	46·5	55·6	0·49
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	929	624	65	75·0	29·0	50·6	0·30

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, MAY 21, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 21, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15·5	1·7	562	120	160	0	41	1	1	7	*1	12	0	98	15	181	17	1
GLASGOW, .	15·8	1·4	267	59	68	0	10	1	1	5	*1	6	0	54	8	100	6	1
EDINBURGH,	15·9	0·6	110	24	34	0	1	0	0	0	0	3	0	15	0	41	7	0
DUNDEE, . .	20·8	8·0	68	16	14	0	23	0	0	2	0	1	0	11	2	12	3	0
ABERDEEN, .	11·2	0·3	40	8	16	0	0	0	0	0	0	1	0	4	2	5	1	0
PAISLEY, . .	12·8	1·7	23	3	9	0	3	0	0	0	0	0	0	6	1	6	0	0
LEITH, . . .	12·6	0·6	21	8	7	0	0	0	0	0	0	1	0	2	2	3	0	0
GREENOCK, .	15·6	2·8	22	2	8	0	4	0	0	0	0	0	0	6	0	6	0	0
PERTH, . . .	15·4	0·0	11	0	4	0	0	0	0	0	0	0	0	0	0	8	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 22, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·5	2·1	624	117	162	0	10	3	6	38	*3	16	0	109	20	194	19	3
GLASGOW, .	17·1	2·4	286	50	76	0	2	3	4	22	*1	8	0	56	9	101	5	2
EDINBURGH,	17·2	2·3	117	17	35	0	0	0	2	10	*2	2	0	18	5	45	5	0
DUNDEE, . .	18·2	1·2	59	12	18	0	0	0	0	0	0	4	0	10	1	12	0	0
ABERDEEN, .	14·1	0·9	49	14	9	0	1	0	0	1	0	1	0	7	2	12	3	0
PAISLEY, . .	28·9	5·1	51	12	10	0	7	0	0	2	0	0	0	6	0	10	4	0
LEITH, . . .	14·0	0·6	23	5	4	0	0	0	0	1	0	0	0	5	2	8	0	0
GREENOCK, .	20·2	1·4	28	5	7	0	0	0	0	1	0	1	0	4	0	2	2	1
PERTH, . . .	15·6	1·4	11	2	3	0	0	0	0	1	0	0	0	3	1	4	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 21. WEEK ENDING SATURDAY, MAY 28, 1910.

During the week ending 28th May 1910 there were registered in Eight of the Principal Towns of Scotland the births of 969 living children and the deaths of 506 persons. The equivalent annual birth-rate is 26·7 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 14·0 per thousand.

The death-rate of the week is 1·5 less than that of the previous week, 1·5 less than the mean of the death-rates of the three preceding weeks, and 2·7 less than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 23·0 in Dundee, where an epidemic of measles continues, to 9·3 in Aberdeen, and 9·8 in Perth. In Greenock it was 17·0, in Glasgow 14·7, in Paisley 13·9, in Leith 10·8, and in Edinburgh 10·7.

Deaths from the principal epidemic diseases numbered 62; they are 1 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 33 from measles, 19 of them being registered in Dundee; 4 from scarlet fever; 4 from diphtheria; 5 from hooping-cough; 1 from enteric fever; and 15 from diarrhœas. Compared with the returns of the previous week, deaths from measles are 8 fewer, and from hooping-cough 2 fewer, but those from enteric fever are 1 more, and from scarlet fever, diphtheria, and diarrhœas, each 3 more. The death-rate from these causes varied from 8·3 in Dundee, to 0 in Aberdeen and Perth.

Deaths from pneumonia, bronchitis and pleurisy, numbered 80; they are 18 fewer than in the previous week, and 13 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 76; they are 44 fewer than in the previous week, and 32 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 135; they are 25 fewer than in the previous week, and 45 fewer than in the corresponding week of last year.

The mean temperature was 55°·0, being 2°·5 above that for the week immediately preceding, and 0°·8 above that for the corresponding week of 1909. The mean rainfall was 0·08 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 28, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending May 28, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	969	506	95	74·0	38·0	55·0	0·08
GLASGOW, . . .	12,669	884,520	69·818	8·95	479	250	37	71·0	44·7	56·3	0·09
EDINBURGH, . .	10,912	360,276	33·016	13·01	142	74	22	65·2	41·8	52·2	0·02
DUNDEE, . . .	4,755	170,206	35·795	12·50	114	75	6	67·7	41·9	53·9	0·00
ABERDEEN, . .	6,319	185,703	29·388	13·79	88	33	15	69·4	38·0	52·9	0·34
PAISLEY, . . .	3,487	93,584	26·838	14·43	47	25	2	72·1	45·0	57·5	0·03
LEITH, ...	1,467	86,767	59·146	9·72	58	18	6	68·1	41·9	54·5	0·02
GREENOCK, . .	2,773	73,605	26·543	14·51	32	24	7	70·5	46·7	55·6	0·09
PERTH, ...	3,139	37,275	11·875	21·69	9	7	0	74·0	40·5	57·5	0·02
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	950	596	73	70·0	42·3	54·2	1·41

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, MAY 28, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 28, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·0	1·7	506	76	135	0	33	4	4	5	1	15	0	80	11	159	8	1
GLASGOW, .	14·7	1·5	250	43	62	0	9	2	2	4	1	7	0	37	7	98	5	1
EDINBURGH,	10·7	0·4	74	6	29	0	2	1	0	0	0	0	0	12	0	23	1	0
DUNDEE, . .	23·0	8·3	75	16	17	0	19	0	1	1	0	6	0	7	1	18	1	0
ABERDEEN, .	9·3	0·0	33	2	14	0	0	0	0	0	0	0	0	6	1	4	0	0
PAISLEY, . .	13·9	0·6	25	2	6	0	1	0	0	0	0	0	0	8	0	4	0	0
LEITH, . . .	10·8	1·8	18	2	3	0	1	0	1	0	0	1	0	4	1	5	0	0
GREENOCK, .	17·0	2·1	24	5	1	0	1	1	0	0	0	1	0	5	1	4	1	0
PERTH, . . .	9·8	0·0	7	0	3	0	0	0	0	0	0	0	0	1	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 29, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·7	1·9	596	108	180	0	3	5	5	40	*1	14	1	93	7	181	11	1
GLASGOW, .	17·2	2·1	287	55	74	0	0	4	2	24	0	5	0	57	5	101	3	1
EDINBURGH,	16·2	1·5	110	20	36	0	0	0	0	7	*1	2	0	12	0	32	4	0
DUNDEE, . .	19·4	2·5	63	9	25	0	0	0	0	3	0	5	1	7	2	14	0	0
ABERDEEN, .	16·6	1·4	58	10	25	0	0	1	1	1	0	2	0	10	0	12	1	0
PAISLEY, . .	18·2	3·4	32	6	6	0	3	0	2	1	0	0	0	2	0	10	3	0
LEITH, . . .	11·6	0·6	19	6	6	0	0	0	0	1	0	0	0	4	0	4	0	0
GREENOCK, .	10·8	2·2	15	2	2	0	0	0	0	3	0	0	0	0	0	3	0	0
PERTH, . . .	17·0	0·0	12	0	6	0	0	0	0	0	0	0	0	1	0	5	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, JUNE 4, 1910.

During the week ending 4th June 1910 there were registered in Eight of the Principal Towns of Scotland the births of 954 living children and the deaths of 517 persons. The equivalent annual birth-rate is 26·3 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 14·3 per thousand.

The death-rate of the week is 0·3 more than that of the previous week, but is 0·6 less than the mean of the death-rates of the three preceding weeks, and 2·0 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 20·2 in Dundee, to 9·6 in Aberdeen. In Greenock it was 15·6, in Glasgow 15·3, in Leith 14·4, in Perth 14·0, in Paisley 12·8, and in Edinburgh 11·4.

Deaths from the principal epidemic diseases numbered 50; they are 12 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·4 per thousand. These deaths include 20 from measles, of which 9 were in Dundee, and 7 in Paisley; 3 from scarlet fever; 2 from diphtheria; 7 from hooping-cough; 1 from enteric fever; 1 from typhus fever; 15 from diarrhœas; and 1 from cerebro-spinal meningitis. Compared with the returns of the previous week, deaths from measles are 13 fewer, from diphtheria 2 fewer, and from scarlet fever 1 fewer, while those from diarrhœas and enteric fever are of the same number, those from typhus fever and cerebro-spinal meningitis are each 1 more, and those from hooping-cough are 2 more. The death-rate from these causes varied from 4·3 in Dundee, and 3·9 in Paisley, to 0 in Perth.

Deaths from pneumonia, bronchitis and pleurisy, numbered 81; they are 1 more than in the previous week, but 12 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 92; they are 16 more than in the previous week, but 8 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 147; they are 12 more than in the previous week, but 35 fewer than in the corresponding week of last year.

The mean temperature was 50°·8, being 4°·2 below that for the week immediately preceding, and 2°·6 below that for the corresponding week of 1909. The mean rainfall was 0·28 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 4, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending June 4, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	954	517	261	65·0	35·5	50·8	0·28
GLASGOW, . . .	12,669	884,520	69·818	8·95	460	259	118	64·0	41·0	51·1	0·36
EDINBURGH, . .	10,912	360,276	33·016	13·01	154	79	60	61·1	41·6	49·7	0·20
DUNDEE, . . .	4,755	170,206	35·795	12·50	90	66	21	63·0	39·5	50·6	0·04
ABERDEEN, . .	6,319	185,703	29·388	13·79	83	34	39	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	53	23	6	65·0	41·0	51·3	0·56
LEITH, ...	1,467	86,767	59·146	9·72	43	24	7	62·7	44·1	51·8	0·17
GREENOCK, . .	2,773	73,605	26·543	14·51	49	22	7	65·0	41·5	50·5	0·58
PERTH, ...	3,139	37,275	11·875	21·69	22	10	3	65·0	35·5	50·7	0·07
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	989	582	309	68·0	40·0	53·4	1·06

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JUNE 4, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 4, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·3	1·4	517	92	147	0	20	3	2	7	*3	15	1	81	18	152	19	0
GLASGOW, .	15·3	1·0	259	46	65	0	0	2	2	4	†2	7	1	48	9	94	12	0
EDINBURGH,	11·4	0·6	79	18	29	0	2	0	0	0	0	2	0	8	1	27	4	0
DUNDEE, . .	20·2	4·3	66	12	15	0	9	1	0	2	0	2	0	9	1	16	0	0
ABERDEEN, .	9·6	1·1	34	8	11	0	1	0	0	1	0	2	0	3	2	2	2	0
PAISLEY, . .	12·8	3·9	23	2	5	0	7	0	0	0	0	0	0	4	0	4	0	0
LEITH, . . .	14·4	1·2	24	3	9	0	0	0	0	0	‡1	1	0	4	1	2	0	0
GREENOCK, .	15·6	1·4	22	3	7	0	1	0	0	0	0	1	0	2	3	7	1	0
PERTH, . . .	14·0	0·0	10	0	6	0	0	0	0	0	0	0	0	3	1	0	0	0

* 1 Cerebro-spinal meningitis; 1 Typhus fever; 1 Enteric fever. † 1 Cerebro-spinal meningitis.
‡ Typhus fever.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 5, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·3	1·7	582	100	182	0	2	5	7	25	*5	15	0	93	14	171	18	2
GLASGOW, .	15·4	1·8	258	44	69	0	0	3	5	13	†4	5	0	41	3	81	4	1
EDINBURGH,	17·5	2·1	119	18	43	0	0	2	0	9	0	3	0	15	9	38	5	0
DUNDEE, . .	19·4	1·8	63	11	16	0	0	0	2	0	0	4	0	13	1	12	0	0
ABERDEEN, .	17·2	1·4	60	15	18	0	1	0	0	1	0	3	0	6	0	12	3	1
PAISLEY, . .	15·9	0·6	28	7	12	0	1	0	0	0	0	0	0	4	0	8	4	0
LEITH, . . .	14·0	0·0	23	2	11	0	0	0	0	0	0	0	0	7	1	13	1	0
GREENOCK, .	12·3	2·2	17	1	6	0	0	0	0	2	‡1	0	0	4	0	4	0	0
PERTH, . . .	19·8	0·0	14	2	7	0	0	0	0	0	0	0	0	3	0	3	1	0

* 2 Enteric fever; 3 Cerebro-spinal meningitis. † 2 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 23. WEEK ENDING SATURDAY, JUNE 11, 1910.

During the week ending 11th June 1910 there were registered in Eight of the Principal Towns of Scotland the births of 970 living children, and the deaths of 514 persons. The equivalent annual birth-rate is 26·8 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 14·2 per thousand.

The death-rate of the week is 0·1 less than that of the previous week, 0·3 less than that of the corresponding week of last year, and 0·4 less than the mean of the death-rates of the three preceding weeks.

The death-rate of the week varied from 19·6 in Perth, and 19·3 in Dundee, to 9·0 in Aberdeen. In Glasgow it was 15·0, in Greenock 14·9, in Edinburgh 13·2, in Leith 11·4, and in Paisley 10·6.

Deaths from the principal epidemic diseases numbered 59; they are 9 more than in the previous week, and equal to an annual death-rate from these causes of 1·6 per thousand. These deaths include 13 from measles; 5 from scarlet fever; 5 from diphtheria; 9 from hooping-cough; 4 from typhus fever, all of which were registered in Leith; 1 from enteric fever; and 22 from diarrhœas. Compared with the returns of the previous week, deaths from measles are 7 fewer, but those from enteric fever are of the same number, from scarlet fever and hooping-cough each 2 more, from diphtheria and typhus fever each 3 more, and from diarrhœas 7 more. The death-rate from these causes varied from 4·3 in Dundee, to 0 in Aberdeen and Paisley, and 0·3 in Edinburgh.

Deaths from pneumonia, bronchitis and pleurisy, numbered 67; they are 14 fewer than in the previous week, and 12 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 97; they are 5 more than in the previous week, and 14 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 143; they are 4 fewer than in the previous week, but 9 more than in the corresponding week of last year.

The mean temperature was 56°·4, being 5°·6 above that for the week immediately preceding, and 4°·0 above that for the corresponding week of 1909. The mean rainfall was 0·21 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 11, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending June 11, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	970	514	569	77·0	35·0	56·4	0·21
GLASGOW, . . .	12,669	884,520	69·818	8·95	483	255	246	76·3	41·6	58·1	0·21
EDINBURGH, . .	10,912	360,276	33·016	13·01	143	91	123	68·6	43·7	52·7	0·01
DUNDEE, . . .	4,755	170,206	35·795	12·50	90	63	40	70·2	40·9	56·2	0·00
ABERDEEN, . .	6,319	185,703	29·388	13·79	80	32	55	71·0	40·0	54·5	0·00
PAISLEY, . . .	3,487	93,584	26·838	14·43	53	19	30	75·1	41·8	58·9	0·60
LEITH, ...	1,467	86,767	59·146	9·72	54	19	34	71·3	46·1	55·9	0·10
GREENOCK, . .	2,773	73,605	26·543	14·51	47	21	22	72·5	39·9	58·0	0·61
PERTH, ...	3,139	37,275	11·875	21·69	20	14	19	77·0	35·0	57·1	0·15
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	957	518	541	71·0	36·5	52·4	0·01

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JUNE 11, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 11, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·2	1·6	514	97	143	0	13	5	5	9	*5	22	0	67	17	184	17	1
GLASGOW, .	15·0	2·0	255	48	59	0	5	5	4	5	0	15	0	31	11	109	8	1
EDINBURGH,	13·2	0·3	91	9	32	0	0	0	0	0	1	1	0	12	1	33	5	0
DUNDEE, . .	19·3	4·3	63	17	13	0	7	0	1	3	0	3	0	8	3	18	0	0
ABERDEEN, .	9·0	0·0	32	8	9	0	0	0	0	0	0	0	0	5	2	9	1	0
PAISLEY, . .	10·6	0·0	19	3	10	0	0	0	0	0	0	0	0	5	0	0	0	0
LEITH, . . .	11·4	3·0	19	3	5	0	0	0	0	0	†4	1	0	2	0	9	0	0
GREENOCK, .	14·9	0·7	21	5	9	0	0	0	0	1	0	0	0	2	0	2	2	0
PERTH, . . .	19·6	4·2	14	4	6	0	1	0	0	0	0	2	0	2	0	4	1	0

* 4 Typhus fever; 1 Enteric fever.
† Typhus fever.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 12, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·5	1·5	518	83	134	0	3	5	5	22	*5	15	1	79	21	178	11	1
GLASGOW, .	15·9	1·8	266	37	68	0	0	5	2	13	*5	5	0	49	13	112	2	0
EDINBURGH,	12·6	1·2	86	18	29	0	0	0	0	8	0	0	0	9	4	28	3	0
DUNDEE, . .	12·6	1·2	41	10	8	0	0	0	0	0	0	4	0	5	0	10	0	0
ABERDEEN, .	12·9	1·7	45	10	8	0	0	0	0	1	0	5	0	8	2	9	1	1
PAISLEY, . .	19·9	2·3	35	4	7	0	3	0	1	0	0	0	1	4	2	12	3	0
LEITH, . . .	11·6	1·2	19	3	2	0	0	0	2	0	0	0	0	1	0	5	1	0
GREENOCK, .	12·3	0·7	17	1	6	0	0	0	0	0	0	1	0	2	0	1	1	0
PERTH, . . .	12·7	0·0	9	0	6	0	0	0	0	0	0	0	0	1	0	1	0	0

* 3 Enteric fever; 2 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 18, 1910.

During the week ending 18th June 1910 there were registered in Eight of the Principal Towns of Scotland the births of 920 living children, and the deaths of 503 persons. The equivalent annual birth-rate amounts to 25·4 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate to 13·9 per thousand.

The death-rate of the week is 0·3 less than that of the previous week, 0·3 less than the mean of the death-rates of the three preceding weeks, and 1·6 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 20·6 in Greenock, and 20·5 in Dundee, to 10·4 in Edinburgh. In Paisley it was 16·2, in Perth 14·0, in Leith 13·8, in Glasgow 13·5, and in Aberdeen 12·4.

Deaths from the principal epidemic diseases numbered 42; they are 17 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·2 per thousand. These deaths include 15 from measles; 2 from scarlet fever; 3 from diphtheria; 6 from hooping-cough; 1 from enteric fever; and 15 from diarrhœas. Compared with the returns of the previous week, deaths from diarrhœas are 7 fewer, from scarlet fever and hooping-cough each 3 fewer, and from diphtheria 2 fewer, while those from enteric fever are of the same number, and from measles 2 more. The death-rate from these causes varied from 0 in Perth, and 0·4 in Edinburgh, to 2·8 in Dundee, and the same in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 56; they are 11 fewer than in the previous week, and 17 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 73; they are 24 fewer than in the previous week, and 36 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 153; they are 10 more than in the previous week, and 11 more than in the corresponding week of last year.

The mean temperature was 57°·6, being 1°·2 above that for the week immediately preceding, and 2°·0 above that for the corresponding week of 1909. The mean rainfall was 0·06 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 18, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending June 18, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	920	503	466	78·5	39·0	57·6	0·06
GLASGOW, . . .	12,669	884,520	69·818	8·95	438	229	210	74·0	40·4	58·7	0·00
EDINBURGH, . .	10,912	360,276	33·016	13·01	147	72	110	71·2	42·2	56·5	0·08
DUNDEE, . . .	4,755	170,206	35·795	12·50	98	67	30	77·8	47·0	57·0	0·14
ABERDEEN, . .	6,319	185,703	29·388	13·79	90	44	53	73·0	49·0	56·8	0·13
PAISLEY, . . .	3,487	93,584	26·838	14·43	42	29	17	75·3	42·0	58·6	0·00
LEITH, ...	1,467	86,767	59·146	9·72	53	23	23	75·5	42·4	58·2	0·04
GREENOCK, . . .	2,773	73,605	26·543	14·51	39	29	12	70·7	42·0	57·5	0·03
PERTH, ...	3,139	37,275	11·875	21·69	13	10	11	78·5	39·0	57·5	0·06
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	1010	554	450	76·1	36·5	55·6	0·09

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JUNE 18, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 18, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·9	1·2	503	73	153	0	15	2	3	6	1	15	0	56	19	153	7	3
GLASGOW, .	13·5	1·1	229	36	72	0	5	2	0	5	0	6	0	31	9	78	2	1
EDINBURGH,	10·4	0·4	72	11	21	0	1	0	0	1	0	1	0	5	3	26	2	0
DUNDEE, . .	20·5	2·8	67	9	14	0	5	0	1	0	0	3	0	6	1	14	2	1
ABERDEEN, .	12·4	0·8	44	3	15	0	0	0	1	0	0	2	0	4	3	9	1	1
PAISLEY, . .	16·2	2·8	29	7	5	0	4	0	1	0	0	0	0	5	0	9	0	0
LEITH, . . .	13·8	0·6	23	3	9	0	0	0	0	0	0	1	0	2	2	10	0	0
GREENOCK, .	20·6	2·1	29	4	13	0	0	0	0	0	1	2	0	3	1	3	0	0
PERTH, . . .	14·0	0·0	10	0	4	0	0	0	0	0	0	0	0	0	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 19, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·5	1·6	554	109	142	0	13	4	4	18	*4	13	0	73	16	183	17	2
GLASGOW, .	16·9	1·8	282	59	68	0	1	3	4	11	*4	7	0	45	7	106	5	0
EDINBURGH,	16·3	1·0	111	19	32	0	1	0	0	5	0	1	0	12	6	44	5	1
DUNDEE, . .	15·7	0·6	51	7	13	0	0	1	0	0	0	1	0	6	1	14	1	1
ABERDEEN, .	11·2	0·9	39	5	14	0	1	0	0	0	0	2	0	3	2	7	1	0
PAISLEY, . .	18·7	7·4	33	8	5	0	10	0	0	1	0	2	0	3	0	3	2	0
LEITH, . . .	11·0	0·0	18	3	4	0	0	0	0	0	0	0	0	3	0	4	0	0
GREENOCK, .	10·1	0·7	14	5	4	0	0	0	0	1	0	0	0	1	0	3	3	0
PERTH, . . .	8·5	0·0	6	3	2	0	0	0	0	0	0	0	0	0	0	2	0	0

* 1 Enteric fever; 3 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 25. WEEK ENDING SATURDAY, JUNE 25, 1910.

During the week ending 25th June 1910 there were registered in Eight of the Principal Towns of Scotland the births of 920 living children, and the deaths of 484 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of these towns is 25·4, and the death-rate 13·3.

The death-rate for the week is 0·6 below that for the week immediately preceding, 0·8 below the mean of the rates for the three preceding weeks, but is 0·6 above the rate for the corresponding week of 1909.

The death-rate for the week ranged from 19·9 in Dundee to 10·6 in Greenock. In Leith it was 13·8, in Edinburgh 13·3, in Glasgow 12·9, in Paisley 12·8, in Aberdeen and in Perth 11·2.

Deaths from the principal epidemic diseases numbered 61; they are 19 more than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 12 from measles; 9 from scarlet fever; 8 from diphtheria; 11 from hooping-cough; 2 from enteric fever; 17 from diarrhœal diseases; and 2 from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from measles are 3 fewer, but those from scarlet fever are 7 more, from diphtheria and from hooping-cough 5 more, from diarrhœal diseases and cerebro-spinal meningitis each 2 more, and from enteric fever 1 more. The death-rate from these causes ranged from 3·4 in Dundee and 3·3 in Paisley, to 0 in Greenock.

Deaths from pneumonia, bronchitis, and pleurisy numbered 61; they are 5 more than in the previous week, but 1 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 92; they are 19 more than in the previous week, and 15 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 125; they are 28 fewer than in the previous week, and 2 fewer than in the corresponding week of last year.

The mean temperature was 57°·9, being 0°·3 above that for the week immediately preceding, and 4°·1 above that for the corresponding week of last year. The mean rainfall was 0·87 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 25, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending June 25, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	920	484	385	73·1	42·0	57·9	0·87
GLASGOW, . . .	12,669	884,520	69·818	8·95	444	218	191	71·4	46·5	60·1	2·40
EDINBURGH, . .	10,912	360,276	33·016	13·01	152	92	65	68·3	49·0	57·1	0·50
DUNDEE, . . .	4,755	170,206	35·795	12·50	85	65	22	69·2	46·4	55·8	0·50
ABERDEEN, . .	6,319	185,703	29·388	13·79	93	40	53	66·0	42·0	54·6	0·09
PAISLEY, . . .	3,487	93,584	26·838	14·43	36	23	18	73·1	48·9	60·7	1·06
LEITH, ...	1,467	86,767	59·146	9·72	52	23	18	69·1	46·8	58·4	0·42
GREENOCK, . .	2,773	73,605	26·543	14·51	43	15	8	68·0	47·0	58·1	1·52
PERTH, ...	3,139	37,275	11·875	21·69	15	8	10	70·0	46·5	58·3	0·50
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	926	454	405	67·0	42·0	53·8	1·62

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JUNE 25, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 25, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·3	1·7	484	92	125	0	12	9	8	11	*4	17	0	61	14	165	19	2
GLASGOW, .	12·9	1·9	218	43	47	0	4	5	6	7	†2	9	0	29	6	81	10	0
EDINBURGH,	13·3	1·2	92	15	25	0	1	3	1	1	1	1	0	10	1	38	4	0
DUNDEE, . .	19·9	3·4	65	13	19	0	4	0	1	3	0	3	0	7	3	18	1	1
ABERDEEN, .	11·2	0·3	40	8	15	0	0	0	0	0	0	1	0	5	3	11	2	0
PAISLEY, . .	12·8	3·3	23	8	6	0	3	0	0	0	1	2	0	4	0	4	1	0
LEITH, . . .	13·8	0·6	23	3	4	0	0	1	0	0	0	0	0	3	1	5	0	0
GREENOCK, .	10·6	0·0	15	2	5	0	0	0	0	0	0	0	0	3	0	5	1	1
PERTH, . . .	11·2	1·4	8	0	4	0	0	0	0	0	0	1	0	0	0	3	0	0

* 2 Enteric fever; 2 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 26, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·7	1·5	454	77	127	0	8	0	6	17	*5	18	2	62	12	134	8	0
GLASGOW, .	11·8	1·2	197	31	46	0	1	0	1	8	†1	9	1	35	6	70	6	0
EDINBURGH,	11·9	1·5	81	14	20	0	1	0	1	5	‡1	2	1	6	3	25	1	0
DUNDEE, . .	19·7	1·8	64	11	24	0	0	0	1	0	§2	3	0	10	0	11	0	0
ABERDEEN, .	10·3	2·6	36	8	10	0	1	0	2	4	‡1	1	0	2	1	6	0	0
PAISLEY, . .	13·6	2·8	24	4	9	0	4	0	0	0	0	1	0	2	1	5	1	0
LEITH, . . .	18·3	0·6	30	4	13	0	0	0	0	0	0	1	0	4	1	11	0	0
GREENOCK, .	11·5	0·7	16	3	4	0	0	0	1	0	0	0	0	2	0	3	0	0
PERTH, . . .	8·5	2·8	6	2	1	0	1	0	0	0	0	1	0	1	0	3	0	0

* 2 Cerebro-spinal meningitis; 2 Typhus fever; 1 Enteric fever. † Enteric fever.
‡ Cerebro-spinal meningitis. § Typhus fever.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 26. WEEK ENDING SATURDAY, JULY 2, 1910.

During the week ending 2nd July 1910 there were registered in Eight of the Principal Towns of Scotland the births of 936 living children, and the deaths of 477 persons. The equivalent annual birth-rate is 25·8 per thousand of the estimated population of the eight towns, and the equivalent annual death-rate 13·2 per thousand.

The death-rate of the week is 0·1 less than those of the previous week and of the corresponding week of last year, and 0·6 less than the mean of the death-rates of the three preceding weeks.

The death-rate of the week ranged from 22·1 in Dundee to 10·1 in Aberdeen. In Leith it was 14·4, in Perth 14·0, in Glasgow 12·7, in Paisley 12·3, in Greenock 12·0, and in Edinburgh 11·7.

Deaths from the principal epidemic diseases numbered 48; they are 13 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·3 per thousand. These deaths include 9 from measles; 4 from scarlet fever; 5 from diphtheria; 12 from hooping-cough; 17 from diarrhœas; and 1 from cerebro-spinal meningitis. There were no deaths from enteric fever registered in these towns during the week. Compared with the returns of the previous week, deaths from scarlet fever are 5 fewer, from measles and diphtheria each 3 fewer, from enteric fever 2 fewer, and from cerebro-spinal meningitis 1 fewer, while diarrhœas are of the same number, and deaths from hooping-cough are 1 more. The death-rate from these causes varied from 3·4 in Dundee and 2·8 in Paisley, to 0 in Greenock.

Deaths from pneumonia, bronchitis, and pleurisy numbered 55; they are 6 fewer than in the previous week, and 16 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 88; they are 4 fewer than in the previous week, but 7 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 130; they are 5 more than in the previous week, and 6 more than in the corresponding week of last year.

The mean temperature was 53°·6, being 4°·3 below that for the week immediately preceding, and 2°·1 below that for the corresponding week of 1909. The mean rainfall was 0·75 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 2, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending July 2, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	936	477	446	66·9	41·8	53·6	0·75
GLASGOW, . . .	12,669	884,520	69·818	8·95	445	215	234	63·2	42·0	54·0	0·38
EDINBURGH, . .	10,912	360,276	33·016	13·01	150	81	93	59·6	43·6	52·4	0·53
DUNDEE, . . .	4,755	170,206	35·795	12·50	76	72	35	61·5	44·5	52·8	1·08
ABERDEEN, . .	6,319	185,703	29·388	13·79	86	36	36	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	55	22	7	66·9	41·8	55·3	1·09
LEITH, ...	1,467	86,767	59·146	9·72	46	24	19	64·9	47·1	54·9	0·42
GREENOCK, . .	2,773	73,605	26·543	14·51	60	17	18	60·7	43·0	52·4	0·97
PERTH, ...	3,139	37,275	11·875	21·69	18	10	4	65·0	43·5	53·5	0·79
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	891	477	460	75·0	37·0	55·7	0·20

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JULY 2, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, July 2, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·2	1·3	477	88	130	0	9	4	5	12	*1	17	0	55	22	152	12	1
GLASGOW, .	12·7	1·2	215	50	57	0	1	2	2	5	*1	10	0	32	7	82	4	1
EDINBURGH,	11·7	0·9	81	10	26	0	0	1	1	1	0	3	0	6	5	35	3	0
DUNDEE, . .	22·1	3·4	72	10	15	0	5	0	1	4	0	1	0	6	3	11	1	0
ABERDEEN, .	10·1	0·8	36	7	11	0	0	0	1	1	0	1	0	0	2	8	0	0
PAISLEY, . .	12·3	2·8	22	5	3	0	2	1	0	0	0	2	0	2	2	3	2	0
LEITH, . . .	14·4	0·6	24	4	8	0	0	0	0	1	0	0	0	5	1	5	1	0
GREENOCK, .	12·0	0·0	17	1	5	0	0	0	0	0	0	0	0	2	0	7	0	0
PERTH, . . .	14·0	1·4	10	1	5	0	1	0	0	0	0	0	0	2	2	1	1	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, July 3, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·3	1·0	477	81	124	0	5	3	3	13	*2	11	0	71	20	168	20	1
GLASGOW, .	13·2	1·1	221	46	43	0	2	2	2	6	*2	4	0	33	12	81	13	1
EDINBURGH,	13·7	0·9	93	6	36	0	1	1	0	4	0	0	0	13	2	44	2	0
DUNDEE, . .	14·2	0·9	46	7	16	0	0	0	1	0	0	2	0	9	2	11	0	0
ABERDEEN, .	12·0	1·1	42	6	14	0	0	0	0	1	0	3	0	5	2	12	3	0
PAISLEY, . .	15·9	1·7	28	6	5	0	1	0	0	1	0	1	0	3	1	8	2	0
LEITH, . . .	12·8	0·6	21	6	4	0	0	0	0	0	0	1	0	5	0	6	0	0
GREENOCK, .	11·5	0·7	16	2	3	0	1	0	0	0	0	0	0	2	1	2	0	0
PERTH, . . .	14·1	1·4	10	2	3	0	0	0	0	1	0	0	0	1	0	4	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 27. WEEK ENDING SATURDAY, JULY 9, 1910.

During the week ending 9th July 1910 there were registered in Eight of the Principal Towns of Scotland the births of 864 living children, and the deaths of 439 persons. The equivalent annual birth-rate is 23·8 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 12·1.

The death-rate of the week is 1·1 less than that of the previous week, 1·4 less than the mean of the death-rates of the three preceding weeks, and 0·8 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 18·2 in Perth, to 6·1 in Paisley. In Greenock it was 15·6, in Dundee 15·3, in Edinburgh 12·7, in Glasgow 12·4, in Leith 10·2, and in Aberdeen 7·9.

Deaths from the principal epidemic diseases numbered 44; they are 4 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·2 per thousand. These deaths include 8 from measles; 4 from scarlet fever; 9 from diphtheria; 2 from hooping-cough; 2 from enteric fever; and 19 from diarrhœas. Compared with the returns of the previous week, deaths from hooping-cough are 10 fewer, and from measles 1 fewer, but those from scarlet fever are of the same number, those from enteric fever and diarrhœas each 2 more, and from diphtheria 4 more. The death-rate from these causes varied from 2·8 in Dundee, and 2·1 in Greenock, to 0 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 66; they are 11 more than in the previous week, and 5 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 60; they are 28 fewer than in the previous week, and 18 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 113; they are 17 fewer than in the previous week, and 14 fewer than in the corresponding week of last year.

The mean temperature was 56°·8, being 3°·2 above that for the week immediately preceding, but 0°·3 below that for the corresponding week of 1909. The mean rainfall was 0·89 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 9, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending July 9, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	864	439	362	75·0	40·5	56·8	0·89
GLASGOW, . . .	12,669	884,520	69·818	8·95	420	210	148	73·0	41·2	57·1	0·74
EDINBURGH, . .	10,912	360,276	33·016	13·01	126	88	76	70·0	47·1	55·4	1·27
DUNDEE, . . .	4,755	170,206	35·795	12·50	91	50	18	67·6	42·4	55·7	0·55
ABERDEEN, . .	6,319	185,703	29·388	13·79	72	28	35	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	57	11	21	74·7	43·9	58·2	0·75
LEITH, ...	1,467	86,767	59·146	9·72	35	17	17	73·6	46·7	57·9	1·17
GREENOCK, . .	2,773	73,605	26·543	14·51	46	22	30	73·7	45·0	56·2	0·89
PERTH, ...	3,139	37,275	11·875	21·69	17	13	17	75·0	40·5	56·9	0·89
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	871	462	334	72·6	43·6	57·1	0·67

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JULY 9, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 9, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·1	1·2	439	60	113	0	8	4	9	2	2	19	0	66	18	145	9	1
GLASGOW, .	12·4	1·4	210	33	53	0	4	1	4	2	1	11	0	36	8	70	4	0
EDINBURGH,	12·7	0·7	88	7	21	0	1	1	1	0	0	2	0	10	2	43	3	0
DUNDEE, . .	15·3	2·8	50	8	12	0	3	0	3	0	0	3	0	8	1	15	0	0
ABERDEEN, .	7·9	0·6	28	4	12	0	0	0	0	0	0	2	0	0	2	0	0	0
PAISLEY, . .	6·1	0·0	11	0	1	0	0	0	0	0	0	0	0	4	0	4	0	0
LEITH, . . .	10·2	0·6	17	4	6	0	0	0	0	0	0	1	0	2	1	2	0	0
GREENOCK, .	15·6	2·1	22	3	4	0	0	1	1	0	1	0	0	5	1	7	2	1
PERTH, . . .	18·2	1·4	13	1	4	0	0	1	0	0	0	0	0	1	3	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 10, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·9	1·0	462	78	127	0	7	2	2	12	*1	12	0	61	25	145	16	1
GLASGOW, .	12·2	0·9	204	38	50	0	2	2	1	5	0	5	0	37	13	77	4	1
EDINBURGH,	13·8	0·9	94	11	32	0	0	0	1	4	0	1	0	9	3	31	6	0
DUNDEE, . .	12·9	1·8	42	6	17	0	0	0	0	1	*1	4	0	5	1	14	1	0
ABERDEEN, .	14·1	0·9	49	9	14	0	1	0	0	1	0	1	0	2	5	13	2	0
PAISLEY, . .	13·6	2·8	24	3	4	0	4	0	0	0	0	1	0	2	0	6	2	0
LEITH, . . .	14·6	0·6	24	7	3	0	0	0	0	1	0	0	0	3	1	2	1	0
GREENOCK, .	11·5	0·0	16	2	2	0	0	0	0	0	0	0	0	1	1	0	0	0
PERTH, . . .	12·7	0·0	9	2	5	0	0	0	0	0	0	0	0	2	1	2	0	0

* Typhus fever.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 28. WEEK ENDING SATURDAY, JULY 16, 1910.

During the week ending 16th July 1910 there were registered in Eight of the Principal Towns of Scotland the births of 899 living children, and the deaths of 449 persons. The equivalent annual birth-rate is 24·8 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 12·4 per thousand.

The death-rate of the week is 0·3 more than that of the previous week, but is 0·1 less than that of the corresponding week of last year, and 0·5 less than the mean of the death-rates of the three preceding weeks.

The death-rate of the week varied from 22·0 in Greenock, to 10·0 in Paisley. In Dundee it was 14·7, in Aberdeen 12·1, in Glasgow 11·9, in Edinburgh 11·6, in Leith 11·4, and in Perth, 11·2.

Deaths from the principal epidemic diseases numbered 33; they are 11 fewer than in the previous week, and are equal to an annual death-rate from these causes of 0·9 per thousand. These deaths include 4 from measles; 6 from scarlet fever; 5 from diphtheria; 3 from hooping-cough; 1 from enteric fever; 13 from diarrhœas; and 1 from cerebro-spinal meningitis. Compared with the returns of the previous week, deaths from diarrhœas are 6 fewer, from measles and diphtheria each 4 fewer, and from enteric fever 1 fewer, but those from cerebro-spinal meningitis and hooping-cough are each 1 more, and those from scarlet fever 2 more. The death-rate from these causes varied from 2·1 in Greenock, to 0·6 in Edinburgh and Paisley.

Deaths from pneumonia, pleurisy, and bronchitis numbered 49; they are 17 fewer than in the previous week, and 6 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 87; they are 27 more than in the previous week, and 12 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 119; they are 6 more than in the previous week, but 6 fewer than in the corresponding week of last year.

The mean temperature was 57°·7, being 0°·9 above that for the week immediately preceding, but 0°·3 below that for the corresponding week of 1909. The mean rainfall was 0·01 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 16, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending July 16, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	899	449	397	82·1	39·5	57·7	0·01
GLASGOW, . . .	12,669	884,520	69·818	8·95	423	202	192	...	...	...	...
EDINBURGH, . .	10,912	360,276	33·016	13·01	133	80	78	64·8	48·1	54·1	0·03
DUNDEE, . . .	4,755	170,206	35·795	12·50	95	48	10	71·6	46·3	55·4	0·00
ABERDEEN, . .	6,319	185,703	29·388	13·79	106	43	52	68·0	42·0	55·9	0·00
PAISLEY, . . .	3,487	93,584	26·838	14·43	40	18	19	82·1	46·5	61·1	0·00
LEITH, ...	1,467	86,767	59·146	9·72	32	19	13	66·8	49·8	56·7	0·03
GREENOCK, . .	2,773	73,605	26·543	14·51	48	31	28	78·2	45·0	61·1	0·00
PERTH, ...	3,139	37,275	11·875	21·69	22	8	5	79·0	39·5	59·7	0·00
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	944	448	364	73·5	39·0	58·0	0·44

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JULY 16, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, July 16, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	12·4	0·9	449	87	119	0	4	6	5	3	*2	13	0	49	26	161	16	3
GLASGOW, .	11·9	0·8	202	48	44	0	1	2	2	2	†1	6	0	21	16	80	10	2
EDINBURGH,	11·6	0·6	80	13	25	0	1	0	1	0	0	2	0	13	7	33	2	0
DUNDEE, . .	14·7	1·5	48	11	13	0	0	1	0	0	1	3	0	6	0	8	0	0
ABERDEEN, .	12·1	0·8	43	3	17	0	1	0	2	0	0	0	0	3	2	15	3	1
PAISLEY, . .	10·0	0·6	18	3	3	0	1	0	0	0	0	0	0	1	0	6	0	0
LEITH, . . .	11·4	1·2	19	2	4	0	0	1	0	0	0	1	0	2	0	8	0	0
GREENOCK, .	22·0	2·1	31	4	11	0	0	2	0	1	0	0	0	3	1	10	1	0
PERTH, . . .	11·2	1·4	8	3	2	0	0	0	0	0	0	1	0	0	0	1	0	0

* 1 Enteric fever ; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, July 17, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	12·5	1·1	448	75	125	0	2	2	6	16	3	11	1	55	20	147	17	7
GLASGOW, .	11·4	1·1	190	27	47	0	0	1	4	6	3	4	1	22	11	73	8	5
EDINBURGH,	12·8	1·0	87	18	28	0	1	1	0	3	0	2	0	3	3	36	3	1
DUNDEE, . .	18·8	1·8	61	9	19	0	0	0	1	3	0	2	0	12	1	21	1	1
ABERDEEN, .	11·8	1·1	41	7	13	0	0	0	0	3	0	1	0	8	1	4	1	0
PAISLEY, . .	11·9	1·1	21	2	4	0	1	0	0	0	0	1	0	2	2	3	4	0
LEITH, . . .	10·3	0·6	17	5	6	0	0	0	1	0	0	0	0	5	1	3	0	0
GREENOCK, .	14·4	1·4	20	4	6	0	0	0	0	1	0	1	0	2	1	4	0	0
PERTH, . . .	15·6	0·0	11	3	2	0	0	0	0	0	0	0	0	1	0	3	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 23, 1910.

During the week ending 23rd July 1910 there were registered in Eight of the Principal Towns of Scotland the births of 884 living children, and the deaths of 434 persons. The equivalent annual birth-rate is 24·4 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 12·0 per thousand.

The death-rate of the week is 0·4 less than that of the previous week, 0·6 less than the mean of the death-rates of the three preceding weeks, and 0·5 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 19·6 in Perth, to 7·8 in Greenock. In Paisley it was 12·8, in Glasgow 12·3, in Edinburgh 12·2, in Aberdeen 11·5, in Dundee 11·3, and in Leith 9·6.

Deaths from the principal epidemic diseases numbered 58; they are 25 more than in the previous week, and are equal to an annual death-rate from these causes of 1·6 per thousand. These deaths include 5 from measles; 6 from scarlet fever; 8 from diphtheria; 12 from hooping-cough; 5 from enteric fever; 21 from diarrhœas; and 1 from cerebro-spinal meningitis. Compared with the returns of the previous week, deaths from scarlet fever and cerebro-spinal meningitis are of the same number, but those from measles are 1 more, from diphtheria 3 more, from enteric fever 4 more, from diarrhœas 8 more, and from hooping-cough 9 more. The death-rate from these causes varied from 2·1 in Glasgow, where there were 10 deaths from hooping-cough and 13 deaths from diarrhœas, to 0·6 in Paisley and in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 49; they are of the same number as in the previous week, and of the same number as in the corresponding week of last year.

Deaths of children of less than one year old numbered 89; they are 2 more than in the previous week, and 1 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 118; they are 1 fewer than in the previous week, and 17 fewer than in the corresponding week of last year.

The mean temperature was 56°·5, being 1°·2 below that for the week immediately preceding, and 0°·8 below that for the corresponding week of 1909. The mean rainfall was 0·70 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 23, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending July 23, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	884	434	599	69·0	45·0	56·5	0·70
GLASGOW, . . .	12,669	884,520	69·818	8·95	444	208	350	65·5	47·5	56·8	0·58
EDINBURGH, . .	10,912	360,276	33·016	13·01	125	84	116	64·3	48·1	55·1	0·68
DUNDEE, . . .	4,755	170,206	35·795	12·50	102	37	52	69·0	47·5	55·7	0·55
ABERDEEN, . .	6,319	185,703	29·388	13·79	77	41	30	63·0	46·2	57·4	1·53
PAISLEY, . . .	3,487	93,584	26·838	14·43	44	23	8	67·9	47·5	57·3	0·50
LEITH, ...	1,467	86,767	59·146	9·72	34	16	23	67·1	48·7	57·4	0·81
GREENOCK, . .	2,773	73,605	26·543	14·51	42	11	11	65·0	45·0	55·7	0·55
PERTH, ...	3,139	37,275	11·875	21·69	16	14	9	68·0	46·5	56·6	0·41
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	903	448	583	69·5	40·5	57·3	0·57

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JULY 23, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 23, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·0	1·6	434	89	118	0	5	6	8	12	*6	21	1	49	16	161	16	1
GLASGOW, .	12·3	2·1	208	46	50	0	2	3	4	10	†4	13	0	23	9	75	9	1
EDINBURGH,	12·2	1·2	84	11	25	0	1	2	1	1	1	2	1	9	3	42	3	0
DUNDEE, . .	11·3	1·5	37	9	11	0	2	0	1	0	0	2	0	5	1	15	0	0
ABERDEEN, .	11·5	1·4	41	10	12	0	0	1	2	0	0	2	0	6	1	6	2	0
PAISLEY, . .	12·8	0·6	23	4	8	0	0	0	0	0	0	1	0	4	0	8	1	0
LEITH, . . .	9·6	0·6	16	4	2	0	0	0	0	1	0	0	0	1	1	7	1	0
GREENOCK, .	7·8	0·7	11	3	2	0	0	0	0	0	1	0	0	0	1	4	0	0
PERTH, . . .	19·6	1·4	14	2	8	0	0	0	0	0	0	1	0	1	0	4	0	0

* 5 Enteric fever ; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 24, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·5	1·3	448	88	135	0	14	3	4	7	*3	14	0	49	17	132	21	5
GLASGOW, .	12·4	1·2	208	42	48	0	5	2	1	3	†1	8	0	20	9	69	11	3
EDINBURGH,	11·2	1·0	76	11	33	0	0	1	1	2	‡1	2	0	7	2	31	3	0
DUNDEE, . .	14·5	1·5	47	11	16	0	0	0	1	1	0	3	0	8	4	11	1	0
ABERDEEN, .	11·2	0·3	39	8	14	0	1	0	0	0	0	0	0	4	0	8	2	1
PAISLEY, . .	17·6	4·0	31	7	6	0	6	0	0	0	0	1	0	4	0	5	2	0
LEITH, . . .	7·9	0·6	13	2	8	0	1	0	0	0	0	0	0	2	0	5	1	1
GREENOCK, .	14·4	0·7	20	4	6	0	0	0	0	1	0	0	0	4	1	1	1	0
PERTH, . . .	19·8	4·2	14	3	4	0	1	0	1	0	1	0	0	0	1	2	0	0

* 1 Enteric fever ; 1 Typhus fever ; 1 Cerebro-spinal meningitis. † Typhus fever.
‡ Cerebro-spinal meninngitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 30. WEEK ENDING SATURDAY, JULY 30, 1910.

During the week ending 30th July 1910 there were registered in Eight of the Principal Towns of Scotland the births of 854 living children, and the deaths of 460 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of the eight towns is 23·6, and the equivalent annual death-rate 12·7.

The death-rate of the week is 0·7 more than that of the previous week, 0·5 more than the mean of the death-rates of the three preceding weeks, and 0·9 more than that of the corresponding week of last year.

The death-rate of the week varied from 13·9 in Glasgow, to 8·4 in Leith. In Dundee it was 13·8, in Greenock 13·5, in Paisley 13·4, in Perth 12·6, in Edinburgh 11·3, and in Aberdeen 9·8.

Deaths from the principal epidemic diseases numbered 46; they are 12 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·3 per thousand. These deaths include 4 from measles; 3 from scarlet fever; 4 from diphtheria; 11 from hooping-cough; 3 from enteric fever; 20 from diarrhœas; and 1 from cerebro-spinal meningitis. Compared with the returns of the previous week, deaths from diphtheria are 4 fewer, from scarlet fever 3 fewer, from enteric fever 2 fewer, and from measles, hooping-cough and diarrhœas each 1 fewer, but from cerebro-spinal meningitis of the same number. The death-rate from these causes ranged from 2·2 in Glasgow, to 0 in Aberdeen and Perth.

Deaths from pneumonia, pleurisy, and bronchitis numbered 60; they are 11 more than in the previous week, and 17 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 84; they are 5 fewer than in the previous week, but 8 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 120; they are 2 more than in the previous week, and 10 more than in the corresponding week of last year.

The mean temperature was 56°·5, being the same as that for the week immediately preceding, and 0°·4 above that for the corresponding week of 1909. The mean rainfall was 2·18 inches.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 30, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending July 30, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	854	460	288	70·0	40·0	56·5	2·18
GLASGOW, . . .	12,669	884,520	69·818	8·95	429	236	82	68·0	49·2	57·1	1·79
EDINBURGH, . .	10,912	360,276	33·016	13·01	127	78	58	68·0	46·3	56·1	1·88
DUNDEE, . . .	4,755	170,206	35·795	12·50	66	45	101	63·8	40·0	55·3	2·06
ABERDEEN, . .	6,319	185,703	29·388	13·79	83	35	20	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	41	24	10	68·3	44·0	57·4	2·31
LEITH, ...	1,467	86,767	59·146	9·72	43	14	8	68·5	49·7	58·5	1·75
GREENOCK, . .	2,773	73,605	26·543	14·51	39	19	5	67·5	45·0	55·6	2·76
PERTH, ...	3,139	37,275	11·875	21·69	26	9	4	70·0	41·0	55·7	2·69
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	892	423	305	70·5	43·5	56·1	1·52

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JULY 30, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 30, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·7	1·3	460	84	120	0	4	3	4	11	*4	20	1	60	11	136	15	1
GLASGOW, .	13·9	2·2	236	50	47	0	3	1	3	9	*4	17	1	33	7	69	9	0
EDINBURGH,	11·3	0·4	78	9	25	0	0	0	1	1	0	1	0	9	0	30	2	0
DUNDEE, . .	13·8	0·6	45	6	16	0	1	1	0	0	0	0	0	3	0	15	1	0
ABERDEEN, .	9·8	0·0	35	6	11	0	0	0	0	0	0	0	0	4	2	9	1	0
PAISLEY, . .	13·4	1·1	24	6	8	0	0	1	0	0	0	1	0	4	1	8	2	1
LEITH, . . .	8·4	0·6	14	4	4	0	0	0	0	0	0	1	0	1	0	0	0	0
GREENOCK, .	13·5	0·7	19	1	9	0	0	0	0	1	0	0	0	5	0	2	0	0
PERTH, . . .	12·6	0·0	9	2	0	0	0	0	0	0	0	0	0	1	1	3	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 31, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	11·8	1·1	423	76	110	0	3	4	1	15	*3	13	0	43	17	133	18	2
GLASGOW, .	10·5	0·8	176	28	36	0	0	2	0	5	1	6	0	21	9	69	5	1
EDINBURGH,	13·7	1·5	93	15	31	0	2	1	0	5	0	2	0	11	4	31	6	0
DUNDEE, . .	12·0	1·5	39	9	8	0	0	1	1	0	†2	1	0	3	2	14	4	0
ABERDEEN, .	10·3	0·0	36	9	11	0	0	0	0	0	0	0	0	1	1	6	1	0
PAISLEY, . .	10·2	1·7	18	3	3	0	1	0	0	0	0	2	0	0	0	3	1	0
LEITH, . . .	15·2	1·8	25	6	6	0	0	0	0	2	0	1	0	4	0	6	0	0
GREENOCK, .	18·8	2·2	26	5	8	0	0	0	0	2	0	1	0	3	1	3	1	1
PERTH, . . .	14·1	1·4	10	1	7	0	0	0	0	1	0	0	0	0	0	1	0	0

* 2 Enteric fever; 1 Typhus fever. † 1 Typhus fever.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 6, 1910.

During the week ending 6th August 1910 there were registered in Eight of the Principal Towns of Scotland the births of 854 living children, and the deaths of 445 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 23·6, and the death-rate 12·3.

The death-rate for the week is 0·4 below that for the previous week, and 0·1 below the mean of the rates for the three preceding weeks, but is 0·3 above that for the corresponding week of last year.

The death-rate for the week ranged from 17·5 in Dundee, to 7·2 in Leith. In Perth it was 16·8, in Greenock 13·5, in Paisley 13·4, in Glasgow 12·0, in Edinburgh 11·3, and in Aberdeen 11·0.

Deaths from the principal epidemic diseases numbered 44; they are 2 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·2 per thousand. These deaths include 5 from measles; 2 from scarlet fever; 4 from diphtheria; 4 from hooping-cough; 1 from typhus fever; 2 from cerebro-spinal meningitis; and 26 from diarrhœal diseases. There were no deaths registered from enteric fever. Compared with the returns for the previous week, deaths from hooping-cough are 7 fewer, from enteric fever 3 fewer, and from scarlet fever 1 fewer, while those from diphtheria number the same, those from measles, typhus fever, and cerebro-spinal meningitis are each 1 more, and those from diarrhœal diseases are 6 more. The death-rate from these causes ranged from 2·1 in Greenock to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 58; they are 2 fewer than in the previous week, but are 8 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 86; they are 2 more than in the previous week, but 1 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 122; they are 2 more than in the previous week, and 12 more than in the corresponding week of last year.

The mean temperature was 57°·7, being 1°·2 above that for the week immediately preceding, but 1°·2 below that for the corresponding week of last year. The mean rainfall was 0·69 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 6, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Aug. 6, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	854	445	245	71·2	45·2	57·7	0·69
GLASGOW, . . .	12,669	884,520	69·818	8·95	408	204	98	67·0	48·3	57·7	0·73
EDINBURGH, . .	10,912	360,276	33·016	13·01	135	78	58	66·2	48·3	57·8	0·31
DUNDEE, . . .	4,755	170,206	35·795	12·50	97	57	17	67·2	49·2	58·2	0·83
ABERDEEN, . .	6,319	185,703	29·388	13·79	83	39	33	67·0	45·2	54·8	0·27
PAISLEY, . . .	3,487	93,584	26·838	14·43	35	24	13	69·5	47·1	58·2	1·04
LEITH, ...	1,467	86,767	59·146	9·72	43	12	9	71·2	47·0	58·8	0·29
GREENOCK, . .	2,773	73,605	26·543	14·51	42	19	9	65·5	48·0	57·1	1·09
PERTH, ...	3,139	37,275	11·875	21·69	11	12	8	71·0	46·5	59·0	1·00
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	874	429	247	76·4	41·7	58·9	0·48

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, AUGUST 6, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during Week ending Saturday, August 6, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	12·3	1·2	445	86	122	0	5	2	4	4	*3	26	1	58	19	152	9
GLASGOW, .	12·0	1·5	204	38	46	0	2	1	2	1	*3	17	1	26	9	72	6
EDINBURGH,	11·3	0·6	78	16	22	0	0	0	1	1	0	2	0	7	3	34	2
DUNDEE, . .	17·5	1·5	57	10	18	0	1	0	0	0	0	4	0	6	1	23	0
ABERDEEN, .	11·0	0·6	39	10	16	0	1	0	0	0	0	1	0	7	3	8	0
PAISLEY, . .	13·4	1·7	24	5	11	0	1	0	0	1	0	1	0	4	1	4	1
LEITH, . . .	7·2	0·6	12	3	3	0	0	0	1	0	0	0	0	4	0	5	0
GREENOCK, .	13·5	2·1	19	4	1	0	0	1	0	1	0	1	0	3	2	4	0
PERTH, . . .	16·8	0·0	12	0	5	0	0	0	0	0	0	0	0	1	0	2	0

* 1 Typhus fever; 2 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during t Week ending Saturday, August 7, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	12·0	1·4	429	87	110	0	6	3	3	14	*4	20	1	50	17	118	9
GLASGOW, .	11·9	1·3	199	35	39	0	3	2	2	5	2	7	1	28	10	57	8
EDINBURGH,	12·5	1·9	85	20	25	0	1	1	1	5	1	4	0	6	0	36	0
DUNDEE, . .	13·2	1·5	43	11	17	0	0	0	0	1	0	4	0	7	2	10	0
ABERDEEN, .	9·8	0·9	34	5	12	0	2	0	0	0	†1	0	0	4	2	4	0
PAISLEY, . .	11·4	1·1	20	5	5	0	0	0	0	0	0	2	0	4	0	3	0
LEITH, . . .	12·8	0·6	21	8	6	0	0	0	0	1	0	0	0	1	2	5	1
GREENOCK, .	14·4	2·2	20	2	6	0	0	0	0	1	0	2	0	0	1	1	0
PERTH, . . .	9·9	2·8	7	1	0	0	0	0	0	1	0	1	0	0	0	2	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 13, 1910.

During the week ending 13th August 1910 there were registered in Eight of the Principal Towns of Scotland the births of 836 living children, and the deaths of 460 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 23·1, and the death-rate 12·7.

The death-rate for the week is 0·4 above that for the previous week, 0·4 above the mean of the rates for the three preceding weeks, and 0·1 above that for the corresponding week of last year.

The death-rate for the week ranged from 21·0 in Perth, to 7·8 in Leith. In Greenock it was 19·8, in Dundee 15·0, in Glasgow 13·0, in Edinburgh 11·4, in Aberdeen 10·7, and in Paisley 9·5.

Deaths from the principal epidemic diseases numbered 58; they are 14 more than in the previous week, and are equal to an annual death-rate from these causes of 1·6 per thousand. These deaths include 4 from measles; 3 from scarlet fever; 4 from diphtheria; 9 from hooping-cough; 2 from enteric fever; 1 from cerebro-spinal meningitis; and 35 from diarrhœal diseases, of which 21 occurred in Glasgow. Compared with the returns for the previous week, deaths from measles and cerebro-spinal meningitis are each 1 fewer, those from diphtheria number the same, and those from scarlet fever are 1 more, from enteric fever 2 more, from hooping-cough 5 more, and from diarrhœal diseases 9 more. The death-rate from these causes ranged from 2·8 in Perth to 0·6 in Paisley and in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 47; they are 11 fewer than in the previous week, and 1 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 94; they are 8 more than in the previous week, and number the same as in the corresponding week of last year. Deaths of persons of over sixty numbered 125; they are 3 more than in the previous week, and 4 more than in the corresponding week of last year.

The mean temperature was 60°·7, being 3°·0 above that for the week immediately preceding, but 1°·7 below that for the corresponding week of 1909. The mean rainfall was 0·41 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 13, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Aug. 13, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	836	460	180	75·0	46·5	60·7	0·41
GLASGOW, . . .	12,669	884,520	69·818	8·95	389	221	91	73·5	49·0	62·2	0·28
EDINBURGH, . .	10,912	360,276	33·016	13·01	135	79	40	71·2	47·6	58·4	0·45
DUNDEE, . . .	4,755	170,206	35·795	12·50	91	49	8	71·8	46·5	58·8	0·35
ABERDEEN, . .	6,319	185,703	29·388	13·79	89	38	19	71·0	47·0	60·6	0·22
PAISLEY, . . .	3,487	93,584	26·838	14·43	37	17	7	74·9	49·9	62·3	0·36
LEITH, . . .	1,467	86,767	59·146	9·72	37	13	3	73·9	51·8	60·5	0·74
GREENOCK, . .	2,773	73,605	26·543	14·51	41	28	7	72·7	50·0	60·4	0·45
PERTH, ...	3,139	37,275	11·875	21·69	17	15	5	75·0	49·5	62·6	0·43
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	863	452	211	80·5	47·2	62·4	0·24

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, AUGUST 13, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, August 13, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	12·7	1·6	460	94	125	0	4	3	4	9	*3	35	0	47	30	155	13	3
GLASGOW, .	13·0	2·1	221	40	53	0	2	2	2	6	†2	21	0	21	19	79	6	1
EDINBURGH,	11·4	0·7	79	15	23	0	1	0	0	1	0	3	0	6	4	35	2	1
DUNDEE, . .	15·0	1·8	49	11	15	0	0	0	0	0	1	5	0	5	4	16	1	0
ABERDEEN, .	10·7	1·4	38	13	11	0	0	0	1	1	0	3	0	4	0	6	2	1
PAISLEY, . .	9·5	0·6	17	4	2	0	0	0	0	0	0	1	0	2	1	4	2	0
LEITH, . . .	7·8	0·6	13	2	6	0	0	0	0	0	0	1	0	3	0	5	0	0
GREENOCK, .	19·8	2·1	28	5	11	0	0	0	1	1	0	1	0	4	1	5	0	0
PERTH, . . .	21·0	2·8	15	4	4	0	1	1	0	0	0	0	0	2	1	5	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, August 14, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	12·6	1·2	452	94	121	0	4	5	2	9	*7	17	0	48	23	167	7	3
GLASGOW, .	12·9	1·2	216	46	49	0	3	2	1	1	†5	8	0	31	13	89	1	1
EDINBURGH,	11·3	1·5	77	14	27	0	1	2	0	5	0	2	0	5	3	31	1	0
DUNDEE, . .	11·7	1·8	38	7	9	0	0	0	1	1	1	3	0	2	1	13	0	0
ABERDEEN, .	12·3	0·6	43	9	15	0	0	0	0	0	‡1	1	0	5	3	12	3	1
PAISLEY, . .	13·1	0·0	23	4	6	0	0	0	0	0	0	0	0	2	1	8	1	0
LEITH, . . .	16·4	1·8	27	7	6	0	0	1	0	1	0	1	0	1	1	8	0	0
GREENOCK, .	13·0	2·2	18	5	4	0	0	0	0	1	0	2	0	0	0	4	1	1
PERTH, . . .	14·1	0·0	10	2	5	0	0	0	0	0	0	0	0	2	1	2	0	0

* 5 Enteric fever; 1 Typhus fever; 1 Cerebro-spinal meningitis. † 1 Typhus fever.
‡ Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 20, 1910.

During the week ending 20th August 1910 there were registered in Eight of the Principal Towns of Scotland the births of 826 living children, and the deaths of 481 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 22·8, and the death-rate 13·3.

The death-rate for the week is 0·6 above that for the previous week, 0·7 above the mean of the rates for the three preceding weeks, and 1·3 above that for the corresponding week of last year.

The death-rate for the week ranged from 16·3 in Greenock to 6·0 in Leith. In Edinburgh it was 14·9, in Paisley 14·5, in Glasgow 13·6, in Dundee 13·5, in Perth 12·6, and in Aberdeen 10·1.

Deaths from the principal epidemic diseases numbered 73; they are 15 more than in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 2 from measles; 8 from scarlet fever; 6 from diphtheria; 7 from hooping-cough; and 50 from diarrhœal diseases. There were no deaths from enteric fever or from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from measles, from hooping-cough, and from enteric fever are each 2 fewer, and from cerebro-spinal meningitis 1 fewer, while those from diphtheria are 2 more, from scarlet fever 5 more, and from diarrhœal diseases 15 more. The death-rate from these causes ranged from 3·3 in Paisley to 0·6 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 38; they are 9 less than in the previous week, and 1 less than in the corresponding week of last year.

Deaths of children of less than one year old numbered 110; they are 16 more than in the previous week, and 20 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 130; they are 5 more than in the previous week, and 24 more than in the corresponding week of last year.

The mean temperature was 59°·2, being 1°·5 below that for the week immediately preceding, but 1°·0 above that for the corresponding week of 1909. The mean rainfall was 1·92 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 20, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Aug. 20, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	826	481	216	71·9	46·0	59·2	1·92
GLASGOW, . . .	12,669	884,520	69·818	8·95	395	230	78	70·0	51·2	59·9	1·47
EDINBURGH, . .	10,912	360,276	33·016	13·01	119	103	45	68·8	50·7	59·2	0·85
DUNDEE, . . .	4,755	170,206	35·795	12·50	88	44	14	69·8	49·2	59·6	2·48
ABERDEEN, . .	6,319	185,703	29·388	13·79	78	36	19	68·1	46·0	54·5	1·04
PAISLEY, . . .	3,487	93,584	26·838	14·43	40	26	43	70·9	50·9	60·1	3·10
LEITH, ...	1,467	86,767	59·146	9·72	38	10	7	71·9	52·8	61·4	0·95
GREENOCK, . .	2,773	73,605	26·543	14·51	46	23	4	67·9	49·9	58·4	3·52
PERTH, ...	3,139	37,275	11·875	21·69	22	9	6	70·0	46·0	60·7	1·93
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	864	428	183	81·0	41·2	58·2	0·41

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, AUGUST 20, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th
Week ending Saturday, August 20, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·3	2·0	481	110	130	0	2	8	6	7	0	50	1	38	30	146	13	3
GLASGOW, .	13·6	2·4	230	68	48	0	0	2	3	4	0	32	0	18	13	73	7	2
EDINBURGH,	14·9	1·3	103	13	31	0	1	3	1	1	0	3	0	9	10	37	3	0
DUNDEE, . .	13·5	1·8	44	10	12	0	0	1	1	0	0	4	0	4	3	10	0	0
ABERDEEN, .	10·1	1·4	36	6	11	0	1	1	1	0	0	2	0	3	0	11	0	0
PAISLEY, . .	14·5	3·3	26	6	8	0	0	0	0	0	0	6	0	1	3	5	1	0
LEITH, . . .	6·0	0·6	10	3	5	0	0	0	0	0	0	1	0	1	0	2	1	0
GREENOCK, .	16·3	2·8	23	4	8	0	0	0	0	2	0	2	0	2	1	6	1	1
PERTH, . . .	12·6	1·4	9	0	7	0	0	1	0	0	0	0	1	0	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 21, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	12·0	1·7	428	90	106	0	7	4	10	9	*3	26	0	39	18	153	8	2
GLASGOW, .	11·6	1·9	194	46	33	0	4	0	7	3	†1	16	0	16	10	71	7	1
EDINBURGH,	11·6	1·5	79	11	26	0	1	2	0	3	1	3	0	9	2	38	0	0
DUNDEE, . .	12·9	1·8	42	15	11	0	0	1	0	1	†1	3	0	4	3	10	0	0
ABERDEEN, .	12·6	1·1	44	8	10	0	0	0	2	1	0	1	0	5	1	13	0	0
PAISLEY, . .	11·9	2·3	21	1	8	0	2	1	1	0	0	0	0	2	1	8	0	0
LEITH, . . .	14·0	0·6	23	4	9	0	0	0	0	1	0	0	0	1	0	8	0	0
GREENOCK, .	10·1	2·2	14	3	4	0	0	0	0	0	0	3	0	2	0	2	1	1
PERTH, . . .	15·6	0·0	11	2	5	0	0	0	0	0	0	0	0	0	1	3	0	0

* 1 Enteric fever; 2 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 27, 1910.

During the week ending 27th August 1910 there were registered in Eight of the Principal Towns of Scotland the births of 753 living children, and the deaths of 492 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 20·8, and the death-rate 13·6.

The death-rate for the week is 0·3 above that for the week immediately preceding, 0·8 above the mean of the rates for the three previous weeks, and 0·9 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 17·7 in Greenock, and 17·5 in Dundee, to 9·7 in Edinburgh. In Glasgow it was 15·0, in Paisley 12·8, in Leith 11·4, in Perth 11·2, and in Aberdeen 11·0.

Deaths from the principal epidemic diseases numbered 83; they are 10 more than in the previous week, and are equal to an annual death-rate from these causes of 2·3 per thousand. These deaths include 4 from scarlet fever; 6 from diphtheria; 8 from hooping-cough; 2 from enteric fever; and 63 from diarrhœal diseases. There were no deaths from measles or from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from scarlet fever are 4 fewer, and from measles 2 fewer, while those from diphtheria number the same, those from hooping-cough are 1 more, from enteric fever 2 more, and from diarrhœal diseases 13 more. The death-rate from these causes ranged from 5·6 in Perth, and 5·0 in Greenock, to 0·3 in Aberdeen, and 0·4 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 49; they are 11 more than in the previous week, and 4 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 127; they are 17 more than in the previous week, and 13 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 109; they are 21 fewer than in the previous week, and 3 fewer than in the corresponding week of last year.

The mean temperature was 54°·3, being 4°·9 below that for the week immediately preceding, and 0°·5 below that for the corresponding week of 1909. The mean rainfall was 2·12 inches.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 27, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Aug. 27, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	753	492	177	66·9	39·9	54·3	2·12
GLASGOW, . . .	12,669	884,520	69·818	8·95	362	254	86	66·8	41·0	55·2	1·44
EDINBURGH, . .	10,912	360,276	33·016	13·01	122	67	45	61·5	45·1	54·0	2·90
DUNDEE, . . .	4,755	170,206	35·795	12·50	80	57	11	61·8	45·3	53·8	2·25
ABERDEEN, . .	6,319	185,703	29·388	13·79	68	39	19	62·0	45·0	51·1	0·61
PAISLEY, . . .	3,487	93,584	26·838	14·43	29	23	4	66·9	40·9	55·6	2·04
LEITH, ...	1,467	86,767	59·146	9·72	34	19	3	64·3	43·3	55·5	2·36
GREENOCK, . .	2,773	73,605	26·543	14·51	47	25	6	62·2	39·9	54·0	2·82
PERTH, ...	3,139	37,275	11·875	21·69	11	8	3	65·0	44·5	55·5	2·52
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	827	454	206	68·3	35·0	54·8	1·09

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, AUGUST 27, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, August 27, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·6	2·3	492	127	109	0	0	4	6	8	2	63	0	49	17	155	11	1
GLASGOW, .	15·0	3·1	254	74	38	0	0	3	4	3	0	43	0	25	5	83	8	1
EDINBURGH,	9·7	0·4	67	11	23	0	0	1	0	0	0	2	0	3	4	29	0	0
DUNDEE, . .	17·5	2·5	57	15	17	0	0	0	1	2	1	4	0	8	1	19	1	0
ABERDEEN, .	11·0	0·3	39	9	15	0	0	0	0	0	0	1	0	5	3	9	0	0
PAISLEY, . .	12·8	2·8	23	3	7	0	0	0	0	0	0	5	0	2	1	7	2	0
LEITH, . . .	11·4	1·2	19	4	5	0	0	0	0	0	0	2	0	3	2	3	0	0
GREENOCK, .	17·7	5·0	25	9	2	0	0	0	0	3	0	4	0	3	0	4	0	0
PERTH, . . .	11·2	5·6	8	2	2	0	0	0	1	0	1	2	0	0	1	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, August 28, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·7	1·8	454	114	112	0	3	3	2	7	*2	47	0	45	13	128	10	0
GLASGOW, .	13·3	2·2	222	67	40	0	0	2	2	3	*2	28	0	29	8	67	5	0
EDINBURGH,	10·4	0·7	71	13	21	0	0	1	0	1	0	3	0	3	2	26	2	0
DUNDEE, . .	20·3	1·8	66	11	16	0	0	0	0	1	0	5	0	9	3	13	1	0
ABERDEEN, .	9·2	0·6	32	5	14	0	0	0	0	1	0	1	0	1	0	11	0	0
PAISLEY, . .	13·6	2·8	24	5	7	0	2	0	0	0	0	3	0	1	0	5	1	0
LEITH, . . .	8·5	1·8	14	5	5	0	1	0	0	0	0	2	0	1	0	4	0	0
GREENOCK, .	13·7	3·6	19	7	7	0	0	0	0	0	0	5	0	1	0	1	1	0
PERTH, . . .	8·5	1·4	6	1	2	0	0	0	0	1	0	0	0	0	0	1	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, SEPTEMBER 3, 1910.

During the week ending 3rd September 1910 there were registered in Eight of the Principal Towns of Scotland the births of 779 living children, and the deaths of 483 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 21·5, and the death-rate 13·3.

The death-rate for the week is 0·3 below that for the week immediately preceding, 0·1 above the mean of the rates for the three preceding weeks, and 0·5 below the rate for the corresponding week of last year.

The death-rate for the week ranged from 20·2 in Dundee, to 7·2 in Leith. In Perth it was 16·8, in Greenock 15·6, in Paisley 14·5, in Glasgow 14·0, in Edinburgh 10·9, and in Aberdeen 9·3.

Deaths from the principal epidemic diseases numbered 93; they are 10 more than in the previous week, and are equivalent to an annual death-rate from these causes of 2·6 per thousand. These deaths include 5 from scarlet fever; 7 from diphtheria; 10 from hooping-cough; 3 from enteric fever; and 68 from diarrhœal diseases. There were no deaths from measles or from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from scarlet fever, from diphtheria, and from enteric fever are each 1 more, those from hooping-cough are 2 more, and those from diarrhœal diseases are 5 more. The death-rate from these causes ranged from 5·7 in Greenock, and 4·5 in Paisley, to 0 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 47; they are 2 fewer than in the previous week, but 2 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 118; they are 9 fewer than in the previous week, but 17 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 106; they are 3 fewer than in the previous week, and 17 fewer than in the corresponding week of last year.

The mean temperature was 55°·6, being 1°·3 above that for the week immediately preceding, and 2°·6 above that for the corresponding week of 1909. The mean rainfall was 1·56 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 3, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Sept. 3, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	779	483	255	67·1	39·0	55·6	1·56
GLASGOW, . . .	12,669	884,520	69·818	8·95	370	237	145	63·0	47·3	55·7	1·08
EDINBURGH, . .	10,912	360,276	33·016	13·01	121	75	45	62·4	47·3	55·4	0·91
DUNDEE, . . .	4,755	170,206	35·795	12·50	82	66	16	63·2	48·6	55·6	2·08
ABERDEEN, . .	6,319	185,703	29·388	13·79	76	33	21	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	34	26	4	67·1	46·9	55·6	1·97
LEITH, ...	1,467	86,767	59·146	9·72	42	12	8	65·1	48·3	56·8	0·98
GREENOCK, . .	2,773	73,605	26·543	14·51	38	22	10	62·0	47·0	54·4	2·34
PERTH, ...	3,139	37,275	11·875	21·69	16	12	6	67·0	39·0	56·0	1·54
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	872	494	298	65·0	32·5	53·0	0·34

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 3, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 3, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·3	2·6	483	118	106	0	0	5	7	10	3	68	0	47	20	127	12	1
GLASGOW, .	14·0	3·2	237	66	50	0	0	3	3	6	1	41	0	25	13	61	8	1
EDINBURGH,	10·9	0·9	75	8	23	0	0	1	2	1	0	2	0	6	3	29	0	0
DUNDEE, . .	20·2	3·1	66	13	11	0	0	1	1	1	0	7	0	4	2	13	0	0
ABERDEEN, .	9·3	1·4	33	10	3	0	0	0	0	0	1	4	0	4	0	9	2	0
PAISLEY, . .	14·5	4·5	26	7	7	0	0	0	0	0	0	8	0	2	1	1	2	0
LEITH, . . .	7·2	0·0	12	4	6	0	0	0	0	0	0	0	0	2	0	4	0	0
GREENOCK, .	15·6	5·7	22	8	4	0	0	0	0	2	0	6	0	2	0	6	0	0
PERTH, . . .	16·8	2·8	12	2	2	0	0	0	1	0	1	0	0	2	1	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 4, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·8	2·0	494	101	123	0	4	6	11	10	*3	37	0	45	17	159	14	1
GLASGOW, .	14·0	2·2	234	58	48	0	1	3	6	1	†2	24	0	21	4	76	7	0
EDINBURGH,	14·1	1·8	96	14	28	0	1	1	2	5	0	3	0	6	7	42	5	0
DUNDEE, . .	16·3	2·8	53	11	15	0	0	2	1	0	0	6	0	9	2	16	1	1
ABERDEEN, .	12·3	1·4	43	8	14	0	0	0	1	2	‡1	1	0	2	0	10	1	0
PAISLEY, . .	10·8	1·1	19	3	6	0	2	0	0	0	0	0	0	1	1	2	0	0
LEITH, . . .	12·2	1·8	20	5	4	0	0	0	0	1	0	2	0	3	0	4	0	0
GREENOCK, .	14·4	1·4	20	2	4	0	0	0	0	1	0	1	0	3	1	3	0	0
PERTH, . . .	12·7	1·4	9	0	4	0	0	0	1	0	0	0	0	0	2	6	0	0

* 2 Cerebro-spinal meningitis ; 1 Enteric fever. † 1 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 10, 1910.

During the week ending 10th September 1910 there were registered in Eight of the Principal Towns of Scotland the births of 865 living children, and the deaths of 473 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 23·9, and the death-rate 13·0.

The death-rate for the week is 0·3 below that for the previous week, and 0·4 below the mean of the rates for the three preceding weeks, but is 0·7 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 15·3 in Dundee, to 12·0 in Leith. In Greenock it was 14·2, in Paisley 13·9, in Glasgow and in Aberdeen 12·9, in Perth 12·6, and in Edinburgh 12·3.

Deaths from the principal epidemic diseases numbered 69; they are 24 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 1 from measles, the only death registered in these towns from that cause during the past three weeks; 3 from scarlet fever; 5 from diphtheria; 8 from hooping-cough; 1 from enteric fever; and 51 from diarrhœal diseases. Compared with the returns for the previous week, deaths from diarrhœal diseases are 17 fewer, and from scarlet fever, diphtheria, hooping-cough, and enteric fever each 2 fewer, while the death numbers from measles 1 more than in the previous week. The death-rate from these causes ranged from 4·3 in Dundee, where it was almost entirely due to the prevalence of diarrhœa, to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 40; they are 7 fewer than in the previous week, but 15 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 122; they are 4 more than in the previous week, and 18 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 106; they number the same as in the previous week, but are 13 fewer than in the corresponding week of last year.

The mean temperature was 55°·3, being 0°·3 below that for the week immediately preceding, but 2°·6 above that for the corresponding week of 1909. The mean rainfall was 0·44 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 10, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Sept. 10, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	865	473	254	73·0	38·5	55·3	0·44
GLASGOW, . . .	12,669	884,520	69·818	8·95	422	218	127	71·0	39·0	55·3	0·51
EDINBURGH, . .	10,912	360,276	33·016	13·01	129	85	57	62·7	44·0	53·8	0·23
DUNDEE, . . .	4,755	170,206	35·795	12·50	78	50	11	65·2	43·4	54·4	0·24
ABERDEEN, . .	6,319	185,703	29·388	13·79	91	46	27	68·0	41·0	55·7	0·40
PAISLEY, . . .	3,487	93,584	26·838	14·43	39	25	5	72·1	41·9	56·1	0·63
LEITH, ...	1,467	86,767	59·146	9·72	42	20	6	66·8	44·9	56·5	0·33
GREENOCK, . .	2,773	73,605	26·543	14·51	51	20	12	66·2	44·0	54·6	0·90
PERTH, ...	3,139	37,275	11·875	21·69	13	9	9	73·0	38·5	55·9	0·27
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	852	440	249	71·0	37·5	52·7	0·46

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 10, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 10, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·0	1·9	473	122	106	0	1	3	5	8	1	51	2	40	22	137	15	3
GLASGOW, .	12·9	2·4	218	56	47	0	0	3	2	6	0	29	0	22	9	71	4	0
EDINBURGH,	12·3	0·7	85	15	26	0	0	0	1	1	0	3	0	6	4	29	4	0
DUNDEE, . .	15·3	4·3	50	17	7	0	0	0	0	0	1	13	0	5	2	10	1	1
ABERDEEN, .	12·9	0·3	46	13	9	0	0	0	0	0	0	1	1	4	2	12	2	2
PAISLEY, . .	13·9	1·7	25	10	2	0	0	0	0	1	0	2	1	0	1	4	2	0
LEITH, . . .	12·0	2·4	20	7	3	0	0	0	2	0	0	2	0	2	3	5	1	0
GREENOCK, .	14·2	1·4	20	4	7	0	1	0	0	0	0	1	0	1	1	3	1	0
PERTH, . . .	12·6	0·0	9	0	5	0	0	0	0	0	0	0	0	0	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 11, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·3	1·6	440	104	119	0	3	5	8	3	*2	35	0	25	21	143	10	2
GLASGOW, .	13·0	2·2	218	58	57	0	2	5	6	2	*2	20	0	19	7	72	9	1
EDINBURGH,	10·0	0·6	68	11	21	0	1	0	1	0	0	2	0	1	6	35	0	0
DUNDEE, . .	14·2	0·3	46	7	13	0	0	0	0	0	0	1	0	3	4	14	0	0
ABERDEEN, .	10·3	0·9	36	12	14	0	0	0	0	0	0	3	0	1	2	2	0	0
PAISLEY, . .	15·3	2·8	27	7	8	0	0	0	1	0	0	4	0	1	1	9	0	0
LEITH, . . .	9·7	1·2	16	5	1	0	0	0	0	0	0	2	0	0	0	4	0	0
GREENOCK, .	13·0	2·2	18	3	2	0	0	0	0	1	0	2	0	0	1	4	1	1
PERTH, . . .	15·6	1·4	11	1	3	0	0	0	0	0	0	1	0	0	0	3	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 17, 1910.

During the week ending 17th September 1910 there were registered in Eight of the Principal Towns of Scotland the births of 785 living children, and the deaths of 473 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 21·6, and the death-rate 13·0.

The death-rate for the week is the same as that for the previous week, and 0·3 below the mean of the rates for the three preceding weeks, but is 0·9 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 16·2 in Dundee, to 7·8 in Leith. In Perth it was 15·4, in Greenock 14·2, in Paisley 13·9, in Glasgow 13·3, in Aberdeen 12·4, and in Edinburgh 11·7.

Deaths from the principal epidemic diseases numbered 78; they are 9 more than in the previous week, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 6 from scarlet fever; 10 from diphtheria; 13 from hooping-cough; 4 from enteric fever; and 45 from diarrhœal diseases. There were no deaths from measles or from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from diarrhœal diseases are 6 fewer, and from measles 1 fewer, while the deaths from scarlet fever and from enteric fever are each 3 more, and from hooping-cough and diphtheria each 5 more. The death-rate from these causes ranged from 3·7 in Dundee, to 0 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 57; they are 17 more than in the previous week, and 16 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 109; they are 13 fewer than in the previous week, but 25 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 121; they are 15 more than in the previous week, and 13 more than in the corresponding week of last year.

The mean temperature was 54°·2, being 1°·1 below that for the week immediately preceding, but 2°·7 above that for the corresponding week of 1909. The mean rainfall was 0·12 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 17, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Sept. 17, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	785	473	230	69·0	39·0	54·2	0·12
GLASGOW, . . .	12,669	884,520	69·818	8·95	416	226	118	66·3	39·0	54·6	0·00
EDINBURGH, . .	10,912	360,276	33·016	13·01	113	81	44	63·6	43·8	52·3	0·13
DUNDEE, . . .	4,755	170,206	35·795	12·50	75	53	15	62·8	40·5	52·7	0·01
ABERDEEN, . .	6,319	185,703	29·388	13·79	59	44	24	67·0	41·5	54 4	0·70
PAISLEY, . . .	3,487	93,584	26·838	14·43	31	25	4	68·0	40·0	56·0	0·02
LEITH, ...	1,467	86,767	59·146	9·72	40	13	8	64·4	41·9	53·7	0·10
GREENOCK, . .	2,773	73,605	26·543	14·51	45	20	12	64·5	43·0	54·7	0·00
PERTH, ...	3,139	37,275	11·875	21·69	6	11	5	69·0	40·5	55·6	0·03
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	803	431	230	67·5	30·5	51·5	0·11

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 17, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 17, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·0	2·2	473	109	121	0	0	6	10	13	4	45	1	57	19	148	12	0
GLASGOW, .	13·3	2·6	226	51	48	0	0	4	3	9	3	25	1	25	11	77	6	0
EDINBURGH,	11·7	1·4	81	10	29	0	0	1	2	1	0	6	0	10	1	34	3	0
DUNDEE, . .	16·2	3·7	53	22	13	0	0	0	2	0	0	10	0	6	1	9	0	0
ABERDEEN, .	12·4	1·4	44	13	12	0	0	0	2	1	0	2	0	10	3	14	1	0
PAISLEY, . .	13·9	1·1	25	3	6	0	0	0	0	0	0	2	0	2	1	6	1	0
LEITH, . . .	7·8	0·0	13	3	5	0	0	0	0	0	0	0	0	1	0	2	0	0
GREENOCK, .	14·2	2·1	20	6	5	0	0	0	0	2	1	0	0	2	1	4	1	0
PERTH, . . .	15·4	2·8	11	1	3	0	0	1	1	0	0	0	0	1	1	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 18, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	12·1	1·3	431	84	108	0	4	6	5	5	2	25	0	41	22	130	13	2
GLASGOW, .	12·1	1·8	203	37	42	0	4	5	3	3	2	13	0	21	14	73	4	0
EDINBURGH,	14·1	0·7	96	13	32	0	0	1	0	2	0	2	0	9	1	30	1	0
DUNDEE, . .	14·5	1·5	47	13	15	0	0	0	2	0	0	3	0	5	1	10	1	1
ABERDEEN, .	10·0	0·9	35	8	6	0	0	0	0	0	0	3	0	3	3	8	3	0
PAISLEY, . .	9·6	0·0	17	3	5	0	0	0	0	0	0	0	0	1	2	2	3	0
LEITH, . . .	5·5	1·2	9	4	2	0	0	0	0	0	0	2	0	0	0	3	0	0
GREENOCK, .	12·3	0·7	17	5	2	0	0	0	0	0	0	1	0	2	1	3	1	1
PERTH, . . .	9·9	1·4	7	1	4	0	0	0	0	0	0	1	0	0	0	1	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 24, 1910.

During the week ending 24th September 1910 there were registered in Eight of the Principal Towns of Scotland the births of 800 living children, and the deaths of 494 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 22·1, and the death-rate 13·6.

The death-rate for the week is 0·6 above that for the previous week, 0·5 above the mean of the rates for the three preceding weeks, but 0·2 below the rate for the corresponding week of last year.

The death-rate for the week ranged from 23·4 in Greenock and 22·4 in Perth, to 9·5 in Paisley. In Dundee it was 15·3, in Glasgow 13·4, in Aberdeen 13·2, in Leith 12·6, and in Edinburgh 11·9.

Deaths from the principal epidemic diseases numbered 72; they are 6 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 2 from measles; 5 from scarlet fever; 10 from diphtheria; 4 from hooping-cough; 3 from enteric fever; 1 from cerebro-spinal meningitis; and 47 from diarrhœal diseases. Compared with the returns for the previous week, deaths from hooping-cough are 9 fewer, and from scarlet fever and enteric fever each 1 fewer, while those from diphtheria are of the same number, from cerebro-spinal meningitis 1 more, and from measles and diarrhœal diseases each 2 more. The death-rate from these causes ranged from 4·3 in Dundee, to 0 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 64; they are 7 more than in the previous week, and 5 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 130; they are 21 more than in the previous week, and 39 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 117; they are 4 fewer than in the previous week, and 14 fewer than in the corresponding week of last year.

The mean temperature was 52°·8, being 1°·4 below that for the week immediately preceding, but 1°·0 above that for the corresponding week of 1909. The mean rainfall was 0·03 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 24, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Sept. 24, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	800	494	285	70·0	36·5	52·8	0·03
GLASGOW, . . .	12,669	884,520	69·818	8·95	396	228	155	64·2	37·2	52·9	0·02
EDINBURGH, . .	10,912	360,276	33·016	13·01	135	82	56	64·1	37·8	51·9	0·00
DUNDEE, . . .	4,755	170,206	35·795	12·50	76	50	15	64·9	37·0	52·2	0·01
ABERDEEN, . .	6,319	185,703	29·388	13·79	76	47	30	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	32	17	10	65·8	38·0	53·9	0·06
LEITH, ...	1,467	86,767	59·146	9·72	33	21	12	67·9	40·9	54·9	0·00
GREENOCK, . .	2,773	73,605	26·543	14·51	42	33	4	61·0	39·0	51·9	0·12
PERTH, ...	3,139	37,275	11·875	21·69	10	16	3	70·0	36·5	52·2	0·03
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	810	494	239	63·8	34·5	51·8	0·69

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 24, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during t
Week ending Saturday, September 24, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·6	2·0	494	130	117	0	2	5	10	4	*4	47	0	64	19	144	14	3
GLASGOW, .	13·4	1·9	228	64	49	0	0	3	3	2	†3	22	0	31	11	74	7	3
EDINBURGH,	11·9	1·4	82	16	25	0	0	0	4	1	0	5	0	12	2	24	2	0
DUNDEE, . .	15·3	4·3	50	17	12	0	2	1	1	1	0	9	0	5	1	12	0	0
ABERDEEN, .	13·2	1·4	47	14	10	0	0	0	0	0	0	5	0	10	1	8	3	0
PAISLEY, . .	9·5	2·2	17	4	4	0	0	0	0	0	0	4	0	1	0	1	0	0
LEITH, . . .	12·6	0·0	21	2	7	0	0	0	0	0	0	0	0	2	2	6	1	0
GREENOCK, .	23·4	2·8	33	11	6	0	0	0	1	0	1	2	0	3	0	9	0	0
PERTH, . . .	22·4	2·8	16	2	4	0	0	1	1	0	0	0	0	0	2	10	1	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis.
† 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th
Week ending Saturday, September 25, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·8	1·5	494	91	131	0	3	7	8	5	*9	20	0	59	22	144	12	1
GLASGOW, .	14·4	1·9	241	46	55	0	2	2	7	3	†6	11	0	31	14	75	5	1
EDINBURGH,	10·9	1·2	74	10	18	0	1	4	0	2	0	1	0	2	1	32	3	0
DUNDEE, . .	15·7	2·2	51	9	19	0	0	1	1	0	1	4	0	9	3	17	0	0
ABERDEEN, .	12·9	0·3	45	10	13	0	0	0	0	0	‡1	0	0	7	0	5	0	0
PAISLEY, . .	14·8	0·6	26	5	7	0	0	0	0	0	0	1	0	8	1	6	2	0
LEITH, . . .	17·7	2·4	29	5	9	0	0	0	0	0	1	3	0	0	1	5	0	0
GREENOCK, .	10·1	0·0	14	3	4	0	0	0	0	0	0	0	0	2	1	0	2	0
PERTH, . . .	19·8	0·0	14	3	6	0	0	0	0	0	0	0	0	0	1	4	0	0

* 7 Enteric fever; 2 Cerebro-spinal meningitis.
† 1 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, OCTOBER 1, 1910.

During the week ending 1st October 1910 there were registered in Eight of the Principal Towns of Scotland the births of 763 living children, and the deaths of 497 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of these towns is 21·0, and the death-rate 13·7.

The death-rate for the week is 0·1 above that for the previous week, 0·5 above the mean of the rates for the three preceding weeks, and 0·6 above that for the corresponding week of last year.

The death-rate for the week ranged from 19·6 in Perth to 8·4 in Aberdeen. In Dundee it was 19·3, in Edinburgh 14·6, in Paisley 14·5, in Leith 14·4, in Greenock 14·2, and in Glasgow 12·9.

Deaths from the principal epidemic diseases numbered 83; they are 11 more than in the previous week, and are equal to an annual death-rate from these causes of 2·3 per thousand. These deaths include 5 from measles; 5 from scarlet fever; 14 from diphtheria; 8 from hooping-cough; and 51 from diarrhœal diseases. There were no deaths from enteric fever or from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from diphtheria, hooping-cough, and diarrhœa are each 4 more, those from measles are 3 more, while those from scarlet fever number the same. The death-rate from these causes ranged from 4·9 in Dundee and 4·2 in Leith, to 1·4 in Greenock and in Aberdeen.

Deaths from pneumonia, bronchitis, and pleurisy numbered 60; they are 4 fewer than in the previous week, and 6 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 95; they are 35 fewer than in the previous week, but 3 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 148; they are 31 more than in the previous week, and 20 more than in the corresponding week of last year.

The mean temperature was 55°·1, being 2°·3 above that for the previous week, and 4°·5 above that for the corresponding week of last year. The mean rainfall was 0·32 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 1, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Oct. 1, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages.	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	763	497	291	69·3	39·5	55·1	0·32
GLASGOW, . . .	12,669	884,520	69·818	8·95	343	219	179	68·5	45·0	56·0	0·30
EDINBURGH, . .	10,912	360,276	33·016	13·01	125	101	39	66·5	44·9	55·0	0·08
DUNDEE, . . .	4,755	170,206	35·795	12·50	90	63	21	62·4	39·5	53·7	0·29
ABERDEEN, . .	6,319	185,703	29·388	13·79	77	30	30	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	46	26	6	67·0	45·1	55·8	0·48
LEITH, ...	1,467	86,767	59·146	9·72	35	24	6	69·3	42·8	56·2	0·17
GREENOCK, . .	2,773	73,605	26·543	14·51	36	20	7	64·5	45·0	54·7	0·67
PERTH, ...	3,139	37,275	11·875	21·69	11	14	3	64·0	39·5	54·2	0·25
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	814	470	308	65·3	34·5	50·6	0·65

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, OCTOBER 1, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, October 1, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·7	2·3	497	95	148	0	5	5	14	8	0	51	1	60	11	140	16	3
GLASGOW, .	12·9	1·9	219	39	52	0	2	3	4	3	0	21	0	34	7	65	9	2
EDINBURGH,	14·6	1·9	101	12	43	0	3	2	2	1	0	5	0	8	1	35	4	0
DUNDEE, . .	19·3	4·9	63	18	17	0	0	0	5	0	0	11	0	5	1	12	0	0
ABERDEEN, .	8·4	1·4	30	7	13	0	0	0	0	3	0	2	0	3	1	9	1	0
PAISLEY, . .	14·5	2·8	26	9	6	0	0	0	0	0	0	5	0	2	0	5	0	0
LEITH, . . .	14·4	4·2	24	4	5	0	0	0	2	0	0	5	0	1	1	8	2	1
GREENOCK, .	14·2	1·4	20	6	4	0	0	0	0	1	0	1	1	4	0	0	0	0
PERTH, . . .	19·6	2·8	14	0	8	0	0	0	1	0	0	1	0	3	0	6	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, October 2, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·1	1·3	470	92	128	0	0	6	8	5	*7	22	0	66	22	150	23	1
GLASGOW, .	12·6	1·3	210	41	50	0	0	2	4	1	†5	9	0	26	8	72	12	1
EDINBURGH,	12·8	2·2	87	14	28	0	0	2	2	3	0	8	0	8	5	38	8	0
DUNDEE, . .	17·9	1·2	58	12	17	0	0	1	1	1	0	1	0	12	3	17	1	0
ABERDEEN, .	12·6	1·1	44	10	12	0	0	1	1	0	‡1	1	0	4	1	9	2	0
PAISLEY, . .	17·6	0·6	31	7	8	0	0	0	0	0	‡1	0	0	8	1	4	0	0
LEITH, . . .	12·8	1·8	21	7	8	0	0	0	0	0	0	3	0	1	1	6	0	0
GREENOCK, .	9·4	0·0	13	1	2	0	0	0	0	0	0	0	0	7	2	3	0	0
PERTH, . . .	8·5	0·0	6	0	3	0	0	0	0	0	0	0	0	0	1	1	0	0

* 1 Enteric fever; 1 Typhus fever; 5 Cerebro-spinal meningitis.
† 3 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 8, 1910.

During the week ending 8th October 1910 there were registered in Eight of the Principal Towns of Scotland the births of 845 living children, and the deaths of 521 persons. The equivalent annual birth-rate is 23·3 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 14·4 per thousand.

The death-rate of the week is 0·7 above that of the previous week, 1·0 above the mean of the death-rates of the three preceding weeks, and 2·4 above that of the corresponding week of last year.

The death-rate of the week ranged from 19·6 in Perth to 10·2 in Leith. In Dundee it was 16·9, in Greenock 15·6, in Glasgow 14·9, in Edinburgh 13·9, in Aberdeen 12·4, and in Paisley 11·7.

Deaths from the principal epidemic diseases numbered 69; they are 14 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 5 from scarlet fever; 14 from diphtheria; 8 from hooping-cough; 1 from enteric fever; 40 from diarrhœas; and 1 from cerebro-spinal meningitis. Compared with the returns of the previous week, deaths from diarrhœas are 11 fewer, and those from scarlet fever, diphtheria, and hooping-cough are of the same number, but those from enteric fever and cerebro-spinal meningitis are each 1 more. There were no deaths from measles registered in the eight towns during the week; in the previous week there were 5. The death-rate from these causes ranged from 3·5 in Greenock and 2·4 in Glasgow, to 1·0 in Edinburgh and 1·1 in Aberdeen.

Deaths from pneumonia, bronchitis, and pleurisy numbered 71; they are 11 more than in the previous week, and 12 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 117; they are 22 more than in the previous week, and 33 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 156; they are 8 more than in the previous week, and 40 more than in the corresponding week of last year.

The mean temperature was 55°·2, being 0°·1 above that for the previous week, and 1°·9 above that for the corresponding week of 1909. The mean rainfall was 0·33 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 8, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Oct. 8, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	845	521	289	70·0	36·5	55·2	0·33
GLASGOW, ...	12,669	884,520	69·818	8·95	398	252	125	66·6	40·8	56·0	0·38
EDINBURGH, . . .	10,912	360,276	33·016	13·01	141	96	59	65·1	47·7	55·7	0·21
DUNDEE, ...	4,755	170,206	35·795	12·50	74	55	58	66·0	40·0	53·0	0·10
ABERDEEN, . . .	6,319	185,703	29·388	13·79	91	44	24	...	...	...	...
PAISLEY, ...	3,487	93,584	26·838	14·43	36	21	1	67·2	43·1	55·9	0·48
LEITH, ...	1,467	86,767	59·146	9·72	49	17	12	67·9	43·7	56·1	0·41
GREENOCK, . . .	2,773	73,605	26·543	14·51	48	22	5	64·2	44·0	54·2	0·47
PERTH, ...	3,139	37,275	11·875	21·69	8	14	5	70·0	36·5	55·2	0·23
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	902	428	237	66·3	37·2	53·3	0·56

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, OCTOBER 8, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 8, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·4	1·9	521	117	156	0	0	5	14	8	*2	40	1	71	26	159	9	3
GLASGOW, .	14·9	2·4	252	55	71	0	0	3	8	4	*2	23	1	38	11	81	3	3
EDINBURGH,	13·9	1·0	96	16	41	0	0	1	4	0	0	2	0	9	6	38	2	0
DUNDEE, . .	16·9	1·5	55	16	12	0	0	1	0	0	0	4	0	8	1	12	0	0
ABERDEEN, .	12·4	1·1	44	11	12	0	0	0	0	1	0	3	0	7	5	9	4	0
PAISLEY, . .	11·7	2·2	21	8	4	0	0	0	0	0	0	4	0	1	0	4	0	0
LEITH, . . .	10·2	1·8	17	3	5	0	0	0	0	0	0	3	0	3	0	3	0	0
GREENOCK, .	15·6	3·5	22	6	4	0	0	0	1	3	0	1	0	3	1	6	0	0
PERTH, . . .	19·6	1·4	14	2	7	0	0	0	1	0	0	0	0	2	2	6	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 9, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·0	1·3	428	84	116	0	3	7	12	1	*4	18	0	59	13	131	15	0
GLASGOW, .	12·7	1·4	213	36	55	0	3	2	8	1	2	8	0	30	6	76	10	0
EDINBURGH,	11·2	1·0	76	13	23	0	0	3	0	0	†2	2	0	6	0	27	4	0
DUNDEE, . .	14·8	1·2	48	15	15	0	0	0	1	0	0	3	0	11	3	11	1	0
ABERDEEN, .	10·3	1·1	36	11	10	0	0	2	1	0	0	1	0	5	1	6	0	0
PAISLEY, . .	10·2	1·7	18	5	5	0	0	0	1	0	0	2	0	2	0	2	0	0
LEITH, . . .	11·6	1·8	19	4	4	0	0	0	1	0	0	2	0	3	0	5	0	0
GREENOCK, .	7·2	0·0	10	0	2	0	0	0	0	0	0	0	0	1	2	1	0	0
PERTH, . . .	11·3	0·0	8	0	2	0	0	0	0	0	0	0	0	1	1	3	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 15, 1910.

During the week ending 15th October 1910 there were registered in Eight of the Principal Towns of Scotland the births of 878 living children, and the deaths of 468 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of these towns is 24·2, and the death-rate 12·9.

The death-rate for the week is 1·5 below that for the previous week, 1·0 below the mean of the rates for the three preceding weeks, but is 0·1 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 17·5 in Dundee to 9·8 in Aberdeen. In Greenock it was 14·9, in Glasgow 13·2, in Perth 12·6, in Edinburgh 12·3, in Leith 10·8, and in Paisley 10·6.

Deaths from the principal epidemic diseases numbered 63; they are 6 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 3 from measles; 4 from scarlet fever; 15 from diphtheria; 10 from hooping-cough; 2 from enteric fever; and 29 from diarrhœal diseases. There were no deaths from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from diarrhœal diseases are 11 fewer, and from scarlet fever 1 fewer, but those from diphtheria and from enteric fever are each 1 more, from hooping-cough 2 more, and from measles 3 more. The death-rate from these causes ranged from 7·0 in Perth, where 4 deaths from diphtheria were registered, to 0·6 in Aberdeen, in Paisley, and in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 69; they are 2 fewer than in the previous week, but 12 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 98; they are 19 fewer than in the previous week, but 9 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 135; they are 21 fewer than in the previous week, but 15 more than in the corresponding week of last year.

The mean temperature was 48°·6, being 6°·6 below that for the week immediately preceding, and 2°·2 below that for the corresponding week of last year. The mean rainfall was 0·13 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 15, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Oct. 15, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	878	468	240	62·0	32·5	48·6	0·13
GLASGOW, . . .	12,669	884,520	69·818	8·95	403	224	121	56·0	40·9	49·8	0·10
EDINBURGH, . .	10,912	360,276	33·016	13·01	149	85	44	58·4	41·4	48·3	0·10
DUNDEE, . . .	4,755	170,206	35·795	12·50	98	57	21	58·5	39·0	48·1	0·05
ABERDEEN, . .	6,319	185,703	29·388	13·79	86	35	19	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	45	19	10	57·3	37·8	48·4	0·18
LEITH, ...	1,467	86,767	59·146	9·72	43	18	5	58·4	40·9	50·3	0·13
GREENOCK, . .	2,773	73,605	26·543	14·51	39	21	11	58·0	38·5	48·3	0·20
PERTH, ...	3,139	37,275	11·875	21·69	15	9	9	62·0	32·5	46·7	0·18
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	838	456	207	64·1	40·0	50·8	2·51

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, OCTOBER 15, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 15, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	12·9	1·7	468	98	135	0	3	4	15	10	2	29	0	69	15	160	14	0
GLASGOW, .	13·2	2·1	224	49	53	0	0	2	9	4	1	19	0	44	7	92	5	0
EDINBURGH,	12·3	0·7	85	12	30	0	2	0	1	0	1	1	0	11	1	30	7	0
DUNDEE, . .	17·5	3·4	57	16	17	0	0	1	1	3	0	6	0	4	3	14	0	0
ABERDEEN, .	9·8	0·6	35	7	14	0	0	0	0	1	0	1	0	6	2	5	1	0
PAISLEY, . .	10·6	0·6	19	3	5	0	1	0	0	0	0	0	0	1	1	8	0	0
LEITH, . . .	10·8	0·6	18	4	4	0	0	0	0	1	0	0	0	1	1	4	0	0
GREENOCK, .	14·9	2·1	21	7	9	0	0	0	0	1	0	2	0	2	0	4	1	0
PERTH, . . .	12·6	7·0	9	0	3	0	0	1	4	0	0	0	0	0	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 16, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	12·8	1·3	456	89	120	0	8	5	12	1	*4	15	1	57	25	143	14	0
GLASGOW, .	13·7	1·7	229	40	48	0	7	3	8	0	*4	6	0	35	12	87	8	0
EDINBURGH,	12·6	0·7	86	16	28	0	0	1	2	0	0	2	0	13	4	30	2	0
DUNDEE, . .	13·9	0·9	45	14	15	0	0	0	0	0	0	3	0	3	5	8	1	0
ABERDEEN, .	11·5	0·9	40	9	13	0	1	0	1	0	0	1	0	3	2	6	2	0
PAISLEY, . .	9·6	1·7	17	5	3	0	0	0	1	0	0	2	0	2	0	1	1	0
LEITH, . . .	6·7	0·6	11	2	4	0	0	0	0	1	0	0	0	0	0	2	0	0
GREENOCK, .	12·3	0·7	17	3	6	0	0	0	0	0	0	1	1	1	1	2	0	0
PERTH, . . .	15·6	1·4	11	0	3	0	0	1	0	0	0	0	0	0	1	7	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 42. WEEK ENDING SATURDAY, OCTOBER 22, 1910.

During the week ending 22nd October 1910 there were registered in Eight of the Principal Towns of Scotland the births of 821 living children, and the deaths of 470 persons. The equivalent annual birth-rate is 22·6 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 13·0 per thousand.

The death-rate of the week is 0·1 above that of the previous week, but is 0·6 less than the mean of the death-rates of the preceding three weeks, and 0·1 less than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 16·8 in Perth to 8·4 in Leith. In Dundee it was 15·6, in Greenock 14·2, in Paisley 13·4, in Glasgow 12·8, in Edinburgh 12·7, and in Aberdeen 12·4.

Deaths from the principal epidemic diseases numbered 47; they are 16 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·3 per thousand. These deaths include 2 from scarlet fever; 13 from diphtheria, of which 5 were in Dundee, 4 in Glasgow, and 3 in Perth; 4 from hooping-cough; 2 from enteric fever; 25 from diarrhœas; and 1 from cerebro-spinal meningitis. There were no deaths in these towns during the week from measles. Compared with the returns of the previous week, deaths from hooping-cough are 6 fewer, from diarrhœas 4 fewer, from measles 3 fewer, and from scarlet fever and diphtheria each 2 fewer, but those from enteric fever are of the same number, and from cerebro-spinal meningitis 1 more. The death-rate from these causes varied from 5·6 in Perth, and 3·3 in Paisley, to 0·6 in Edinburgh, Aberdeen, and Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 80; they are 11 more than in the previous week, but 4 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 86; they are 12 fewer than in the previous week, and 26 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 134; they are 1 fewer than in the previous week, but 12 more than in the corresponding week of last year.

The mean temperature was 48°·5, being 0°·1 below that for the week immediately preceding, and 1°·1 below that for the corresponding week of 1909. The mean rainfall was 0·93 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 22, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Oct. 22, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	821	470	145	62·0	32·5	48·5	0·93
GLASGOW, . . .	12,669	884,520	69·818	8·95	411	217	74	58·0	37·0	49·3	0·48
EDINBURGH, . .	10,912	360,276	33·016	13·01	125	88	36	56·1	37·8	48·1	1·53
DUNDEE, . . .	4,755	170,206	35·795	12·50	65	51	10	57·3	34·0	48·1	0·97
ABERDEEN, . .	6,319	185,703	29·388	13·79	80	44	9	55·0	37·0	47·3	0·66
PAISLEY, . . .	3,487	93,584	26·838	14·43	46	24	2	57·5	36·3	49·4	0·14
LEITH, ...	1,467	86,767	59·146	9·72	32	14	5	55·7	40·0	49·1	1·68
GREENOCK, . .	2,773	73,605	26·543	14·51	42	20	7	56·0	36·5	49·0	0·95
PERTH, ...	3,139	37,275	11·875	21·69	20	12	2	62·0	32·5	48·0	1·02
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	886	470	183	60·8	36·0	49·6	1·61

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, OCTOBER 22, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, October 22, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·0	1·3	470	86	134	0	0	2	13	4	*3	25	0	80	20	143	9	1
GLASGOW, .	12·8	1·0	217	48	47	0	0	0	4	2	†1	10	0	48	13	65	7	1
EDINBURGH,	12·7	0·6	88	12	31	0	0	0	0	0	0	4	0	9	4	35	2	0
DUNDEE, . .	15·6	2·8	51	8	11	0	0	0	5	0	0	4	0	8	1	9	0	0
ABERDEEN, .	12·4	0·6	44	6	19	0	0	0	0	0	1	1	0	10	1	15	0	0
PAISLEY, . .	13·4	3·3	24	7	9	0	0	0	1	0	1	4	0	2	0	3	0	0
LEITH, . . .	8·4	0·6	14	2	8	0	0	0	0	1	0	0	0	0	1	2	0	0
GREENOCK, .	14·2	2·8	20	2	4	0	0	1	0	1	0	2	0	3	0	7	0	0
PERTH, . . .	16·8	5·6	12	1	5	0	0	1	3	0	0	0	0	0	0	7	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.
† Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, October 23, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·1	1·5	470	112	122	0	5	3	11	5	*2	28	0	84	13	133	16	1
GLASGOW, .	14·8	1·7	247	55	53	0	3	3	6	1	*1	14	0	51	7	83	8	1
EDINBURGH,	10·4	1·2	71	13	26	0	2	0	3	0	*1	2	0	14	0	24	4	0
DUNDEE, . .	13·6	2·2	44	14	17	0	0	0	1	1	0	5	0	5	2	6	2	0
ABERDEEN, .	11·8	0·9	41	15	10	0	0	0	0	0	0	3	0	5	0	8	0	0
PAISLEY, . .	10·2	1·1	18	4	5	0	0	0	1	0	0	1	0	3	1	3	2	0
LEITH, . . .	12·2	1·2	20	5	4	0	0	0	0	0	0	2	0	2	1	2	0	0
GREENOCK, .	12·3	1·4	17	3	4	0	0	0	0	2	0	0	0	0	1	4	0	0
PERTH, . . .	17·0	2·8	12	3	3	0	0	0	0	1	0	1	0	4	1	3	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 43. WEEK ENDING SATURDAY, OCTOBER 29, 1910.

During the week ending 29th October 1910 there were registered in Eight of the Principal Towns of Scotland the births of 839 living children, and the deaths of 460 persons. The equivalent annual birth-rate is 23·1 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 12·7 per thousand.

The death-rate of the week is 0·3 less than that of the previous week, 0·7 less than the mean of the death-rates of the three preceding weeks, and is 0·2 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 15·4 in Perth to 8·1 in Aberdeen. In Greenock it was 14·2, in Edinburgh 13·8, in Dundee 13·5, in Glasgow 13·0, in Leith 12·6, and in Paisley 11·1.

Deaths from the principal epidemic diseases numbered 48; they are 1 more than in the previous week, and are equal to an annual death-rate from these causes of 1·3 per thousand. These deaths include 7 from scarlet fever; 7 from diphtheria; 6 from hooping-cough; 2 from enteric fever; 25 from diarrhœas; and 1 from cerebro-spinal meningitis. There were no deaths from measles registered in the eight towns during the week. Compared with the returns of the previous week, deaths from scarlet fever are 5 more, and from hooping-cough 2 more, but those from diphtheria are 6 fewer, and those from enteric fever, diarrhœas, and cerebro-spinal meningitis are of the same number. The death-rate from these causes varied from 4·2 in Perth, and 2·1 in Greenock, to 0·8 in Aberdeen, and 0·9 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 72; they are 8 fewer than in the previous week, but 5 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 103; they are 17 more than in the previous week, and 23 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 135; they are 1 more than in the previous week, but 12 fewer than in the corresponding week of last year.

The mean temperature was 48°·2, being 0°·3 below that for the week immediately preceding, but 10°·0 above that for the corresponding week of 1909. The mean rainfall was 0·11 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 29, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Oct. 29, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	839	460	183	56·8	33·2	48·2	0·11
GLASGOW, . . .	12,669	884,520	69·818	8·95	400	220	94	56·0	33·2	47·6	0·01
EDINBURGH, . .	10,912	360,276	33·016	13·01	146	95	32	51·6	42·1	47·3	0·10
DUNDEE, . . .	4,755	170,206	35·795	12·50	84	44	10	53·2	43·0	48·5	0·16
ABERDEEN, . .	6,319	185,703	29·388	13·79	81	29	18	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	32	20	11	56·8	36·3	48·0	0·00
LEITH, ...	1,467	86,767	59·146	9·72	40	21	5	55·6	44·0	49·3	0·15
GREENOCK, . .	2,773	73,605	26·543	14·51	36	20	8	55·0	41·5	48·5	0·01
PERTH, ...	3,139	37,275	11·875	21·69	20	11	5	53·0	39·5	47·9	0·37
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	798	462	195	52·8	22·0	38·2	0·14

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, OCTOBER 29, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during t
Week ending Saturday, October 29, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
In Eight Towns,	12·7	1·3	460	103	135	0	0	7	7	6	*3	25	0	72	23	148	15	2
GLASGOW, .	13·0	1·3	220	43	55	0	0	2	3	4	†2	11	0	30	10	79	9	1
EDINBURGH,	13·8	0·9	95	20	36	0	0	1	1	0	0	4	0	15	3	32	4	0
DUNDEE, . .	13·5	1·8	44	7	16	0	0	0	1	1	0	4	0	5	4	17	0	0
ABERDEEN, .	8·1	0·8	29	9	10	0	0	0	0	0	0	3	0	5	3	8	1	1
PAISLEY, . .	11·1	1·7	20	6	3	0	0	1	2	0	0	0	0	5	0	3	0	0
LEITH, . . .	12·6	1·2	21	6	7	0	0	0	0	1	0	1	0	6	2	2	0	0
GREENOCK, .	14·2	2·1	20	8	5	0	0	1	0	0	0	2	0	5	0	5	1	1
PERTH, . . .	15·4	4·2	11	4	3	0	0	2	0	0	1	0	0	1	1	2	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.
† 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during t
Week ending Saturday, October 30, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
In Eight Towns,	12·9	1·0	462	80	147	0	9	6	4	4	1	10	1	67	18	138	8	1
GLASGOW, .	13·1	1·3	219	42	60	0	8	5	1	2	1	4	0	33	14	69	5	1
EDINBURGH,	12·0	0·7	82	12	25	0	0	0	2	2	0	1	0	8	1	31	2	0
DUNDEE, . .	15·1	0·6	49	5	18	0	1	1	0	0	0	0	0	8	0	12	0	0
ABERDEEN, .	8·0	0·6	28	8	8	0	0	0	1	0	0	1	0	5	0	7	0	0
PAISLEY, . .	11·4	0·6	20	1	7	0	0	0	0	0	0	1	1	2	2	4	1	0
LEITH, . . .	15·2	1·2	25	7	11	0	0	0	0	0	0	2	0	3	1	11	0	0
GREENOCK, .	18·8	0·7	26	2	12	0	0	0	0	0	0	1	0	4	0	1	0	0
PERTH, . . .	18·4	0·0	13	3	6	0	0	0	0	0	0	0	0	4	0	3	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 44. WEEK ENDING SATURDAY, NOVEMBER 5, 1910.

During the week ending 5th November 1910 there were registered in Eight of the Principa Towns of Scotland the births of 796 living children, and the deaths of 492 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 22·0, and the death-rate 13·6.

The death-rate for the week is 0·9 above that for the previous week, and 0·7 above the mean of the rates for the three preceding weeks, but is 1·7 below the rate for the corresponding week of last year.

The death-rate for the week ranged from 16·6 in Dundee to 8·4 in Perth. In Leith it was 14·4, in Glasgow 14·3, in Edinburgh 13·0, in Aberdeen 12·1, in Paisley 10·6, and in Greenock 9·9.

Deaths from the principal epidemic diseases numbered 56; they are 8 more than in the previous week, and are equal to an annual death-rate from these causes of 1·5 per thousand. These deaths include 1 from measles; 6 from scarlet fever; 16 from diphtheria, of which 7 were registered in Glasgow and 6 in Dundee; 7 from hooping-cough; 2 from enteric fever; 23 from diarrhœal diseases; and 1 from cerebro-spinal meningitis, which was registered in Dundee. Compared with the returns for the previous week, deaths from diarrhœal diseases are 2 fewer, and from scarlet fever 1 fewer, while those from enteric fever and from cerebro-spinal meningitis number the same, those from measles and hooping-cough are each 1 more, and those from diphtheria are 9 more. The death-rate from these causes varied from 4·9 in Dundee, to 0 in Paisley and in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 84; they are 12 more than in the previous week, but 21 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 108; they are 5 more than in the previous week, but 8 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 140; they are 5 more than in the previous week, and 2 more than in the corresponding week of last year.

The mean temperature was 41°·7, being 6°·5 below that for the week immediately preceding, and 2°·7 below that for the corresponding week of 1909. The mean rainfall was 0·83 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 5, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Nov. 5, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	796	492	313	53·9	27·3	41·7	0·83
GLASGOW, . . .	12,669	884,520	69·818	8·95	391	242	182	52·2	29·3	41·4	0·89
EDINBURGH, . .	10,912	360,276	33·016	13·01	123	90	40	50·9	33·1	41·4	0·29
DUNDEE, . . .	4,755	170,206	35·795	12·50	87	54	17	51·6	32·6	41·0	0·54
ABERDEEN, . .	6,319	185,703	29·388	13·79	63	43	23	51·0	31·5	42·0	0·04
PAISLEY, . . .	3,487	93,584	26·838	14·43	39	19	18	53·9	31·8	42·8	1·58
LEITH, ...	1,467	86,767	59·146	9·72	38	24	15	52·3	34·7	42·4	0·42
GREENOCK, . .	2,773	73,605	26·543	14·51	40	14	14	52·5	32·5	41·6	2·31
PERTH, ...	3,139	37,275	11·875	21·69	15	6	4	53·0	27·3	40·7	0·59
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	790	547	285	59·3	19·5	44·4	0·07

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, NOVEMBER 5, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 5, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·6	1·5	492	108	140	0	1	6	16	7	*3	23	0	84	20	141	16	1
GLASGOW, .	14·3	1·5	242	50	56	0	0	3	7	7	2	6	0	48	9	79	8	1
EDINBURGH,	13·0	1·3	90	19	32	0	1	1	2	0	0	5	0	9	5	25	2	0
DUNDEE, . .	16·6	4·9	54	14	14	0	0	1	6	0	†1	8	0	4	1	15	0	0
ABERDEEN, .	12·1	0·3	43	11	18	0	0	0	0	0	0	1	0	7	3	8	2	0
PAISLEY, . .	10·6	0·0	19	5	4	0	0	0	0	0	0	0	0	6	0	3	2	0
LEITH, . . .	14·4	1·8	24	7	11	0	0	0	1	0	0	2	0	5	1	8	0	0
GREENOCK, .	9·9	1·4	14	2	1	0	0	1	0	0	0	1	0	4	0	2	1	0
PERTH, . . .	8·4	0·0	6	0	4	0	0	0	0	0	0	0	0	1	1	1	1	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.
† Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 6, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·3	1·9	547	116	138	0	24	4	13	11	*2	13	3	105	18	148	11	1
GLASGOW, .	18·2	2·6	304	65	63	0	18	3	9	6	1	7	1	61	11	91	5	1
EDINBURGH,	12·5	1·2	85	17	26	0	5	1	0	1	†1	0	1	20	1	23	2	0
DUNDEE, . .	13·6	1·2	44	7	11	0	0	0	0	0	0	4	0	7	4	14	0	0
ABERDEEN, .	12·9	0·9	45	10	17	0	1	0	1	1	0	0	0	6	0	5	1	0
PAISLEY, . .	12·5	1·7	22	4	3	0	0	0	1	0	0	2	1	6	0	5	3	0
LEITH, . . .	11·6	1·2	19	6	9	0	0	0	2	0	0	0	0	3	1	8	0	0
GREENOCK, .	15·9	2·2	22	6	5	0	0	0	0	3	0	0	0	1	1	1	0	0
PERTH, . . .	8·5	0·0	6	1	4	0	0	0	0	0	0	0	0	1	0	1	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 12, 1910.

During the week ending 12th November 1910 there were registered in Eight of the Principal Towns of Scotland the births of 784 living children, and the deaths of 484 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of these towns is 21·6, and the death-rate 13·3.

The death-rate for the week is 0·3 below that for the previous week, and 2·5 below that for the corresponding week of last year, but is 0·2 above the mean of the rates for the three preceding weeks.

The death-rate for the week ranged from 15·3 in Dundee to 8·4 in Perth. In Greenock it was 14·9, in Glasgow 13·8, in Edinburgh 13·6, in Aberdeen 11·8, in Paisley 11·1, and in Leith 10·2.

Deaths from the principal epidemic diseases numbered 47; they are 9 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·3 per thousand. These deaths include 1 from measles; 7 from scarlet fever; 11 from diphtheria; 7 from hooping-cough; 3 from enteric fever; 17 from diarrhœal diseases; and 1 from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from diarrhœal diseases are 6 fewer, and from diphtheria 5 fewer, while those from measles, hooping-cough, and cerebro-spinal meningitis number the same, and those from scarlet fever and from enteric fever are each 1 more. The death-rate from these causes varied from 2·8 in Dundee, to 0·6 in Leith and in Aberdeen.

Deaths from pneumonia, bronchitis, and pleurisy numbered 64; they are 20 fewer than in the previous week, and 50 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 90; they are 18 fewer than in the previous week, and 29 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 149; they are 9 more than in the previous week, but number the same as in the corresponding week of last year.

The mean temperature was 36°·0, being 5°·7 below that for the week immediately preceding, and 6°·0 below that for the corresponding week of 1909. The mean rainfall was 1·38 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 12, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Nov. 12, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages.	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	784	484	170	46·1	21·5	36·0	1·38
GLASGOW, . . .	12,669	884,520	69·818	8·95	390	234	95	44·0	23·8	36·1	1·45
EDINBURGH, . .	10,912	360,276	33·016	13·01	121	94	33	42·5	27·7	36·0	0·96
DUNDEE, . . .	4,755	170,206	35·795	12·50	77	50	6	42·6	26·0	35·5	1·13
ABERDEEN, . .	6,319	185,703	29·388	13·79	69	42	14	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	37	20	3	46·1	24·5	36·6	1·76
LEITH, ...	1,467	86,767	59·146	9·72	45	17	10	43·8	27·3	36·9	1·17
GREENOCK, . .	2,773	73,605	26·543	14·51	33	21	6	45·5	27·0	36·6	1·90
PERTH, ...	3,139	37,275	11·875	21·69	12	6	3	45·0	21·5	34·3	1·32
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	794	566	180	56·0	21·0	42·0	0·32

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, NOVEMBER 12, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th
Week ending Saturday, November 12, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
In Eight Towns,	13·3	1·3	484	90	149	0	1	7	11	7	*4	17	1	64	18	140	15	3
GLASGOW, .	13·8	1·5	234	53	57	0	0	5	6	4	*4	6	1	29	12	75	6	2
EDINBURGH,	13·6	0·7	94	14	35	0	1	0	1	1	0	2	0	13	4	30	6	0
DUNDEE, . .	15·3	2·8	50	9	13	0	0	2	3	0	0	4	0	9	1	10	1	1
ABERDEEN, .	11·8	0·6	42	8	15	0	0	0	0	1	0	1	0	5	1	10	1	0
PAISLEY, . .	11·1	1·1	20	2	6	0	0	0	1	0	0	1	0	4	0	4	1	0
LEITH, . . .	10·2	0·6	17	3	7	0	0	0	0	1	0	0	0	2	0	3	0	0
GREENOCK, .	14·9	1·4	21	0	12	0	0	0	0	0	0	2	0	2	0	4	0	0
PERTH, . . .	8·4	1·4	6	1	4	0	0	0	0	0	0	1	0	0	0	4	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th
Week ending Saturday, November 13, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
In Eight Towns,	15·8	1·8	566	119	149	0	22	10	7	5	*6	16	1	114	16	152	17	1
GLASGOW, .	18·0	2·7	300	68	69	0	21	7	4	3	†5	5	1	75	6	83	6	1
EDINBURGH,	13·9	1·8	95	13	29	0	1	2	1	1	0	7	0	10	1	35	5	0
DUNDEE, . .	13·9	0·6	45	15	15	0	0	0	0	0	0	2	0	12	1	11	4	0
ABERDEEN, .	12·9	0·9	45	7	15	0	0	0	2	0	0	1	0	7	2	10	1	0
PAISLEY, . .	17·6	0·6	31	8	9	0	0	1	0	0	0	0	0	5	1	7	1	0
LEITH, . . .	13·4	0·6	22	3	3	0	0	0	0	0	‡1	0	0	4	2	4	0	0
GREENOCK, .	15·9	1·4	22	3	7	0	0	0	0	1	0	1	0	1	3	1	0	0
PERTH, . . .	8·5	0·0	6	2	2	0	0	0	0	0	0	0	0	0	0	1	0	0

* 4 Enteric fever; 1 Typhus fever; 1 Cerebro-spinal meningitis.
† 1 Cerebro-spinal meningitis. ‡ Typhus fever.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 19, 1910.

During the week ending 19th November 1910 there were registered in Eight of the Principal Towns of Scotland the births of 779 living children, and the deaths of 588 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 21·5, and the death-rate 16·2.

The death-rate for the week is 2·9 above that for the previous week, and 3·0 above the mean of the rates for the three preceding weeks, but is 3·6 below that for the corresponding week of last year.

The death-rate for the week ranged from 21·3 in Greenock to 9·8 in Perth. In Paisley it was 19·5, in Edinburgh 16·8, in Dundee 16·6, in Glasgow 16·1, in Aberdeen 14·6, and in Leith 12·6.

Deaths from the principal epidemic diseases numbered 61; they are 14 more than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 4 from measles, all of which were registered in Edinburgh; 5 from scarlet fever; 8 from diphtheria; 13 from hooping-cough; 6 from enteric fever; 24 from diarrhœal diseases; and 1 from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from diphtheria number 3 fewer, from scarlet fever 2 fewer, and from cerebro-spinal meningitis the same, but those from measles and enteric fever are each 3 more, from hooping-cough 6 more, and from diarrhœal diseases 7 more. The death-rate from these causes ranged from 2·1 in Glasgow and in Greenock to 0 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 119; they are 55 more than in the previous week, but 24 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 108; they are 18 more than in the previous week, but 35 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 186; they are 37 more than in the previous week, but 3 fewer than in the corresponding week of last year.

The mean temperature was 37°·0, being 1°·0 above that for the week immediately preceding, and 6°·9 above that for the corresponding week of 1909. The mean rainfall was 0·93 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 19, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Nov. 19, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	779	588	181	44·8	25·0	37·0	0·93
GLASGOW, . . .	12,669	884,520	69·818	8·95	402	273	91	44·8	28·7	37·6	0·61
EDINBURGH, . .	10,912	360,276	33·016	13·01	118	116	38	43·5	29·5	36·2	1·06
DUNDEE, . . .	4,755	170,206	35·795	12·50	71	54	7	42·9	28·4	36·7	1·03
ABERDEEN, . .	6,319	185,703	29·388	13·79	75	52	12	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	31	35	4	42·9	28·0	37·1	0·72
LEITH, ...	1,467	86,767	59·146	9·72	37	21	12	44·5	27·6	37·5	1·17
GREENOCK, . .	2,773	73,605	26·543	14·51	31	30	11	44·2	30·0	36·9	0·76
PERTH, ...	3,139	37,275	11·875	21·69	14	7	6	42·0	25·0	36·9	1·19
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	768	708	164	51·3	11·0	30·1	0·03

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, NOVEMBER 19, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 19, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·2	1·7	588	108	186	0	4	5	8	13	*7	24	2	119	15	161	23	5
GLASGOW, .	16·1	2·1	273	48	83	0	0	3	6	12	†5	10	1	54	11	78	14	5
EDINBURGH,	16·8	1·9	116	14	43	0	4	2	0	0	2	5	0	26	0	40	9	0
DUNDEE, . .	16·6	0·9	54	11	17	0	0	0	1	0	0	2	0	12	2	14	0	0
ABERDEEN, .	14·6	0·6	52	11	19	0	0	0	0	0	0	2	0	7	1	9	0	0
PAISLEY, . .	19·5	1·7	35	9	12	0	0	0	1	0	0	2	1	8	0	10	0	0
LEITH, . . .	12·6	0·0	21	5	4	0	0	0	0	0	0	0	0	6	0	1	0	0
GREENOCK, .	21·3	2·1	30	9	8	0	0	0	0	1	0	2	0	5	0	8	0	0
PERTH, . . .	9·8	1·4	7	1	0	0	0	0	0	0	0	1	0	1	1	1	0	0

* 6 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 20, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·8	2·2	708	143	189	0	36	9	9	12	*1	10	2	193	24	184	25	2
GLASGOW, .	24·9	3·7	416	84	87	0	34	7	7	10	*1	3	1	138	13	110	13	2
EDINBURGH,	14·8	0·9	101	20	31	0	2	1	2	0	0	1	0	22	3	28	6	0
DUNDEE, . .	16·0	0·6	52	12	18	0	0	0	0	0	0	2	0	11	2	16	0	0
ABERDEEN, .	16·1	1·1	56	17	18	0	0	0	0	1	0	3	1	6	3	14	1	0
PAISLEY, . .	17·6	0·0	31	4	13	0	0	0	0	0	0	0	0	11	1	4	5	0
LEITH, . . .	11·0	0·6	18	4	7	0	0	1	0	0	0	0	0	2	0	6	0	0
GREENOCK, .	16·6	1·4	23	2	9	0	0	0	0	1	0	1	0	2	1	2	0	0
PERTH, . . .	15·6	0·0	11	0	6	0	0	0	0	0	0	0	0	1	1	4	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 26, 1910.

During the week ending 26th November 1910 there were registered in Eight of the Principal Towns of Scotland the births of 834 living children, and the deaths of 600 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population is 23·0, and the death-rate 16·5.

The death-rate for the week is 0·3 above that for the week immediately preceding, and 2·1 above the mean of the death-rates for the three preceding weeks, but is 7·7 below the rate for the corresponding week of last year.

The death-rate for the week ranged from 26·6 in Perth to 10·8 in Leith. In Paisley it was 22·9, in Dundee 21·2, in Greenock 19·8, in Glasgow 16·8, in Edinburgh 13·9, and in Aberdeen 12·4.

Deaths from the principal epidemic diseases numbered 55; they are 6 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·5 per thousand. These deaths include 1 from measles; 11 from scarlet fever; 14 from diphtheria; 12 from hooping-cough; 2 from enteric fever; and 15 from diarrhœal diseases. There were no deaths from cerebro-spinal meningitis. Compared with the numbers for the previous week, deaths from diarrhœal diseases are 9 fewer, from enteric fever 4 fewer, from measles 3 fewer, and from hooping-cough 1 fewer, but those from scarlet fever and from diphtheria are each 6 more. The death-rate from these causes ranged from 2·8 in Perth to 0·6 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 138; they are 19 more than in the previous week, but 158 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 85; they are 23 fewer than in the previous week, and 90 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 196; they are 10 more than in the previous week, but 84 fewer than in the corresponding week of last year.

The mean temperature was 34°·2, being 2°·8 below that for the week immediately preceding, and 4°·0 below that for the corresponding week of 1909. The mean rainfall was 0·66 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 26, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Nov. 26, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	834	600	189	46·3	17·0	34·2	0·66
GLASGOW, . . .	12,669	884,520	69·818	8·95	380	285	90	45·3	18·2	32·7	0·65
EDINBURGH, . .	10,912	360,276	33·016	13·01	130	96	46	43·3	25·5	35·0	0·18
DUNDEE, . . .	4,755	170,206	35·795	12·50	95	69	11	43·6	21·5	34·5	0·24
ABERDEEN, . .	6,319	185,703	29·388	13·79	91	44	19	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	46	41	6	46·3	20·2	33·2	1·02
LEITH, ...	1,467	86,767	59·146	9·72	42	18	4	43·4	27·1	36·5	0·27
GREENOCK, . .	2,773	73,605	26·543	14·51	38	28	9	46·0	23·0	34·5	1·69
PERTH, ...	3,139	37,275	11·875	21·69	12	19	4	45·0	17·0	33·3	0·57
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	849	866	200	49·0	20·5	38·2	0·29

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, NOVEMBER 26, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 26, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·5	1·5	600	85	196	0	1	11	14	12	2	15	0	138	19	183	16	0
GLASGOW, .	16·8	1·8	285	42	84	0	1	6	5	8	2	9	0	72	6	97	9	0
EDINBURGH,	13·9	0·9	96	10	39	0	0	1	3	0	0	2	0	17	3	35	5	0
DUNDEE, . .	21·2	2·1	69	11	19	0	0	4	1	1	0	1	0	17	3	18	0	0
ABERDEEN, .	12·4	0·8	44	8	16	0	0	0	2	1	0	0	0	6	3	8	2	0
PAISLEY, . .	22·9	0·6	41	6	16	0	0	0	0	1	0	0	0	15	2	9	0	0
LEITH, . . .	10·8	1·2	18	4	5	0	0	0	1	1	0	0	0	4	0	3	0	0
GREENOCK, .	19·8	2·1	28	3	10	0	0	0	1	0	0	2	0	4	2	8	0	0
PERTH, . . .	26·6	2·8	19	1	7	0	0	0	1	0	0	1	0	3	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 27, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24·2	2·7	866	175	280	0	49	7	13	9	*4	16	2	296	12	218	26	2
GLASGOW, .	32·7	4·5	547	96	161	0	45	5	6	9	3	8	2	233	7	138	14	2
EDINBURGH,	18·8	2·1	128	25	46	0	4	1	4	0	†1	4	0	24	2	46	8	0
DUNDEE, . .	15·4	0·3	50	11	18	0	0	0	0	0	0	1	0	8	1	18	0	0
ABERDEEN, .	17·5	0·9	61	23	23	0	0	0	2	0	0	1	0	6	1	9	2	0
PAISLEY, . .	18·2	1·7	32	7	17	0	0	0	1	0	0	2	0	14	0	4	2	0
LEITH, . . .	13·4	0·6	22	7	5	0	0	1	0	0	0	0	0	5	1	0	0	0
GREENOCK, .	11·5	0·0	16	3	6	0	0	0	0	0	0	0	0	4	0	1	0	0
PERTH, . . .	14·1	0·0	10	3	4	0	0	0	0	0	0	0	0	2	0	2	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 48. WEEK ENDING SATURDAY, DECEMBER 3, 1910.

During the week ending 3rd December 1910 there were registered in Eight of the Principal Towns of Scotland the births of 780 living children, and the deaths of 633 persons. The equivalent annual birth-rate is 21·5 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 17·5 per thousand.

The death-rate of the week is 1·0 above that of the previous week, and 2·2 above the mean of the death-rates of the three preceding weeks, but is 4·8 below that of the corresponding week of last year.

The death-rate of the week ranged from 22·2 in Leith, to 11·2 in Aberdeen. In Perth it was 21·0, in Paisley 20·6, in Dundee 19·9, in Greenock 19·8, in Glasgow 17·3, and in Edinburgh 16·9.

Deaths from the principal epidemic diseases numbered 47; they are 8 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·3 per thousand. These deaths include 2 from measles; 5 from scarlet fever; 11 from diphtheria; 10 from hooping-cough; 2 from enteric fever; 16 from diarrhœas; and 1 from cerebro-spinal meningitis. Compared with the returns of the previous week, deaths from scarlet fever are 6 fewer, from diphtheria 3 fewer, and from hooping-cough 2 fewer, but those from enteric fever are of the same number, and those from measles, cerebro-spinal meningitis, and diarrhœas are each 1 more. The death-rate from these causes ranged from 4·2 in Perth to 0·6 in Aberdeen and in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 156; they are 18 more than in the previous week, but 108 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 115; they are 30 more than in the previous week, but 47 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 207; they are 11 more than in the previous week, but 30 fewer than in the corresponding week of last year.

The mean temperature was 37°·4, being 3°·2 above that for the week immediately preceding, but 0°·7 below that for the corresponding week of 1909. The mean rainfall was 0·22 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 3, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Dec. 3, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	780	633	276	46·2	22·0	37·4	0·22
GLASGOW, . . .	12,669	884,520	69·818	8·95	392	294	142	44·0	22·0	36·1	0·08
EDINBURGH, . .	10,912	360,276	33·016	13·01	104	117	49	46·2	32·1	37·8	0·18
DUNDEE, . . .	4,755	170,206	35·795	12·50	84	65	15	42·5	30·5	37·5	0·34
ABERDEEN, . .	6,319	185,703	29·388	13·79	59	40	28	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	46	37	14	44·9	28·2	38·0	0·16
LEITH, ...	1,467	86,767	59·146	9·72	50	37	12	44·7	32·5	38·8	0·18
GREENOCK, . .	2,773	73,605	26·543	14·51	31	28	6	45·0	30·0	37·4	0·15
PERTH, ...	3,139	37,275	11·875	21·69	14	15	10	44·0	22·5	35·9	0·42
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	800	797	275	52·0	23·5	38·1	1·61

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 3, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during t
Week ending Saturday, December 3, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
In Eight Towns,	17·5	1·3	633	115	207	0	2	5	11	10	*3	16	1	156	22	171	14	1
GLASGOW, .	17·3	1·2	294	52	79	0	0	2	5	7	1	5	0	74	12	91	6	1
EDINBURGH,	16·9	0·9	117	22	44	0	1	1	1	0	0	3	0	24	4	31	4	0
DUNDEE, . .	19·9	2·1	65	11	25	0	0	1	2	0	0	4	0	20	2	11	0	0
ABERDEEN, .	11·2	0·6	40	9	16	0	0	0	0	0	†1	1	0	8	0	5	0	0
PAISLEY, . .	20·6	0·6	37	9	15	0	0	0	0	0	0	1	0	15	1	10	3	0
LEITH, . . .	22·2	3·6	37	8	12	0	1	0	1	3	0	1	0	8	1	11	1	0
GREENOCK, .	19·8	1·4	28	3	10	0	0	0	0	0	1	1	1	5	1	7	0	0
PERTH, . . .	21·0	4·2	15	1	6	0	0	1	2	0	0	0	0	2	1	5	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.
† Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th
Week ending Saturday, December 4, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
In Eight Towns,	22·3	2·5	797	162	237	0	43	9	4	17	*4	11	1	264	27	196	21	2
GLASGOW, .	27·3	3·7	457	100	128	0	40	5	2	8	2	4	0	171	15	114	14	2
EDINBURGH,	19·5	1·6	133	27	41	0	1	3	0	3	0	4	0	38	5	46	5	0
DUNDEE, . .	20·6	2·5	67	8	21	0	1	0	2	3	0	2	1	19	4	13	0	0
ABERDEEN, .	12·0	1·4	42	13	12	0	1	1	0	1	†2	0	0	13	2	3	1	0
PAISLEY, . .	16·5	0·0	29	2	10	0	0	0	0	0	0	0	0	8	0	12	1	0
LEITH, . . .	13·4	0·6	22	8	6	0	0	0	0	0	0	1	0	5	0	1	0	0
GREENOCK, .	16·6	1·4	23	3	7	0	0	0	0	2	0	0	0	6	1	5	0	0
PERTH, . . .	33·9	0·0	24	1	12	0	0	0	0	0	0	0	0	4	0	2	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 10, 1910.

During the week ending 10th December 1910 there were registered in Eight of the Principal Towns of Scotland the births of 838 living children, and the deaths of 622 persons. The equivalent annual birth-rate is 23·1 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 17·2 per thousand.

The death-rate of the week is 0·3 below that of the previous week, 0·5 above the mean of the death-rates of the three preceding weeks, but 6·6 below that of the corresponding week of last year.

The death-rate of the week varied from 23·0 in Dundee, to 14·0 in Aberdeen. In Paisley it was 19·0, in Edinburgh 18·2, in Greenock 17·7, in Leith 17·4, in Perth 16·8, and in Glasgow 16·0.

Deaths from the principal epidemic diseases numbered 40; they are 7 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·1 per thousand. These deaths include 2 from measles; 4 from scarlet fever; 13 from diphtheria; 8 from hooping-cough; 2 from enteric fever; 9 from diarrhœas; and 2 from cerebro-spinal meningitis. Compared with the returns of the previous week, the deaths from diarrhœas are 7 fewer, from hooping-cough 2 fewer, and from scarlet fever 1 fewer, but those from measles and enteric fever are of the same number, from cerebro-spinal meningitis 1 more, and from diphtheria 2 more. The death-rate from these causes varied from 4·2 in Leith and 2·1 in Dundee, to 0 in Greenock and Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 151; they are 5 fewer than in the previous week, and 123 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 127; they are 12 more than in the previous week, and 65 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 194; they are 13 fewer than in the previous week, and 40 fewer than in the corresponding week of last year.

The mean temperature was 43°·4, being 6°·0 above that for the week immediately preceding, and 8°·4 above that for the corresponding week of 1909. The mean rainfall was 1·25 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 10, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Dec. 10, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	838	622	234	51·0	32·5	43·4	1·25
GLASGOW, . . .	12,669	884,520	69·818	8·95	408	271	102	50·0	36·3	44·2	1·32
EDINBURGH, . .	10,912	360,276	33·016	13·01	138	126	55	48·6	35·7	43·1	0·30
DUNDEE, . . .	4,755	170,206	35·795	12·50	78	75	20	48·6	35·5	42·3	1·41
ABERDEEN, . .	6,319	185,703	29·388	13·79	79	50	24	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	33	34	4	49·8	35·9	43·7	1·85
LEITH, ...	1,467	86,767	59·146	9·72	48	29	14	50·2	36·9	44·3	0·39
GREENOCK, . .	2,773	73,605	26·543	14·51	36	25	8	49·9	35·0	43·2	2·34
PERTH, ...	3,139	37,275	11·875	21·69	18	12	7	51·0	32·5	42·9	1·16
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	790	851	197	55·5	11·0	35·0	1·77

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 10, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 10, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·2	1·1	622	127	194	0	2	4	13	8	*4	9	0	151	20	191	21	5
GLASGOW, .	16·0	1·0	271	57	63	0	1	1	7	3	†3	2	0	68	12	95	11	4
EDINBURGH,	18·2	0·9	126	24	49	0	1	1	3	0	0	1	0	28	2	45	5	0
DUNDEE, . .	23·0	2·1	75	17	24	0	0	2	3	0	0	2	0	18	2	15	0	0
ABERDEEN, .	14·0	0·6	50	13	22	0	0	0	0	0	0	2	0	9	1	13	1	0
PAISLEY, . .	19·0	0·6	34	3	16	0	0	0	0	0	0	1	0	13	1	8	2	0
LEITH, . . .	17·4	4·2	29	5	9	0	0	0	0	5	1	1	0	6	1	8	0	0
GREENOCK, .	17·7	0·0	25	6	8	0	0	0	0	0	0	0	0	6	1	3	1	0
PERTH, . . .	16·8	0·0	12	2	3	0	0	0	0	0	0	0	0	3	0	4	1	1

* 2 Enteric fever; 2 Cerebro-spinal meningitis.
† 2 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 11, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·8	3·4	851	192	234	0	64	8	14	16	*8	11	1	274	25	211	34	2
GLASGOW, .	31·7	5·7	529	129	126	0	60	4	8	7	7	9	0	198	11	124	21	2
EDINBURGH,	17·5	1·9	119	17	38	0	4	4	2	3	0	0	0	25	4	43	5	0
DUNDEE, . .	19·1	1·5	62	15	23	0	0	0	1	3	0	1	0	9	5	18	2	0
ABERDEEN, .	16·6	1·1	58	21	21	0	0	0	0	2	†1	1	1	15	1	9	2	0
PAISLEY, . .	15·3	1·1	27	3	8	0	0	0	2	0	0	0	0	11	2	7	4	0
LEITH, . . .	15·2	0·0	25	3	8	0	0	0	0	0	0	0	0	10	1	3	0	0
GREENOCK, .	12·3	1·4	17	2	3	0	0	0	1	1	0	0	0	3	1	4	0	0
PERTH, . . .	19·8	0·0	14	2	7	0	0	0	0	0	0	0	0	3	0	3	0	0

* 7 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 17, 1910.

During the week ending 17th December 1910 there were registered in Eight of the Principal Towns of Scotland the births of 850 living children, and the deaths of 598 persons. The equivalent annual birth-rate is 23·4 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 16·5 per thousand.

The death-rate for the week is 0·7 below that for the previous week, 0·6 below the mean of the rates for the three preceding weeks, and 3·1 below that for the corresponding week of last year.

The death-rate for the week ranged from 17·8 in Dundee and in Paisley, to 11·3 in Greenock. In Glasgow it was 17·2, in Leith 16·2, in Edinburgh 15·8, in Aberdeen 15·5, and in Perth 14·0.

Deaths from the principal epidemic diseases numbered 50; they are 10 more than in the previous week, and are equal to an annual death-rate from these causes of 1·4 per thousand. These deaths include 2 from measles; 7 from scarlet fever; 18 from diphtheria; 13 from hooping-cough; 9 from diarrhœal diseases; and 1 from cerebro-spinal meningitis. Compared with the returns for the previous week, deaths from diphtheria and hooping-cough are each 5 more, and from scarlet fever 3 more, but those from measles and from diarrhœal diseases number the same, from cerebro-spinal meningitis 1 fewer, and from enteric fever 2 fewer. The death-rate from these causes ranged from 5·6 in Perth to 0·7 in Greenock.

Deaths from pneumonia, bronchitis, and pleurisy numbered 122; they are 29 fewer than in the previous week, and 93 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 113; they are 14 fewer than in the previous week, and 50 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 216; they are 22 more than in the previous week, and 16 more than in the corresponding week of last year.

The mean temperature was 44°·3, being 0°·9 above that for the week immediately preceding, and 5°·9 above that for the corresponding week of 1909. The mean rainfall was 0·91 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 17, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Dec. 17, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	850	598	193	52·4	35·0	44·3	0·91
GLASGOW, . . .	12,669	884,520	69·818	8·95	413	291	78	50·7	37·8	45·2	0·80
EDINBURGH, . .	10,912	360,276	33·016	13·01	129	109	51	49·9	36·9	43·6	0·55
DUNDEE, . . .	4,755	170,206	35·795	12·50	87	58	12	46·7	36·0	43·0	0·99
ABERDEEN, . .	6,319	185,703	29·388	13·79	69	55	25	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	41	32	6	50·9	37·7	45·3	1·08
LEITH, ...	1,467	86,767	59·146	9·72	50	27	8	52·4	38·6	44·6	0·59
GREENOCK, . .	2,773	73,605	26·543	14·51	44	16	5	49·2	37·2	43·9	1·53
PERTH, ...	3,139	37,275	11·875	21·69	17	10	8	51·0	35·0	44·6	0·82
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	868	700	195	47·2	21·0	38·4	0·07

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 17, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 17, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·5	1·4	598	113	216	0	2	7	18	13	*1	9	0	122	15	174	19	0
GLASGOW, .	17·2	1·0	291	56	99	0	0	2	4	7	*1	3	0	69	6	89	8	0
EDINBURGH,	15·8	1·7	109	11	39	0	1	2	8	1	0	0	0	22	3	46	8	0
DUNDEE, . .	17·8	1·5	58	14	25	0	0	0	0	3	0	2	0	9	1	7	1	0
ABERDEEN, .	15·5	0·8	55	19	23	0	0	0	1	0	0	2	0	6	3	11	1	0
PAISLEY, . .	17·8	1·7	32	3	16	0	0	2	0	0	0	1	0	8	0	8	0	0
LEITH, . . .	16·2	3·0	27	6	5	0	0	0	2	2	0	1	0	6	0	6	0	0
GREENOCK, .	11·3	0·7	16	3	5	0	0	0	1	0	0	0	0	2	2	4	1	0
PERTH, . . .	14·0	5·6	10	1	4	0	1	1	2	0	0	0	0	0	0	3	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 18, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·6	2·1	700	163	200	0	46	6	5	9	3	7	0	215	14	173	17	3
GLASGOW, .	23·0	3·4	384	99	95	0	42	2	4	3	2	4	0	137	9	98	10	1
EDINBURGH,	17·2	1·8	117	19	42	0	4	1	1	4	1	1	0	30	1	38	5	0
DUNDEE, . .	18·8	0·6	61	16	19	0	0	0	0	0	0	2	0	15	2	12	0	0
ABERDEEN, .	17·5	1·1	61	20	20	0	0	3	0	1	0	0	0	15	0	8	0	1
PAISLEY, . .	12·5	0·0	22	3	10	0	0	0	0	0	0	0	0	7	0	5	1	0
LEITH, . . .	12·8	0·0	21	3	6	0	0	0	0	0	0	0	0	5	2	5	0	0
GREENOCK, .	15·2	0·7	21	2	4	0	0	0	0	1	0	0	0	2	0	5	1	1
PERTH, . . .	18·4	0·0	13	1	4	0	0	0	0	0	0	0	0	4	0	2	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 24, 1910.

During the week ending 24th December 1910 there were registered in Eight of the Principal Towns of Scotland the births of 823 living children, and the deaths of 486 persons. The equivalent annual birth-rate is 22·7 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate is 13·4 per thousand.

The death-rate of the week is 3·1 below that of the previous week, 3·7 below the mean of the death-rates of the three preceding weeks, and 6·1 below that of the corresponding week of last year.

The death-rate of the week varied from 20·8 in Dundee, and 19·6 in Perth, to 8·9 in Paisley, and 10·7 in Aberdeen. In Greenock it was 15·6, in Leith 14·4, in Glasgow 13·2, and in Edinburgh 11·7.

Deaths from the principal epidemic diseases numbered 40; they are 10 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·1 per thousand. These deaths include 6 from scarlet fever; 10 from diphtheria; 12 from hooping-cough; 1 from enteric fever; and 11 from diarrhœas. Compared with the returns of the previous week, deaths from diarrhœas are 2 more, and from enteric fever 1 more, but those from diphtheria are 8 fewer, from measles 2 fewer, and from scarlet fever and hooping-cough each 1 fewer. The death-rate from these causes varied from 4·0 in Dundee, to 0·4 in Edinburgh, and 0·6 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 117; they are 5 fewer than in the previous week, and 54 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 98; they are 15 fewer than in the previous week, and 33 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 155; they are 61 fewer than in the previous week, and 39 fewer than in the corresponding week of last year.

The mean temperature was 44°·1, being 0°·2 below that for the week immediately preceding, but 11°·8 above that for the corresponding week of 1909. The mean rainfall was 0·59 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 24, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Dec. 24, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	823	486	270	56·0	32·5	44·1	0·59
GLASGOW, . . .	12,669	884,520	69·818	8·95	401	223	109	52·5	36·8	44·6	0·51
EDINBURGH, . .	10,912	360,276	33·016	13·01	124	81	54	52·7	35·4	43·2	0·07
DUNDEE, . . .	4,755	170,206	35·795	12·50	75	68	22	53·2	32·5	42·7	0·08
ABERDEEN, . .	6,319	185,703	29·388	13·79	87	38	40	56·0	33·0	43·5	0·35
PAISLEY, . . .	3,487	93,584	26·838	14·43	38	16	11	52·4	36·2	44·6	1·33
LEITH, ...	1,467	86,767	59·146	9·72	47	24	13	53·8	38·3	45·6	0·15
GREENOCK, . .	2,773	73,605	26·543	14·51	35	22	10	52·0	37·0	44·5	2·07
PERTH, ...	3,139	37,275	11·875	21·69	16	14	11	55·0	32·5	44·1	0·19
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	807	697	227	49·0	15·0	32·3	0·83

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1910. 90/430. Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 24, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 24, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·4	1·1	486	98	155	0	0	6	10	12	1	11	0	117	15	141	13	2
GLASGOW, .	13·2	0·9	223	42	65	0	0	1	6	3	0	5	0	52	8	74	5	1
EDINBURGH,	11·7	0·4	81	13	35	0	0	1	1	0	0	1	0	19	3	32	4	0
DUNDEE, . .	20·8	4·0	68	20	20	0	0	2	2	3	1	5	0	17	1	15	1	0
ABERDEEN, .	10·7	0·8	38	11	6	0	0	0	1	2	0	0	0	10	1	5	0	0
PAISLEY, . .	8·9	1·1	16	3	6	0	0	1	0	1	0	0	0	6	0	4	0	0
LEITH, . . .	14·4	0·6	24	7	9	0	0	0	0	1	0	0	0	9	0	1	2	0
GREENOCK, .	15·6	1·4	22	2	7	0	0	0	0	2	0	0	0	3	1	5	1	1
PERTH, . . .	19·6	1·4	14	0	7	0	0	1	0	0	0	0	0	1	1	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 25, 1909.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·5	2·4	697	131	194	0	42	6	11	10	*4	13	2	171	25	187	20	0
GLASGOW, .	21·5	3·7	359	67	87	0	34	4	7	8	*4	5	2	95	18	100	7	0
EDINBURGH,	16·3	1·8	111	17	41	0	6	1	2	1	0	2	0	24	0	37	9	0
DUNDEE, . .	23·4	1·5	76	13	22	0	0	1	0	0	0	4	0	18	2	24	1	0
ABERDEEN, .	15·5	0·9	54	21	13	0	1	0	1	0	0	1	0	13	3	11	3	0
PAISLEY, . .	18·7	0·0	33	3	12	0	0	0	0	0	0	0	0	10	0	5	0	0
LEITH, . . .	17·0	0·0	28	6	13	0	0	0	0	0	0	0	0	7	0	2	0	0
GREENOCK, .	14·4	1·4	20	3	3	0	0	0	0	1	0	1	0	2	2	4	0	0
PERTH, . . .	22·6	2·8	16	1	3	0	1	0	1	0	0	0	0	2	0	4	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 31, 1910.

During the week ending 31st December 1910 there were registered in Eight of the Principal Towns of Scotland the births of 855 living children, and the deaths of 534 persons. The equivalent annual birth-rate is 23·6 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate is 14·7 per thousand.

The death-rate for the week is 1·3 above that for the previous week, but is 1·0 below the mean of the rates for the three preceding weeks, and is 4·2 below that for the corresponding week of 1909.

The death-rate for the week ranged from 21·3 in Greenock to 11·0 in Aberdeen. In Perth it was 19·6, in Leith 18·6, in Dundee 15·0, in Edinburgh 14·8, in Glasgow 14·5, and in Paisley 13·4.

Deaths from the principal epidemic diseases numbered 43; they are 3 more than in the previous week, and are equal to an annual death-rate from these causes of 1·2 per thousand. These deaths include 6 from scarlet fever; 14 from diphtheria; 7 from hooping-cough; 2 from enteric fever; 13 from diarrhœal diseases; and 1 from cerebro-spinal meningitis. No deaths from measles were recorded. Compared with the returns for the previous week, deaths from hooping-cough are 5 fewer, while those from measles and scarlet fever number the same, and those from enteric fever and from cerebro-spinal meningitis are each 1 more, from diarrhœal diseases 2 more, and from diphtheria 4 more. The death-rate from these causes ranged from 2·1 in Greenock to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 90; they are 27 fewer than in the previous week, and 91 fewer than in the corresponding week of 1909.

Deaths of children of less than one year old numbered 101; they are 3 more than in the previous week, and 45 fewer than in the corresponding week of 1909. Deaths of persons of over sixty numbered 183; they are 28 more than in the previous week, but 5 fewer than in the corresponding week of 1909.

The mean temperature was 39°·2, being 4°·9 below that for the previous week, and 2°·5 below that for the corresponding week of 1909. The mean rainfall was 0·25 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 31, 1910, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1910.	Persons to an Acre. 1910.	Proximity in Yards.	Registered during the Week ending Dec. 31, 1910.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,891,936	41·562	11·60	855	534	507	49·7	22·0	39·2	0·25
GLASGOW, . . .	12,669	884,520	69·818	8·95	429	245	208	47·4	25·2	39·7	0·34
EDINBURGH, . .	10,912	360,276	33·016	13·01	134	102	116	45·5	28·9	38·1	0·01
DUNDEE, . . .	4,755	170,206	35·795	12·50	82	49	36	45·2	26·5	38·1	0·05
ABERDEEN, . .	6,319	185,703	29·388	13·79	81	39	65	...	...	...	...
PAISLEY, . . .	3,487	93,584	26·838	14·43	31	24	28	47·8	27·9	40·2	0·50
LEITH, ...	1,467	86,767	59·146	9·72	41	31	16	47·8	27·4	39·6	0·01
GREENOCK, . .	2,773	73,605	26·543	14·51	41	30	25	49·7	27·5	39·7	0·80
PERTH, ...	3,139	37,275	11·875	21·69	16	14	13	47·0	22·0	38·7	0·07
Corresponding Week of 1909 — Eight Towns.	46,618	1,865,571	40·018	11·82	781	675	461	55·7	28·5	41·7	1·25

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 31, 1910.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 31, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·7	1·2	534	101	183	0	0	6	14	7	*3	13	2	90	17	155	14	0
GLASGOW, .	14·5	1·1	245	36	73	0	0	2	5	1	†2	9	1	46	10	80	6	0
EDINBURGH,	14·8	1·0	102	22	44	0	0	1	5	0	0	1	1	19	4	34	2	0
DUNDEE, . .	15·0	1·5	49	13	18	0	0	0	2	2	0	1	0	8	0	8	1	0
ABERDEEN, .	11·0	0·8	39	9	19	0	0	1	1	0	0	1	0	4	2	6	2	0
PAISLEY, . .	13·4	1·7	24	4	9	0	0	1	0	0	1	1	0	2	0	8	1	0
LEITH, . . .	18·6	1·8	31	10	8	0	0	0	0	3	0	0	0	6	0	4	2	0
GREENOCK, .	21·3	2·1	30	4	5	0	0	1	1	1	0	0	0	5	1	12	0	0
PERTH, . . .	19·6	0·0	14	3	7	0	0	0	0	0	0	0	0	0	0	3	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 1, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·9	2·4	675	146	188	0	63	3	6	3	*2	9	0	181	27	177	12	1
GLASGOW, .	20·8	3·8	347	73	79	0	49	3	4	3	1	3	0	93	14	99	6	0
EDINBURGH,	15·9	2·1	108	18	41	0	13	0	0	0	†1	0	0	23	4	37	0	0
DUNDEE, . .	23·7	0·3	77	20	21	0	0	0	0	0	0	1	0	24	4	17	1	1
ABERDEEN, .	13·5	1·4	47	11	19	0	0	0	1	0	0	4	0	12	1	5	0	0
PAISLEY, . .	12·5	0·6	22	5	6	0	0	0	0	0	0	1	0	7	1	4	5	0
LEITH, . . .	18·9	0·6	31	12	6	0	1	0	0	0	0	0	0	9	1	3	0	0
GREENOCK, .	23·8	0·7	33	7	9	0	0	0	1	0	0	0	0	12	2	7	0	0
PERTH, . . .	14·1	0·0	10	0	7	0	0	0	0	0	0	0	0	1	0	5	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.